



**COUNCIL OF
THE EUROPEAN UNION**

Brussels, 7 November 2005

**14072/05
ADD 2**

**AGRI 290
ENV 504**

COVER NOTE

from: Secretary-General of the European Commission,
signed by Mr Jordi AYET PUIGARNAU, Director

date of receipt: 27 October 2005

to: Mr Javier SOLANA, Secretary-General/High Representative

Subject: Commission Staff Working Document - Monitoring of Pesticide Residues in
Products of Plant Origin in the European Union, Norway, Iceland and
Liechtenstein 2003 - Annex 2

Delegations will find attached Commission document SEC(2005) 1399.

Encl.: SEC(2005) 1399



COMMISSION OF THE EUROPEAN COMMUNITIES

Brussels, 26.10.2005
SEC(2005) 1399

PART III

COMMISSION STAFF WORKING DOCUMENT

**Monitoring of Pesticide Residues
in Products of Plant Origin
in the European Union, Norway, Iceland and Liechtenstein**

2003

ANNEX 2

Results of the EU Co-ordinated programme

ANNEX 2

RESULTS OF THE EU CO-ORDINATED PROGRAMME

Notifications of the co-ordinated programme (specific exercise) to the European Commission for CAULIFLOWER										
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL
Country										
Belgium	38	29	76	9	23.7	0	0.0	0	0.0	0
Denmark	20	19	95	1	5.0	0	0.0	0	0.0	0
Germany	122	73	60	46	37.7	3	2.5	3	2.5	0
Greece	2	2	100	0	0.0	0	0.0	0	0.0	0
Spain	45	33	73	11	24.4	1	2.2	1	2.2	0
France	69	55	80	12	17.4	2	2.9	2	2.9	0
Ireland	18	18	100	0	0.0	0	0.0	0	0.0	0
Italy	64	61	95	3	4.7	0	0.0	0	0.0	0
Luxembourg	12	3	25	9	75.0	0	0.0	0	0.0	0
The Netherlands	31	30	97	1	3.2	0	0.0	0	0.0	0
Austria	10	10	100	0	0.0	0	0.0	0	0.0	0
Portugal	33	26	79	7	21.2	0	0.0	0	0.0	0
Finland	31	30	97	1	3.2	0	0.0	0	0.0	0
Sweden	21	18	86	3	14.3	0	0.0	0	0.0	0
United Kingdom	72	72	100	0	0.0	0	0.0	0	0.0	0
Norway	32	31	97	1	3.1	0	0.0	0	0.0	0
Iceland	7	7	100	0	0.0	0	0.0	0	0.0	0
Liechtenstein	4	3	75	1	25.0	0	0.0	0	0.0	0
TOTAL	631	520	82	105	16.6	6	1.0	6	1.0	0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for SWEET PEPPERS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	45	40	89	5	11.1	0	0.0	0	0.0	0	0.0
Denmark	24	7	29	17	70.8	0	0.0	0	0.0	0	0.0
Germany	896	432	48	396	44.2	68	7.6	57	6.4	12	1.3
Greece	21	19	90	2	9.5	0	0.0	0	0.0	0	0.0
Spain	45	30	67	15	33.3	0	0.0	0	0.0	0	0.0
France	92	60	65	30	32.6	2	2.2	2	2.2	0	0.0
Ireland	17	16	94	1	5.9	0	0.0	0	0.0	0	0.0
Italy	145	111	77	31	21.4	3	2.1	2	1.4	1	0.7
Luxembourg	13	10	77	3	23.1	0	0.0	0	0.0	0	0.0
The Netherlands	145	93	64	36	24.8	16	11.0	16	11.0	0	0.0
Austria	10	6	60	4	40.0	0	0.0	0	0.0	0	0.0
Portugal	18	8	44	8	44.4	2	11.1	2	11.1	0	0.0
Finland	79	52	66	24	30.4	3	3.8	3	3.8	0	0.0
Sweden	64	44	69	16	25.0	4	6.3	4	6.3	0	0.0
United Kingdom	72	68	94	4	5.6	0	0.0	0	0.0	0	0.0
Norway	58	46	79	12	20.7	0	0.0	0	0.0	0	0.0
Iceland	10	9	90	1	10.0	0	0.0	0	0.0	0	0.0
Liechtenstein	0	0	0	0	0	0	0	0	0	0	0.0
TOTAL	1754	1051	60	605	34.5	98	5.6	86	4.9	13	0.7

Notifications of the co-ordinated programme (specific exercise) to the European Commission for WHEAT											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	28	26	93	2	7.1	0	0.0	0	0.0	0	0.0
Denmark	34	30	88	4	11.8	0	0.0	0	0.0	0	0.0
Germany	238	198	83	39	16.4	1	0.4	1	0.4	0	0.0
Greece	22	21	95	1	4.5	0	0.0	0	0.0	0	0.0
Spain	45	44	98	1	2.2	0	0.0	0	0.0	0	0.0
France	131	54	41	77	58.8	0	0.0	0	0.0	0	0.0
Ireland	22	19	86	3	13.6	0	0.0	0	0.0	0	0.0
Italy	127	107	84	20	15.7	0	0.0	0	0.0	0	0.0
Luxembourg	15	15	100	0	0.0	0	0.0	0	0.0	0	0.0
The Netherlands	21	15	71	6	28.6	0	0.0	0	0.0	0	0.0
Austria	12	11	92	0	0.0	1	8.3	1	8.3	0	0.0
Portugal	29	17	59	12	41.4	0	0.0	0	0.0	0	0.0
Finland	37	34	92	3	8.1	0	0.0	0	0.0	0	0.0
Sweden	139	136	98	2	1.4	1	0.7	1	0.7	0	0.0
United Kingdom	68	14	21	54	79.4	0	0.0	0	0.0	0	0.0
Norway	47	45	96	2	4.3	0	0.0	0	0.0	0	0.0
Iceland	2	2	0	0	0.0	0	0.0	0	0.0	0	0.0
Liechtenstein	4	4	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	1021	792	78	226	22.1	3	0.3	3	0.3	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for AUBERGINES											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	37	33	89	4	10.8	0	0.0	0	0.0	0	0.0
Denmark	21	18	86	3	14.3	0	0.0	0	0.0	0	0.0
Germany	185	149	81	35	18.9	1	0.5	1	0.5	0	0.0
Greece	18	13	72	4	22.2	1	5.6	1	5.6	0	0.0
Spain	49	34	69	12	24.5	3	6.1	3	6.1	0	0.0
France	72	58	81	12	16.7	2	2.8	2	2.8	0	0.0
Ireland	14	13	93	1	7.1	0	0.0	0	0.0	0	0.0
Italy	100	92	92	8	8.0	0	0.0	0	0.0	0	0.0
Luxembourg	12	10	83	2	16.7	0	0.0	0	0.0	0	0.0
The Netherlands	23	19	83	4	17.4	0	0.0	0	0.0	0	0.0
Austria	11	7	64	4	36.4	0	0.0	0	0.0	0	0.0
Portugal	19	5	26	6	31.6	8	42.1	1	5.3	8	42.1
Finland	17	14	82	1	5.9	2	11.8	2	11.8	0	0.0
Sweden	20	12	60	7	35.0	1	5.0	1	5.0	0	0.0
United Kingdom	72	55	76	17	23.6	0	0.0	0	0.0	0	0.0
Norway	30	25	83	5	16.7	0	0.0	0	0.0	0	0.0
Iceland	2	2	100	0	0.0	0	0.0	0	0.0	0	0.0
Liechtenstein	4	3	75	1	25.0	0	0.0	0	0.0	0	0.0
TOTAL	706	562	80	126	17.8	18	2.5	11	1.6	8	1.1

Notifications of the co-ordinated programme (specific exercise) to the European Commission for RICE											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	22	21	95	1	4.5	0	0.0	0	0.0	0	0.0
Denmark	17	15	88	2	11.8	0	0.0	0	0.0	0	0.0
Germany	131	113	86	17	13.0	1	0.8	1	0.8	0	0.0
Greece	12	10	83	2	16.7	0	0.0	0	0.0	0	0.0
Spain	45	44	98	1	2.2	0	0.0	0	0.0	0	0.0
France	5	4	80	1	20.0	0	0.0	0	0.0	0	0.0
Ireland	12	11	92	1	8.3	0	0.0	0	0.0	0	0.0
Italy	139	136	98	3	2.2	0	0.0	0	0.0	0	0.0
Luxembourg	4	4	100	0	0.0	0	0.0	0	0.0	0	0.0
The Netherlands	21	21	100	0	0.0	0	0.0	0	0.0	0	0.0
Austria	11	11	100	0	0.0	0	0.0	0	0.0	0	0.0
Portugal	23	22	96	1	4.3	0	0.0	0	0.0	0	0.0
Finland	44	44	100	0	0.0	0	0.0	0	0.0	0	0.0
Sweden	51	46	90	5	9.8	0	0.0	0	0.0	0	0.0
United Kingdom	72	33	46	39	54.2	0	0.0	0	0.0	0	0.0
Norway	20	18	90	2	10.0	0	0.0	0	0.0	0	0.0
Iceland	2	2	100	0	0.0	0	0.0	0	0.0	0	0.0
Liechtenstein	4	4	100	0	0.0	0	0.0	0	0.0	0	0.0
TOTAL	635	559	88	75	11.8	1	0.2	1	0.2	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for TABLE GRAPES											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	63	31	49	21	33.3	11	17.5	11	17.5	0	0.0
Denmark	116	60	52	53	45.7	3	2.6	3	2.6	0	0.0
Germany	879	213	24	636	72.4	30	3.4	30	3.4	0	0.0
Greece	27	18	67	9	33.3	0	0.0	0	0.0	0	0.0
Spain	45	31	69	13	28.9	1	2.2	1	2.2	0	0.0
France	93	38	41	52	55.9	3	3.2	3	3.2	0	0.0
Ireland	28	15	54	13	46.4	0	0.0	0	0.0	0	0.0
Italy	269	156	58	109	40.5	4	1.5	4	1.5	0	0.0
Luxembourg	12	0	0	12	100.0	0	0.0	0	0.0	0	0.0
The Netherlands	266	123	46	105	39.5	38	14.3	38	14.3	0	0.0
Austria	11	4	36	7	63.6	0	0.0	0	0.0	0	0.0
Portugal	32	11	34	21	65.6	0	0.0	0	0.0	0	0.0
Finland	50	16	32	29	58.0	5	10.0	5	10.0	0	0.0
Sweden	106	50	47	49	46.2	7	6.6	7	6.6	0	0.0
United Kingdom	72	27	38	40	55.6	5	6.9	5	6.9	0	0.0
Norway	78	19	24	58	74.4	1	1.3	1	1.3	0	0.0
Iceland	12	9	75	3	25.0	0	0.0	0	0.0	0	0.0
Liechtenstein	4	0	0	3	75.0	1	25.0	1	25.0	0	0.0
TOTAL	2163	821	38	1233	57.0	109	5.0	109	5.0	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for CUCUMBER											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	40	37	93	3	7.5	0	0.0	0	0.0	0	0.0
Denmark	46	35	76	11	23.9	0	0.0	0	0.0	0	0.0
Germany	373	230	62	127	34.0	16	4.3	16	4.3	1	0.3
Greece	19	15	79	3	15.8	1	5.3	1	5.3	0	0.0
Spain	54	35	65	16	29.6	3	5.6	3	5.6	0	0.0
France	85	65	76	15	17.6	5	5.9	5	5.9	0	0.0
Ireland	15	14	93	0	0.0	1	6.7	1	6.7	0	0.0
Italy	78	71	91	6	7.7	1	1.3	1	1.3	0	0.0
Luxembourg	12	9	75	3	25.0	0	0.0	0	0.0	0	0.0
The Netherlands	59	48	81	10	16.9	1	1.7	1	1.7	0	0.0
Austria	11	8	73	3	27.3	0	0.0	0	0.0	0	0.0
Portugal	42	32	76	8	19.0	2	4.8	2	4.8	0	0.0
Finland	83	72	87	11	13.3	0	0.0	0	0.0	0	0.0
Sweden	85	60	71	25	29.4	0	0.0	0	0.0	0	0.0
United Kingdom	72	55	76	17	23.6	0	0.0	0	0.0	0	0.0
Norway	61	48	79	13	21.3	0	0.0	0	0.0	0	0.0
Iceland	11	10	91	1	9.1	0	0.0	0	0.0	0	0.0
Liechtenstein	4	3	75	1	25.0	0	0.0	0	0.0	0	0.0
TOTAL	1150	847	74	273	23.7	30	2.6	30	2.6	1	0.1

Notifications of the co-ordinated programme (specific exercise) to the European Commission for PEAS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	37	35	95	1	2.7	1	2.7	1	2.7	0	0.0
Denmark	16	10	63	6	37.5	0	0.0	0	0.0	0	0.0
Germany	122	48	39	68	55.7	6	4.9	6	4.9	0	0.0
Greece	15	15	100	0	0.0	0	0.0	0	0.0	0	0.0
Spain	38	33	87	5	13.2	0	0.0	0	0.0	0	0.0
France	46	32	70	12	26.1	2	4.3	2	4.3	0	0.0
Ireland	12	12	100	0	0.0	0	0.0	0	0.0	0	0.0
Italy	31	31	100	0	0.0	0	0.0	0	0.0	0	0.0
Luxembourg	12	12	100	0	0.0	0	0.0	0	0.0	0	0.0
The Netherlands	23	22	96	0	0.0	1	4.3	1	4.3	0	0.0
Austria	12	11	92	1	8.3	0	0.0	0	0.0	0	0.0
Portugal	16	15	94	1	6.3	0	0.0	0	0.0	0	0.0
Finland	27	25	93	1	3.7	1	3.7	1	3.7	0	0.0
Sweden	19	17	89	2	10.5	0	0.0	0	0.0	0	0.0
United Kingdom	72	71	99	1	1.4	0	0.0	0	0.0	0	0.0
Norway	17	17	100	0	0.0	0	0.0	0	0.0	0	0.0
Iceland	0	0	0	0	0	0	0	0	0	0	0.0
Liechtenstein	4	3	75	1	25.0	0	0.0	0	0.0	0	0.0
TOTAL	519	409	79	99	19.1	11	2.1	11	2.1	0	0.0

Notifications of the co-ordinated programme (specific exercise) to the European Commission for ALL EIGHT PRODUCTS											
	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Country											
Belgium	310	252	81	46	15	12	3.9	12	3.9	0	0.0
Denmark	294	194	66	97	33	3	1.0	3	1.0	0	0.0
Germany	2946	1456	49	1364	46	126	4.3	115	3.9	13	0.4
Greece	136	113	83	21	15	2	1.5	2	1.5	0	0.0
Spain	366	284	78	74	20	8	2.2	8	2.2	0	0.0
France	593	366	62	211	36	16	2.7	16	2.7	0	0.0
Ireland	138	118	86	19	14	1	0.7	1	0.7	0	0.0
Italy	953	765	80	180	19	8	0.8	7	0.7	1	0.1
Luxembourg	92	63	68	29	32	0	0.0	0	0.0	0	0.0
The Netherlands	589	371	63	162	28	56	9.5	56	9.5	0	0.0
Austria	88	68	77	19	22	1	1.1	1	1.1	0	0.0
Portugal	212	136	64	64	30	12	5.7	5	2.4	8	3.8
Finland	368	287	78	70	19	11	3.0	11	3.0	0	0.0
Sweden	505	383	76	109	22	13	2.6	13	2.6	0	0.0
United Kingdom	572	395	69	172	30	5	0.9	5	0.9	0	0.0
Norway	343	249	73	93	27	1	0.3	1	0.3	0	0.0
Iceland	46	41	89	5	11	0	0.0	0	0.0	0	0.0
Liechtenstein	28	20	71	7	25	1	3.6	1	3.6	0	0.0
TOTAL	8579	5561	65	2742	32	276	3.2	257	3.0	22	0.3

	Number of samples analysed	Without detectable residues	%	With residues at or below MRL or without MRL	%	With residues above MRL	%	With residues above EC-MRL	%	With residues above national MRL	%
Cauliflower	631	520	82	105	17	6	1	6	1	0	0
Sweet peppers	1754	1051	60	605	34	98	6	86	5	13	1
Wheat	1021	792	78	226	22	3	0	3	0	0	0
Aubergines	706	562	80	126	18	18	3	11	2	8	1
Rice	635	559	88	75	12	1	0	1	0	0	0
Grapes	2163	821	38	1233	57	109	5	109	5	0	0
Cucumber	1150	847	74	273	24	30	3	30	3	1	0
Peas	519	409	79	99	19	11	2	11	2	0	0
	8579	5561	65	2742	32	276	3.2	257	3.0	22	0.3

12

13

14

Notifications of the co-ordinated programme (specific exercise) to the European Commission for AUBERGINES																																		
Reporting country: EU+Norway+Iceland+Lichtenstein										Year of sampling: 2003																								
Product group: Fruiting vegetables				Food item: Aubergines																														
				%															%															
Number of samples analysed:				706		With residues above MRL:													18		2.5													
Without detectable residues:				562		79.6		With residues above EC-MRL:													11		1.6											
				With residues above national MRL:													8		1.1															
With residues at or below MRL or without MRL:				126		17.8																												
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																																		
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/ equal MRL	%	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)									
Acephate	622	620	100	2	0.32	2	0.32		0	0	0	2	0	0	0	0	0	0	0	0	0	0	0											
Aldicarb	370	369	100	1	0.27	1	0.27		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Azinphos-methyl	655	655	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Azoxystrobin	591	586	99	5	0.85	5	0.85		1	0	3	0	1	0	0	0	0	0	0	0	0	0	0											
Benomyl group(#)	526	516	98	10	1.90	10	1.90		4	2	2	1	1	0	0	0	0	0	0	0	0	0	0											
Bromopropylate	665	664	100	1	0.15	0	0.00		0	0	0	1	0	0	0	0	0	0	0	0	0	0	1											
Captan	617	616	100	1	0.16	1	0.16		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0											
Chlorothalonil	677	663	98	14	2.07	14	2.07		0	1	6	4	1	1	1	0	0	0	0	0	0	0	0											
Chlorpyrifos	685	679	99	6	0.88	6	0.88		2	0	1	1	0	2	0	0	0	0	0	0	0	0	0											
Chlorpyrifos-methyl	677	676	100	1	0.15	1	0.15		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0											
Cypermethrin	643	635	99	8	1.24	8	1.24		1	0	4	1	1	1	0	0	0	0	0	0	0	0	0											
Deltamethrin	648	646	100	2	0.31	2	0.31		1	0	0	1	0	0	0	0	0	0	0	0	0	0	0											
Diazinon	667	667	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Dichlofluanid	670	670	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Dicofol	613	613	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Dimethoate	681	680	100	1	0.15	1	0.15		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0											
Endosulfan	660	651	99	9	1.36	3	0.45		1	0	1	3	3	1	0	0	0	0	0	0	0	0	6											
Folpet	629	629	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Captan+ Folpet (Sum)	747	746	100	1	0.13	1	0.13		0	0	0	0	1	0	0	0	0	0	0	0	0	0	0											
Imazalil	579	577	100	2	0.35	1	0.17		1	0	0	0	1	0	0	0	0	0	0	0	0	0	1											
Iprodione	669	655	98	14	2.09	14	2.09		1	2	6	4	1	0	0	0	0	0	0	0	0	0	0											
Kresoxim-methyl	571	571	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Lambda-cyhalothrin	604	603	100	1	0.17	1	0.17		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Malathion	665	663	100	2	0.30	2	0.30		1	1	0	0	0	0	0	0	0	0	0	0	0	0	0											
Maneb-group(##)	490	454	93	36	7.35	36	7.35		3	1	2	12	12	3	3	0	0	0	0	0	0	0	0											
Mecarbam	609	609	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Methamidophos	636	633	100	3	0.47	3	0.47		0	0	1	2	0	0	0	0	0	0	0	0	0	0	0											
Metalaxyl	611	610	100	1	0.16	1	0.16		0	0	1	0	0	0	0	0	0	0	0	0	0	0	0											
Methidathion	674	674	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Methiocarb	402	394	98	8	1.99	0	0.00		0	0	0	0	1	6	1	0	0	0	0	0	0	0	8											
Methomyl	393	387	98	6	1.53	5	1.27		0	0	3	3	0	0	0	0	0	0	0	0	0	0	1											
Omethoate	450	449	100	1	0.22	1	0.22		0	0	0	1	0	0	0	0	0	0	0	0	0	0	0											
Oxydemeton-methyl	418	418	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Parathion	666	666	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Permethrin	644	644	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Phorate	554	554	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Pirimiphos-methyl	660	653	99	7	1.06	5	0.76		2	3	0	1	1	0	0	0	0	0	0	0	0	0	2											
Procymidone	682	649	95	33	4.84	33	4.84		3	8	7	9	3	1	2	0	0	0	0	0	0	0	0											
Propyzamide	623	623	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Thiabendazol	583	583	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0											
Tolyfluanid	592	591	100	1	0.17	1	0.17		0	1	0	0	0	0	0	0	0	0	0	0	0	0	0											
Triazophos	599	599	100	0	0.00	0	0.00		0	0	0	15	0	0	0	0	0	0	0	0	0	0	0											
Vinclozolin	677	675	100	2	0.30	2	0.30		0	0	0	1	1	0	0	0	0	0	0	0	0	0	0											
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg																																		
(**) in alphabetical order of the English name																																		
(***) E=EC-MRL, N=National MRL, W=without MRL																																		

Notifications of the co-ordinated programme (specific exercise) to the European Commission for RICE																											
Reporting country: EU+Norway+Iceland+Lichtenstein													Year of sampling: 2003														
Product group:		Cereals								Food item:		Rice															
Number of samples analysed:				635						With residues above MRL:				1		0.2											
Without detectable residues:				559		88.0						With residues above EC-MRL:				1		0.2									
												With residues above national MRL:				0		0.0									
With residues at or below MRL or without MRL:				75		11.8																					
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																											
Pesticide (**)	Total number of samples	Number of samples without residues	%	Number of samples with detectable residues	%	Number of samples with residues below/ equal MRL	%	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)		
Acephate	457	457	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Aldicarb	193	193	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Azinphos-methyl	474	474	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Azoxystrobin	344	343	100	1	0.29	1	0.29		1	0	0	0	0	0	0	0	0	0	0	0	0		0				
Benomyl group(#)	345	344	100	1	0.29	0	0.00		0	0	0	0	0	1	0	0	0	0	0	0	0		1				
Bromopropylate	418	418	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Captan	411	411	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Chlorothalonil	469	469	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Chlorpyrifos	544	541	99	3	0.55	3	0.55		1	0	2	0	0	0	0	0	0	0	0	0	0		0				
Chlorpyrifos-methyl	614	613	100	1	0.16	1	0.16		0	0	1	0	0	0	0	0	0	0	0	0	0		0				
Cypermethrin	589	589	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Deltamethrin	575	561	98	14	2.43	14	2.43		0	1	1	3	2	5	2	0	0	0	0	0	0		0				
Diazinon	518	518	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Dichlofluanid	405	405	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Dicofol	369	369	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Dimethoate	511	511	100	0	0.00	0	0.00		0	0	0	0	0	0	0	0	0	0	0	0	0		0				
Endosulfan	523	522	100	1	0.19	1	0.19		1	0	0	0	0	0	0	0	0	0	0	0	0		0				
Folpet	407	407	100	0	0.00	0																					

Triazophos	1477	1477	100
Vinclozolin	2052	2014	98

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

[illegible][illegible]

19

Notifications of the co-ordinated programme (specific exercise) to the European Commission for ALL EIGHT PRODUCTS																																			
Reporting country: EU+Norway+Iceland+Lichtenstein									Year of sampling: 2003																										
Product group:									Food item:		ALL																								
Number of samples analysed:									With residues above MRL:									3.2																	
Without detectable residues:									With residues above EC-MRL:									3.0																	
									With residues above national MRL:									0.3																	
With residues at or below MRL or without MRL:																																			

Overview on the pesticide* sample combinations for the eight products																										
									Number of pesticide*sample combinations, in which a residue was found with quantifiable residues in classes up to and including (in mg/kg) (*)																	
	Total number of sample* pesticide combinations analysed	Number of sample-pesticide combinations without residues	%	Number of sample-pesticide combinations with detectable residues	%	Number of sample-pesticide combinations with residues below/ equal MRL	%	Reporting level (mg/kg)	0	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum (mg/kg)	Number of pesticide-sample combinations, in which residues exceed the MRL			
Commodities																										
Cauliflower	23757	23629	99.5	128	0.5	121	0.5		15	16	31	21	23	13	7	2	0	0	0	0	0		7			
Sweet Peppers	63397	61866	97.6	1531	2.4	1422	2.2		320	212	315	273	216	153	32	8	1	1	0	0	0		109			
Wheat	29743	29457	99.0	286	1.0	283	1.0		37	33	80	35	25	37	11	21	7	0	0	0	0		3			
Augergines	26094	25915	99.3	179	0.7	160	0.6		23	20	37	49	28	15	7	0	0	0	0	0	0		19			
Rice	18182	18130	99.7	52	0.3	51	0.3		12	7	6	8	4	13	2	0	0	0	0	0	0		1			
Grapes	75230	72700	96.6	2530	3.4	2405	3.2		270	237	432	421	375	499	192	76	25	3	0	0	0		125			
Cucumber	43301	42851	99.0	450	1.0	418	1.0		56	95	106	91	62	34	4	1	1	0	0	0	0		32			
Peas	19814	19650	99.2	164	0.8	153	0.8		20	53	29	32	21	6	1	1	0	1	0	0	0		11			
TOTAL	299518	294198	98.2	5320	1.8	5013	1.7		753	673	1036	930	754	770	256	109	34	5	0	0	0		307			

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country: Belgium		Year of sampling: 2003	Remark:
Total number of samples analysed:	38	With residues above MRL (EC+national):	0
Without detectable residues:	29	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	9	With residues above national MRL:	

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	38	35	0,01-0,2			1	2										0.07	0	2.00	
Aldicarb	20	20	0.05																	
Azinphos-methyl	18	18	0.20																	
Azoxystrobin	38	38	0,05-0,3																	
Benomyl group(#)	38	37	0,05-0,1			1											0.04	0	0.10	
Bromopropylate	38	38	0,05-0,18																	
Captan																			xxxxxx	
Chlorothalonil	20	20	0,05-0,1																	
Chlorpyrifos	38	38	0,05-0,11																	
Chlorpyrifos-methyl	38	38	0,05-0,14																	
Cypermethrin	38	38	0,1-0,5																	
Deltamethrin	38	38	0,05-0,16																	
Diazinon	38	38	0,02-0,05																	
Dichlofluanid	38	38	0,05-0,07																	
Dicofol	18	18	0.20																	
Dimethoate	38	38	0,009-0,05																	
Endosulfan	38	38	0,02-0,05																	
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	38	38	0,1-0,15																	
Imazalil	18	18	0,1-0,19																	
Iprodione	38	38	0,2-0,55																	
Kresoxim-methyl	38	38	0,05-0,2																	
Lambda-cyhalothrin	38	38	0,02-0,08																	
Malathion	38	38	0,05-0,1																	
Maneb-group(##)	38	34	0,3-0,5					1	3								0.35	0	1.00	
Mecarbam	38	38	0.05																	
Methamidophos	18	14	0.01	1	2	1											0.03	0	0.50	
Metalaxyl	38	38	0,05-0,15																	
Methidathion	38	38	0,05-0,1																	
Methiocarb	20	20	0.10																	
Methomyl	20	20	0.10																	
Omethoate	38	38	0,009-0,05																	
Oxydemeton-methyl																				
Parathion	38	38	0,05-0,15																	
Permethrin	38	38	0,05-0,5																	
Phorate	18	18	0.03																	
Pirimiphos-methyl	38	38	0.05																	
Procymidone	38	38	0,02-0,28																	
Propyzamide	38	38	0,02-0,25																	
Thiabendazol	38	38	0,05-0,1																	
Tolyfluanid	38	38	0,02-0,05																	
Triazophos	18	18	0.10																	
Vinclozolin	38	38	0.05														22			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Sweet peppers	
Reporting country: Belgium		Year of sampling: 2003	
Remark:			
Total number of samples analysed:	45	With residues above MRL (EC+national):	0
Without detectable residues:	40	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	

Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	45	0,01-0,2																	
Aldicarb	22	22	0.05																	
Azinphos-methyl	20	20	0.20																	
Azoxystrobin	42	42	0,05-0,3																	
Benomyl group(#)	42	41	0,05-0,1			1											0.04	0	0.10	
Bromopropylate	42	42	0,05-0,18																	
Captan																			xxxxxx	
Chlorothalonil	20	20	0,05-0,1																	
Chlorpyrifos	42	42	0,05-0,11																	
Chlorpyrifos-methyl	42	42	0,05-0,14																	
Cypermethrin	42	42	0,1-0,5																	
Deltamethrin	42	42	0,05-0,16																	
Diazinon	42	42	0,02-0,05																	
Dichlofluanid	42	42	0,05-0,07																	
Dicofol	20	20	0.20																	
Dimethoate	42	42	0,009-0,05																	
Endosulfan	42	42	0,02-0,05																	
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	42	42	0,1-0,15																	
Imazalil	20	20	0,1-0,19																	
Iprodione	42	40	0,2-0,55					2									0.2	0	5.00	
Kresoxim-methyl	42	42	0,05-0,2																	
Lambda-cyhalothrin	42	42	0,02-0,08																	
Malathion	42	42	0,05-0,1																	
Maneb-group(##)	42	42	0,3-0,5																	
Mecarbam	42	42	0.05																	
Methamidophos	20	20	0.01																	
Metalaxyl	42	42	0,05-0,15																	
Methidathion	42	42	0,05-0,1																	
Methiocarb	22	22	0.10																	
Methomyl	22	22	0.10																	
Omethoate	42	42	0,009-0,05																	
Oxydemeton-methyl																				
Parathion	42	42	0,05-0,15																	
Permethrin	42	42	0,05-0,5																	
Phorate	20	20	0.03																	
Pirimiphos-methyl	42	40	0.05					1	1								0.22	0	1.00	
Procymidone	42	42	0,02-0,28																	
Propyzamide	42	42	0,02-0,25																	
Thiabendazol	42	42	0,05-0,1																	
Tolyfluanid	42	42	0,02-0,05																	
Triazophos	20	20	0.10																	
Vinclozolin	42	42	0.05														23			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country: Belgium		Year of sampling: 2003	
Remark:			
Total number of samples analysed:	28	With residues above MRL (EC+national):	0
Without detectable residues:	26	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	0																			
Aldicarb	0																			
Azinphos-methyl	0																			
Azoxystrobin	0																			
Benomyl group(#)	0																			
Bromopropylate	0																			
Captan																		xxxxxx		
Chlorothalonil	0																			
Chlorpyrifos	28	28	0.05																	
Chlorpyrifos-methyl	28	28	0.05																	
Cypermethrin	28	28	0.05																	
Deltamethrin	28	28	0.05																	
Diazinon	28	28	0.02																	
Dichlofluanid	0																			
Dicofol	0																			
Dimethoate	0																			
Endosulfan	28	28	0.05																	
Folpet																		xxxxxx		
Captan+ Folpet (Sum)	0																			
Imazalil	0																			
Iprodione	0																			
Kresoxim-methyl	0																			
Lambda-cyhalothrin	28	28	0.02																	
Malathion	28	27	0.05					1									0.15	0	8	
Maneb-group(##)	0																			
Mecarbam	0																			
Methamidophos	0																			
Metalaxyl	0																			
Methidathion	0																			
Methiocarb	0																			
Methomyl	0																			
Omethoate	0																			
Oxydemeton-methyl	0																			
Parathion	0																			
Permethrin	28	28	0.05																	
Phorate	0																			
Pirimiphos-methyl	28	27	0.05								1						2.55	0	5	
Procymidone	0																			
Propyzamide	0																			
Thiabendazol	0																			
Tolyfluanid	0																			
Triazophos	0																			
Vinclozolin	0																24			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Eggplants	
Reporting country:	<u>Belgium</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	37	With residues above MRL (EC+national):	0
Without detectable residues:	33	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	37	37	0,01-0,2																	
Aldicarb	20	20	0.05																	
Azinphos-methyl	17	17	0.20																	
Azoxystrobin	37	37	0,05-0,3																	
Benomyl group(#)	37	36	0,05-0,1				1										0.08	0	0.50	
Bromopropylate	37	37	0,05-0,18																	
Captan																			xxxxxx	
Chlorothalonil	37	37	0,05-0,1																	
Chlorpyrifos	37	37	0,05-0,11																	
Chlorpyrifos-methyl	37	37	0,05-0,14																	
Cypermethrin	37	37	0,1-0,5																	
Deltamethrin	37	37	0,05-0,16																	
Diazinon	37	37	0,02-0,05																	
Dichlofluanid	37	37	0,05-0,07																	
Dicofol	17	17	0.20																	
Dimethoate	37	37	0,009-0,05																	
Endosulfan	37	37	0,02-0,05																	
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	37	37	0,1-0,15																	
Imazalil	17	17	0,1-0,19																	
Iprodione	37	37	0,2-0,55																	
Kresoxim-methyl	37	37	0,05-0,2																	
Lambda-cyhalothrin	37	37	0,02-0,08																	
Malathion	37	37	0,05-0,1																	
Maneb-group(##)	37	34	0,3-0,5					2		1							0.84	0	2.00	
Mecarbam	37	37	0.05																	
Methamidophos	17	17	0.01																	
Metalaxyl	37	37	0,05-0,15																	
Methidathion	37	37	0,05-0,1																	
Methiocarb	20	20	0.10																	
Methomyl	20	20	0.10																	
Omethoate	37	37	0,009-0,05																	
Oxydemeton-methyl																				
Parathion	37	37	0,05-0,15																	
Permethrin	37	37	0,05-0,5																	
Phorate	17	17	0.03																	
Pirimiphos-methyl	37	37	0.05																	
Procymidone	37	37	0,02-0,28																	
Propyzamide	37	37	0,02-0,25																	
Thiabendazol	37	37	0,05-0,1																	
Tolyfluanid	37	37	0,02-0,05																	
Triazophos	17	17	0.10																	
Vinclozolin	37	37	0.05														25			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals

Food item: Rice (husked or polished)

Reporting country: Belgium

Year of sampling: 2003

Remark:

Total number of samples analysed: 22

Without detectable residues: 21

With detectable residues at or below MRL or without MRL: 1

With residues above MRL (EC+national): 0

With residues above EC-MRL:

With residues above national MRL:

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	0																			
Aldicarb	0																			
Azinphos-methyl	0																			
Azoxystrobin	0																			
Benomyl group(#)	0																			
Bromopropylate	0																			
Captan																		xxxxxx		
Chlorothalonil	0																			
Chlorpyrifos	22	22	0.05																	
Chlorpyrifos-methyl	22	22	0.05																	
Cypermethrin	22	22	0.05																	
Deltamethrin	22	22	0.05																	
Diazinon	22	22	0.02																	
Dichlofluanid	0																			
Dicofol	0																			
Dimethoate	0																			
Endosulfan	22	22	0.05																	
Folpet																		xxxxxx		
Captan+ Folpet (Sum)	0																			
Imazalil	0																			
Iprodione	0																			
Kresoxim-methyl	0																			
Lambda-cyhalothrin	22	22	0.02																	
Malathion	22	21	0.05						1								0.35	0	8	
Maneb-group(##)	0																			
Mecarbam	0																			
Methamidophos	0																			
Metalaxyl	0																			
Methidathion	0																			
Methiocarb	0																			
Methomyl	0																			
Omethoate	0																			
Oxydemeton-methyl	0																			
Parathion	0																			
Permethrin	22	22	0.05																	
Phorate	0																			
Pirimiphos-methyl	22	22	0.05																	
Procyimidone	0																			
Propyzamide	0																			
Thiabendazol	0																			
Tolyfluanid	0																			
Triazophos	0																			
Vinclozolin	0																26			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	Berries and small fruit	Food item:	Table Grapes
Reporting country:	<u>Belgium</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	63	With residues above MRL (EC+national):	11
Without detectable residues:	31	With residues above EC-MRL:	11
With detectable residues at or below MRL or without MRL:	21	With residues above national MRL:	

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	63	61	0,01-0,2		1				1								0.25	1	0.02	
Aldicarb	38	38	0.05																	
Azinphos-methyl	25	25	0.20																	
Azoxystrobin	63	61	0,05-0,3			1		1									0.13	0	2.00	
Benomyl group(##)	63	55	0,05-0,1			2		2	1	2	1						1.4	0	2.00	
Bromopropylate	63	62	0,05-0,18						1								0.4	1	0.05	
Captan																			xxxxxx	
Chlorothalonil	25	25	0,05-0,1																	
Chlorpyrifos	63	59	0,05-0,11			1	2		1								0.5	0	0.50	
Chlorpyrifos-methyl	63	61	0,05-0,14				1	1									0.17	0	0.20	
Cypermethrin	63	62	0,1-0,5				1										0.09	0	0.50	
Deltamethrin	63	63	0,05-0,16																	
Diazinon	63	63	0,02-0,05																	
Dichlofluanid	63	63	0,05-0,07																	
Dicofol	25	25	0.20																	
Dimethoate	63	59	0,009-0,05			2	2										0.08	4	0.02	
Endosulfan	63	63	0,02-0,05																	
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	63	60	0,1-0,15			1			1			1					2.84	0	3.00	
Imazalil	25	25	0,1-0,19																	
Iprodione	63	58	0,2-0,55					1	1		2	1					2.2	0	10.00	
kresoxim-methyl	63	63	0,05-0,2																	
Lambda-cyhalothrin	63	63	0,02-0,08																	
Malathion	63	63	0,05-0,1																	
Maneb-group(##)	63	59	0,3-0,5						3	1							0.98	0	2.00	
Mecarbam	63	63	0.05																	
Methamidophos	25	24	0.01			1											0.05	1	0.01	
Metalaxyl	63	62	0,05-0,15						1								0.24	0	2.00	
Methidathion	63	63	0,05-0,1																	
Methiocarb	38	38	0.10																	
Methomyl	38	33	0.10			1		1	1	2							0.92	4	0.05	
Omethoate	63	63	0,009-0,05																	
Oxydemeton-methyl																				
Parathion	63	63	0,05-0,15																	
Permethrin	63	63	0,05-0,5																	
Phorate	25	25	0.03																	
Pirimiphos-methyl	63	63	0.05																	
Procyimdone	63	62	0,02-0,28			1											0.04	0	5.00	
Propyzamide	38	38	0,02-0,25																	
Thiabendazol	63	63	0,05-0,1																	
Tolyfluanid	63	63	0,02-0,05																	
Triazophos	25	25	0.10																	
Vinclozolin	63	60	0.05						1	1		1					0.25	0	5.00	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables

Food item: Cucumber

Reporting country: Belgium

Year of sampling: 2003

Remark:

Total number of samples analysed: 40

Without detectable residues: 37

With detectable residues at or below MRL or without MRL: 3

40 With residues above MRL (EC+national): 0

With residues above EC-MRL:

With residues above national MRL:

0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	40	40	0,01-0,2																	
Aldicarb	20	20	0.05																	
Azinphos-methyl	20	20	0.20																	
Azoxystrobin	40	40	0,05-0,3																	
Benomyl group(#)	40	38	0,05-0,1				1	1									0.2	0	1.00	
Bromopropylate	40	40	0,05-0,18																	
Captan																			xxxxxx	
Chlorothalonil	20	20	0,05-0,1																	
Chlorpyrifos	40	40	0,05-0,11																	
Chlorpyrifos-methyl	40	40	0,05-0,14																	
Cypermethrin	40	40	0,1-0,5																	
Deltamethrin	40	40	0,05-0,16																	
Diazinon	40	40	0,02-0,05																	
Dichlofluanid	40	40	0,05-0,07																	
Dicofol	20	20	0.20																	
Dimethoate	40	40	0,009-0,05																	
Endosulfan	40	39	0,02-0,05			1											0.03	0	0.05	
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	40	40	0,1-0,15																	
Imazalil	20	20	0,1-0,19																	
Iprodione	40	40	0,2-0,55																	
Kresoxim-methyl	40	40	0,05-0,2																	
Lambda-cyhalothrin	40	40	0,02-0,08																	
Malathion	40	40	0,05-0,1																	
Maneb-group(##)	40	40	0,3-0,5																	
Mecarbam	40	40	0.05																	
Methamidophos	20	20	0.01																	
Metalaxyl	40	40	0,05-0,15																	
Methidathion	40	40	0,05-0,1																	
Methiocarb	40	40	0.10																	
Methomyl	20	20	0.10																	
Omethoate	40	40	0,009-0,05																	
Oxydemeton-methyl																				
Parathion	40	40	0,05-0,15																	
Permethrin	40	40	0,05-0,5																	
Phorate	20	20	0.03																	
Pirimiphos-methyl	40	40	0.05																	
Procymidone	40	40	0,02-0,28																	
Propyzamide	20	20	0,02-0,25																	
Thiabendazol	40	40	0,05-0,1																	
Tolyfluanid	40	40	0,02-0,05																	
Triazophos	20	20	0.10																	
Vinclozolin	40	40	0.05														28			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>Belgium</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	37	37 With residues above MRL (EC+national):	1
Without detectable residues:	35	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	
			1

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	37	37	0,01-0,2																
Aldicarb	17	17	0,05																
Azinphos-methyl	20	20	0,20																
Azoxystrobin	37	37	0,05-0,3																
Benomyl group(#)	37	37	0,05-0,1																
Bromopropylate	37	37	0,05-0,18																
Captan																		xxxxxx	
Chlorothalonil	17	17	0,05-0,1																
Chlorpyrifos	37	37	0,05-0,11																
Chlorpyrifos-methyl	37	37	0,05-0,14																
Cypermethrin	37	37	0,1-0,5																
Deltamethrin	37	37	0,05-0,16																
Diazinon	37	37	0,02-0,05																
Dichlofluanid	37	37	0,05-0,07																
Dicofol	20	20	0,20																
Dimethoate	37	37	0,009-0,05																
Endosulfan	37	37	0,02-0,05																
Folpet																		xxxxxx	
Captan+ Folpet (Sum)	37	37	0,1-0,15																
Imazalil	20	20	0,1-0,19																
Iprodione	37	37	0,2-0,55																
Kresoxim-methyl	37	37	0,05-0,2																
Lambda-cyhalothrin	37	37	0,02-0,08																
Malathion	37	37	0,05-0,1																
Maneb-group(##)	37	37	0,3-0,5																
Mecarbam	37	37	0,05																
Methamidophos	20	20	0,01																
Metalaxyl	37	37	0,05-0,15																
Methidathion	37	37	0,05-0,1																
Methiocarb	17	17	0,10																
Methomyl	17	17	0,10																
Omethoate	37	37	0,009-0,05																
Oxydemeton-methyl																			
Parathion	37	37	0,05-0,15																
Permethrin	37	37	0,05-0,5																
Phorate	20	20	0,03																
Pirimiphos-methyl	37	37	0,05																
Procyimdone	37	36	0,02-0,28		1												0.02	0	0.30
Propyzamide	37	37	0,02-0,25																
Thiabendazol	37	37	0,05-0,1																
Tolyfluanid	37	37	0,02-0,05																
Triazophos	20	20	0,10																
Vinclozolin	37	36	0,05						1								29.32	1	0.30

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																						
Product group:Brassica vegetables				Food item: Cauliflower (fresh or frozen)																				
Reporting country:	Denmark			Year of sampling:				2003				Remark:												
Total number of samples analysed:			20	With residues above MRL (EC+national):														0	Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns					
Without detectable residues:			19	With residues above EC-MRL:														0						
With detectable residues at or below MRL				With residues above national MRL:														0						
or without MRL:			1																					
				Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																				
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)				
Acephate	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Aldicarb	0																							
Azinphos-methyl	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Azoxystrobin	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Benomyl group(#)	20	20	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Bromopropylate	20	20	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Captan	20	20	see sum																xxxxxx					
Chlorothalonil	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Chlorpyrifos	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Chlorpyrifos-methyl	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Cypermethrin	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Deltamethrin	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Diazinon	20	20	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Dichlofuanid	20	20	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Dicofol	20	20	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Dimethoate	20	19	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0.018	0	0.20	E				
Endosulfan	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Folpet	20	20	see sum																xxxxxx					
Captan+ Folpet (Sum)	20	20	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Imazalil	20	20	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Iprodione	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Kresoxim-methyl	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Lambda-cyhalothrin	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Malathion	20	20	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Maneb-group(##)	20	20	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Mecarbam	20	20	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0						
Methamidophos	20	20	0.01	0																				

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Table B:		Notifications of the co-ordinated programme (specific exercise) to the European Commission																									
Product group: Legume vegetables (fresh)				Food item: Peas (fresh/frozen, without pod)																							
Reporting country:		Denmark		Year of sampling:				2003				Remark:															
Total number of samples analysed:				16		With residues above MRL (EC+national):										0		Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns									
Without detectable residues:				10		With residues above EC-MRL:										0											
With detectable residues at or below MRL						With residues above national MRL:										0											
or without MRL:				6																							
Samples with quantifiable residues in classes up to and including (in mg/kg) (*)																											
Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50	Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)							
Acephate	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Aldicarb	0																										
Azinphos-methyl	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Azoxystrobin	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Benomyl group(#)	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Bromopropylate	16	16	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Captan	16	16	see sum																xxxxxx								
Chlorothalonil	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Chlorpyrifos	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Chlorpyrifos-methyl	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Cypermethrin	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Deltamethrin	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Diazinon	16	16	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Dichlofluanid	16	16	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Dicofol	16	16	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Dimethoate	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Endosulfan	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Folpet	16	16	see sum																xxxxxx								
Captan+ Folpet (Sum)	16	16	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Imazalil	16	16	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Iprodione	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Kresoxim-methyl	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Lambda-cyhalothrin	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Malathion	16	16	0.06	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Maneb-group(##)	16	16	0.10	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Mecarbam	16	16	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0									
Methamidophos	16	16	0.01	0	0	0																					

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	122	With residues above MRL (EC+national):	3
Without detectable residues:	73	With residues above EC-MRL:	3
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	46		

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	120	120	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Aldicarb	116	115	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0		
Azinphos-methyl	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Azoxystrobin	119	119	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Benomyl group(##)	111	107	0.002	4	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.1	E
Bromopropylate	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Captan	119	118	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	xxxxxx	
Chlorothalonil	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Chlorpyrifos	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Chlorpyrifos-methyl	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Cypermethrin	119	118	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0.037	0	0.5	E
Deltamethrin	113	113	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Diazinon	120	119	0.02	0	0	1	0	0	0	0	0	0	0	0	0	0	0.046	1	0.02	E
Dichlofluanid	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Dicofol	113	113	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Dimethoate	122	117	0.02	0	2	2	1	0	0	0	0	0	0	0	0	0	0.065	0	0.2	E
Endosulfan	120	120	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Folpet	120	120	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxxx	
Captan+ Folpet (Sum)	120	119	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.1	E
Imazalil	119	118	0.05	0	0	1	0	0	0	0	0	0	0	0	0	0	0.024	1	0.02	E
Iprodione	120	120	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Kresoxim-methyl	119	119	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Lambda-cyhalothrin	113	113	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Malathion	119	119	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Maneb-group(##)	102	58	0.01	6	8	16	4	1	2	5	2	0	0	0	0	0	1.4	2	1	E
Mecarbam	119	119	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methamidophos	120	120	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Metalaxyl	120	120	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methidathion	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methiocarb	113	113	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methomyl	101	100	0.01	0	0	1	0	0	0	0	0	0	0	0	0	0	0.038	0	0.05	E
Omethoate																				
Oxydemeton-methyl	120	120	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Parathion	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Permethrin	113	113	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Phorate	113	113	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Pirimiphos-methyl	119	119	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Procymidone	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Propyzamide	119	119	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Thiabendazol	111	111	0.002	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Tolyfluanid	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Triazophos	119	119	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Vinclozolin	120	120	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	38	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:		896	With residues above MRL (EC+national):
Without detectable residues:		432	With residues above EC-MRL:
With detectable residues at or below MRL			With residues above national MRL:
or without MRL:		396	12

Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	814	812	0.01	0	0	0	1	1	0	0	0	0	0	0	0	0	0.18	2	0.02	E
Aldicarb	494	493	0.01	0	0	0	1	0	0	0	0	0	0	0	0	0	0.085	1	0.05	E
Azinphos-methyl	813	813	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Azoxystrobin	757	711	0.01	9	8	11	9	5	4	0	0	0	0	0	0	0	0.44	0	2	E
Benomyl group(#)	556	500	0.005	27	9	5	9	3	2	0	1	0	0	0	0	0	1	6	0.1	E
Bromopropylate	814	805	0.01	6	0	1	2	0	0	0	0	0	0	0	0	0	0.08	0	1	E
Captan	790	788	0.01	1	0	0	1	0	0	0	0	0	0	0	0	0	0.09	0	xxxxxx	
Chlorothalonil	783	763	0.01	6	4	1	1	2	4	1	1	0	0	0	0	0	1.7	0	2	E
Chlorpyrifos	818	763	0.005	29	7	6	2	3	6	1	0	1	0	0	0	0	2.4	2	0.5	E
Chlorpyrifos-methyl	814	807	0.01	4	1	1	1	0	0	0	0	0	0	0	0	0	0.061	0	0.5	E
Cypermethrin	747	687	0.02	10	7	15	16	10	2	0	0	0	0	0	0	0	0.36	0	0.5	E
Deltamethrin	744	724	0.05	6	4	7	2	1	0	0	0	0	0	0	0	0	0.14	0	0.2	E
Diazinon	788	781	0.02	1	2	1	2	0	1	0	0	0	0	0	0	0	0.31	0	0.5	E
Dichlofuanid	805	795	0.01	2	5	1	0	0	2	0	0	0	0	0	0	0	0.3	0	5	E
Dicofol	743	742	0.01	0	0	1	0	0	0	0	0	0	0	0	0	0	0.04	1	0.02	E
Dimethoate	857	847	0.01	2	2	3	2	0	1	0	0	0	0	0	0	0	0.21	6	0.02	E
Endosulfan	822	626	0.005	29	30	49	42	17	21	7	1	0	0	0	0	0	1.5	1	1	E
Folpet	816	814	0.02	0	0	0	0	2	0	0	0	0	0	0	0	0	0.2	0	xxxxxx	
Captan+ Folpet (Sum)	816	812	0.01	1	0	0	1	2	0	0	0	0	0	0	0	0	0.2	2	0.1	E
Imazalil	806	804	0.05	1	0	0	0	0	1	0	0	0	0	0	0	0	0.35	1	0.02	E
Iprodione	802	741	0.02	18	11	11	8	8	3	2	0	0	0	0	0	0	0.8	0	5	E
Kresoxim-methyl	669	665	0.01	0	0	2	2	0	0	0	0	0	0	0	0	0	0.08	0	1	E
Lambda-cyhalothrin	767	761	0.01	2	2	2	0	0	0	0	0	0	0	0	0	0	0.035	0	0.1	E
Malathion	794	752	0.01	13	12	9	2	4	2	0	0	0	0	0	0	0	0.37	0	3	E
Maneb-group(##)	356	300	0.01	14	8	20	5	4	5	0	0	0	0	0	0	0	0.31	0	2	E
Mecarbam	782	781	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.05	E
Methamidophos	833	816	0.05	4	7	3	2	0	1	0	0	0	0	0	0	0	0.22	3	0.05	E
Metalaxyl	842	805	0.005	7	4	7	5	4	5	3	1	0	1	0	0	0	6.9	30	0.01	E
Methidathion	805	803	0.01	1	0	1	0	0	0	0	0	0	0	0	0	0	0.021	1	0.02	E
Methiocarb	670	644	0.01	1	2	6	5	6	5	1	0	0	0	0	0	0	0.88	12	0.1	N
Methomyl	520	508	0.05	5	1	1	5	0	0	0	0	0	0	0	0	0	0.1	5	0.05	E
Omethoate																				
Oxydemeton-methyl	672	672	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Parathion	814	812	0.01	2	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.5	E
Permethrin	773	765	0.05	1	1	3	0	2	1	0	0	0	0	0	0	0	0.33	0	0.5	E
Phorate	609	609	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Pirimiphos-methyl	794	677	0.01	44	14	19	24	7	6	3	0	0	0	0	0	0	0.82	0	1	E
Procyimdone	826	598	0.01	45	27	50	39	44	23	0	0	0	0	0	0	0	0.45	0	2	E
Propyzamide	794	793	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.005	0	0.02	E
Thiabendazol	585	580	0.005	5	0	0	0	0	0	0	0	0	0	0	0	0	0.007	0	0.05	E
Tolyfluanid	798	797	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.1	N
Triazophos	791	790	0.02	0	1	0	0	0	0	0	0	0	0	0	0	0	0.012	0	0.02	E
Vinclozolin	805	796	0.01	0	3	1	2	0	1	2	0	0	0	0	0	0	0.88	0	3	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	238	With residues above MRL (EC+national):	1
Without detectable residues:	198	With residues above EC-MRL:	1
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	39		

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	195	195	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Aldicarb	87	87	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azinphos-methyl	198	198	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azoxystrobin	234	234	0.03	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Benomyl group(#)	159	158	0.05	0	0	1	0	0	0	0	0	0	0	0	0	0	0.034	0	0.1	E
Bromopropylate	215	215	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	195	195	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Chlorothalonil	237	237	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	234	233	0.01	0	0	1	0	0	0	0	0	0	0	0	0	0	0.03	0	0.05	E
Chlorpyrifos-methyl	234	234	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	212	212	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	224	224	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Diazinon	234	234	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	195	195	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	192	192	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	238	237	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.007	0	0.3	E
Endosulfan	195	195	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	198	198	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Captan+ Folpet (Sum)	198	198	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazalil	230	223	0.1	6	1	0	0	0	0	0	0	0	0	0	0	0	0.014	0	0.02	E
Iprodione	233	233	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Kresoxim-methyl	215	215	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	224	224	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	231	229	0.01	0	2	0	0	0	0	0	0	0	0	0	0	0	0.018	0	8	E
Maneb-group(##)	110	105	0.01	0	3	2	0	0	0	0	0	0	0	0	0	0	0.03	0	1	E
Mecarbam	192	192	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	232	232	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	196	194	0.05	1	1	0	0	0	0	0	0	0	0	0	0	0	0.02	1	0.01	E
Methidathion	195	195	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	130	130	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	101	101	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Ormethoate																				
Oxydemeton-methyl	191	191	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	198	197	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.005	0	0.1	N
Permethrin	221	221	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	189	189	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	235	210	0.01	6	7	6	0	1	3	2	0	0	0	0	0	0	0.76	0	5	E
Procyimidone	195	194	0.02	0	1	0	0	0	0	0	0	0	0	0	0	0	0.013	0	0.02	E
Propyzamide	192	191	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0.018	0	0.02	E
Thiabendazol	171	171	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	195	195	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	192	192	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	195	195	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	40	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	185	With residues above MRL (EC+national):	1
Without detectable residues:	149	With residues above EC-MRL:	1
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	35		

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	162	162	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Aldicarb	112	112	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azinphos-methyl	180	180	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Azoxystrobin	169	164	0.02	1	0	3	0	1	0	0	0	0	0	0	0	0	0.11	0	2	E
Benomyl group(##)	113	109	0.003	4	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.5	E
Bromopropylate	180	180	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	169	169	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Chlorothalonil	180	178	0.01	0	0	0	2	0	0	0	0	0	0	0	0	0	0.088	0	2	E
Chlorpyrifos	180	179	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.5	E
Chlorpyrifos-methyl	180	180	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	166	163	0.05	1	0	2	0	0	0	0	0	0	0	0	0	0	0.05	0	0.5	E
Deltamethrin	168	167	0.05	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.2	E
Diazinon	170	170	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	180	180	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	159	159	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	184	184	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	180	180	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	180	180	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx	
Captan+ Folpet (Sum)	180	180	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazalil	173	171	0.05	1	0	0	0	1	0	0	0	0	0	0	0	0	0.14	1	0.02	E
Iprodione	176	173	0.02	1	0	1	1	0	0	0	0	0	0	0	0	0	0.06	0	5	E
Kresoxim-methyl	155	155	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	165	164	0.02	1	0	0	0	0	0	0	0	0	0	0	0	0	0.004	0	0.5	E
Malathion	169	168	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	3	E
Maneb-group(##)	111	104	0.01	2	1	2	1	1	0	0	0	0	0	0	0	0	0.13	0	2	E
Mecarbam	166	166	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	173	173	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	172	171	0.05	0	0	1	0	0	0	0	0	0	0	0	0	0	0.05	0	0.2	E
Methidathion	180	180	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	146	146	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	115	113	0.05	0	0	2	0	0	0	0	0	0	0	0	0	0	0.05	0	0.5	E
Ormethoate																				
Oxydemeton-methyl	149	149	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Parathion	180	180	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	168	168	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Phorate	148	148	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	169	166	0.01	2	1	0	0	0	0	0	0	0	0	0	0	0	0.012	0	0.05	E
Procyimdone	180	172	0.01	3	3	1	1	0	0	0	0	0	0	0	0	0	0.09	0	2	E
Propyzamide	169	169	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	136	136	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	180	179	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.1	N
Triazophos	169	169	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Vinclozolin	177	177	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	41	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	131	With residues above MRL (EC+national):	1
Without detectable residues:	113	With residues above EC-MRL:	1
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	17		

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)	
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	123	123	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Aldicarb	57	57	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azinphos-methyl	114	114	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Azoxystrobin	123	122	0.03	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0023	0	5	E
Benomyl group(#)	109	108	0.1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0.29	1	0.1	E
Bromopropylate	124	124	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan	124	124	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx		
Chlorothalonil	124	124	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorpyrifos	124	123	0.005	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.05	E
Chlorpyrifos-methyl	114	114	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Cypermethrin	124	124	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Deltamethrin	114	109	0.1	0	0	1	1	0	2	1	0	0	0	0	0	0	0	0.85	0	1	E
Diazinon	110	110	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dichlofluanid	110	110	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dicofol	100	100	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Dimethoate	112	112	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Endosulfan	124	124	0.005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Folpet	124	124	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	xxxxxx		
Captan+ Folpet (Sum)	124	124	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Imazalil	124	124	0.1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Iprodione	123	122	0.05	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0.063	0	3	E
Kresoxim-methyl	120	120	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Lambda-cyhalothrin	124	124	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Malathion	124	121	0.04	2	0	0	0	1	0	0	0	0	0	0	0	0	0	0.13	0	8	E
Maneb-group(##)	90	88	0.01	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0.014	0	0.05	E
Mecarbam	124	124	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methamidophos	124	124	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Metalaxyl	111	111	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methidathion	124	124	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methiocarb	97	97	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Methomyl	66	64	0.006	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0.047	0	0.05	E
Ormethoate																					
Oxydemeton-methyl	90	89	0.04	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0.014	0	0.02	E
Parathion	124	124	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Permethrin	124	123	0.05	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0.029	0	2	E
Phorate	124	124	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Pirimiphos-methyl	124	117	0.02	4	2	0	1	0	0	0	0	0	0	0	0	0	0	0.08	0	5	E
Procymidone	124	124	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Propyzamide	112	112	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Thiabendazol	104	104	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Tolyfluanid	124	124	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	122	121	0.02	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0.004	0	0.02	E
Vinclozolin	124	124	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0	0	42	0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	879	With residues above MRL (EC+national):	30
Without detectable residues:	213	With residues above EC-MRL:	30
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	636		

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	742	737	0.01	0	1	2	1	0	0	1	0	0	0	0	0	0	0.53	4	0.02	E
Aldicarb	338	338	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Azinphos-methyl	590	588	0.02	0	0	1	0	0	0	0	1	0	0	0	0	0	1.001	1	1	E
Azoxystrobin	806	687	0.02	12	7	21	30	27	18	4	0	0	0	0	0	0	0.9	0	2	E
Benomyl group(#)	498	428	0.005	10	8	11	8	10	12	7	3	1	0	0	0	0	3.3	1	2	E
Bromopropylate	840	795	0.01	10	3	3	2	10	14	2	1	0	0	0	0	0	1.3	0	2	E
Captan	820	773	0.01	7	7	13	2	4	10	3	1	0	0	0	0	0	1.5	0	xxxxxx	
Chlorothalonil	566	565	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	1	E
Chlorpyrifos	845	637	0.01	43	27	53	37	23	19	5	1	0	0	0	0	0	1.1	6	0.5	E
Chlorpyrifos-methyl	838	765	0.01	15	18	17	13	9	1	0	0	0	0	0	0	0	0.21	1	0.2	E
Cypermethrin	802	774	0.05	1	1	6	12	2	6	0	0	0	0	0	0	0	0.48	0	0.5	E
Deltamethrin	528	516	0.01	0	0	5	7	0	0	0	0	0	0	0	0	0	0.08	0	0.1	E
Diazinon	519	519	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0	0.02	E
Dichlofluanid	839	830	0.01	3	1	2	0	2	1	0	0	0	0	0	0	0	0.28	0	10	E
Dicofol	820	811	0.02	0	2	0	2	1	2	1	1	0	0	0	0	0	1.4	0	2	E
Dimethoate	858	849	0.01	3	1	2	1	1	1	0	0	0	0	0	0	0	0.41	5	0.02	E
Endosulfan	839	798	0.005	14	10	8	3	2	4	0	0	0	0	0	0	0	0.49	0	0.5	E
Folpet	839	829	0.02	3	1	0	0	4	2	0	0	0	0	0	0	0	0.36	0	xxxxxx	
Captan+ Folpet (Sum)	839	782	0.01	10	8	13	2	8	12	3	1	0	0	0	0	0	1.5	0	3	E
Imazalil	771	762	0.05	4	1	1	0	1	2	0	0	0	0	0	0	0	0.33	4	0.02	E
Iprodione	824	651	0.02	11	11	24	16	22	39	31	12	7	0	0	0	0	3.1	0	10	E
kresoxim-methyl	642	631	0.01	5	1	2	2	1	0	0	0	0	0	0	0	0	0.12	0	1	E
Lambda-cyhalothrin	797	760	0.01	5	5	9	12	5	1	0	0	0	0	0	0	0	0.4	1	0.2	E
Malathion	820	817	0.01	2	0	0	1	0	0	0	0	0	0	0	0	0	0.056	0	0.5	E
Maneb-group(##)	382	291	0.1	8	12	22	16	12	10	7	3	1	0	0	0	0	2.5	1	2	E
Mecarbam	693	693	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methamidophos	839	768	0.05	13	8	20	14	11	5	0	0	0	0	0	0	0	0.48	0	2	E
Metalaxyl	818	816	0.01	0	0	1	1	0	0	0	0	0	0	0	0	0	0.086	2	0.01	E
Methidathion	590	590	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methiocarb	439	436	0.01	0	1	2	0	0	0	0	0	0	0	0	0	0	0.04	0	0.1	N
Methomyl	366	357	0.05	1	1	2	3	0	0	2	0	0	0	0	0	0	0.88	5	0.05	E
Ormethoate																				
Oxydemeton-methyl	722	717	0.02	2	0	0	1	2	0	0	0	0	0	0	0	0	0.15	3	0.02	E
Parathion	839	833	0.01	0	1	2	2	1	0	0	0	0	0	0	0	0	0.11	0	0.5	E
Permethrin	443	441	0.03	0	0	0	1	1	0	0	0	0	0	0	0	0	0.11	0	1	E
Phorate	444	444	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Pirimiphos-methyl	571	570	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0.014	0	0.05	E
Procyimidone	842	578	0.01	40	31	29	23	39	66	25	8	3	0	0	0	0	3	0	5	E
Propyzamide	513	513	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Thiabendazol	491	490	0.005	1	0	0	0	0	0	0	0	0	0	0	0	0	0.009	0	0.05	E
Tolyfluanid	573	569	0.01	2	0	2	0	0	0	0	0	0	0	0	0	0	0.029	0	5	N
Triazophos	455	455	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Vinclozolin	806	786	0.01	5	3	4	3	2	2	1	0	0	0	0	0	0	4.38	0	5	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	373	With residues above MRL (EC+national):	16
Without detectable residues:	230	With residues above EC-MRL:	16
With detectable residues at or below MRL		With residues above national MRL:	1
or without MRL:	127	Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	350	349	0.01	0	0	0	0	1	0	0	0	0	0	0	0	0	0.18	1	0.02	E
Aldicarb	199	199	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Azinphos-methyl	348	348	0.04	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Azoxystrobin	347	332	0.03	3	3	7	0	1	1	0	0	0	0	0	0	0	0.24	0	1	E
Benomyl group(#)	300	286	0.1	2	2	2	3	1	4	0	0	0	0	0	0	0	0.48	5	0.1	E
Bromopropylate	348	348	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Captan	348	348	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxxx	
Chlorothalonil	348	342	0.01	2	2	0	1	0	1	0	0	0	0	0	0	0	0.22	0	5	E
Chlorpyrifos	348	346	0.01	1	1	0	0	0	0	0	0	0	0	0	0	0	0.013	0	0.05	E
Chlorpyrifos-methyl	348	348	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Cypermethrin	345	343	0.05	1	0	1	0	0	0	0	0	0	0	0	0	0	0.04	0	0.2	E
Deltamethrin	345	344	0.05	0	1	0	0	0	0	0	0	0	0	0	0	0	0.014	0	0.1	E
Diazinon	347	347	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Dichlofluanid	348	347	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.004	0	5	E
Dicofol	336	336	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Dimethoate	349	317	0.01	0	32	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	E
Endosulfan	348	318	0.005	10	10	9	1	0	0	0	0	0	0	0	0	0	0.078	1	0.05	E
Folpet	348	347	0.02	1	0	0	0	0	0	0	0	0	0	0	0	0	0.004	0	xxxxxx	
Captan+ Folpet (Sum)	348	347	0.02	1	0	0	0	0	0	0	0	0	0	0	0	0	0.004	0	0.1	E
Imazalil	350	345	0.05	2	3	0	0	0	0	0	0	0	0	0	0	0	0.017	0	0.2	E
Iprodione	351	343	0.02	1	3	1	1	2	0	0	0	0	0	0	0	0	0.12	0	2	E
Kresoxim-methyl	345	344	0.01	0	0	1	0	0	0	0	0	0	0	0	0	0	0.04	0	0.05	E
Lambda-cyhalothrin	343	342	0.01	0	1	0	0	0	0	0	0	0	0	0	0	0	0.018	0	0.1	E
Malathion	348	347	0.01	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	3	E
Maneb-group(##)	289	254	0.01	2	5	5	5	11	7	0	0	0	0	0	0	0	0.47	0	2	E
Mecarbam	345	345	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methamidophos	350	329	0.05	6	5	5	5	0	0	0	0	0	0	0	0	0	0.08	5	0.05	E
Metalaxyl	350	347	0.01	1	0	0	0	1	1	0	0	0	0	0	0	0	0.23	2	0.01	E
Methidathion	348	348	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Methiocarb	314	313	0.02	0	0	0	0	0	1	0	0	0	0	0	0	0	0.34	1	0.1	N
Methomyl	252	247	0.05	1	1	1	2	0	0	0	0	0	0	0	0	0	0.087	2	0.05	E
Omethoate																				
Oxydemeton-methyl	321	319	0.02	1	0	0	0	0	1	0	0	0	0	0	0	0	0.23	1	0.02	E
Parathion	348	348	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Permethrin	345	345	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Phorate	314	314	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Pirimiphos-methyl	348	348	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Procyimidone	347	323	0.01	6	3	8	5	2	0	0	0	0	0	0	0	0	0.15	0	1	E
Propyzamide	351	351	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Thiabendazol	307	307	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Tolyfluanid	348	342	0.01	3	2	0	1	0	0	0	0	0	0	0	0	0	0.1	0	2	N
Triazophos	347	347	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0		
Vinclozolin	345	344	0.01	0	0	1	0	0	0	0	0	0	0	0	0	0	0.026	0	1	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>Germany</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	122	With residues above MRL (EC+national):	6
Without detectable residues:	48	With residues above EC-MRL:	6
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	68		

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	121	120	0.02	0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	E	
Aldicarb	42	42	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Azinphos-methyl	122	121	0.04	0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.5	E	
Azoxystrobin	122	119	0.03	1	2	0	0	0	0	0	0	0	0	0	0	0	0.016	0	0.2	E	
Benomyl group(#)	100	99	0.1	1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.1	E	
Bromopropylate	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Captan	122	114	0.02	0	0	0	2	6	0	0	0	0	0	0	0	0	0.2	0	xxxxxx		
Chlorothalonil	121	121	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Chlorpyrifos	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Chlorpyrifos-methyl	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Cypermethrin	122	122	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Deltamethrin	122	122	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Diazinon	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Dichlofluanid	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Dicofol	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Dimethoate	122	96	0.02	0	26	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	E	
Endosulfan	122	121	0.005	1	0	0	0	0	0	0	0	0	0	0	0	0	0.0019	0	0.05	E	
Folpet	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0	xxxxxx		
Captan+ Folpet (Sum)	122	114	0.02	0	0	0	2	6	0	0	0	0	0	0	0	0	0.2	6	0.1	E	
Imazalil	120	120	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Iprodione	122	119	0.02	0	1	0	2	0	0	0	0	0	0	0	0	0	0.064	0	0.2	E	
Kresoxim-methyl	121	121	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Lambda-cyhalothrin	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Malathion	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Maneb-group(##)	105	96	0.01	7	1	1	0	0	0	0	0	0	0	0	0	0	0.03	0	0.1	E	
Mecarbam	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Methamidophos	122	122	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Metalaxyl	121	121	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Methidathion	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Methiocarb	99	99	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Methomyl	84	84	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Omethoate																					
Oxydemeton-methyl	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Parathion	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Permethrin	122	122	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Phorate	121	121	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Pirimiphos-methyl	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Procyimidone	122	110	0.01	0	1	2	6	2	1	0	0	0	0	0	0	0	0.28	0	0.3	E	
Propyzamide	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Thiabendazol	105	105	0.05	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Tolyfluanid	122	122	0.01	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Triazophos	122	122	0.02	0	0	0	0	0	0	0	0	0	0	0	0	0		0			
Vinclozolin	122	76	0.01	6	11	15	11	3	0	0	0	0	0	0	0	0	45	0	0.3	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(###) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country: <u>GREECE</u>	Year of sampling: <u>2003</u>	Remark: Only add	
Total number of samples analysed:	<u>2</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>2</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>0</u>	With residues above national MRL:	<u>0</u>

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb	2	2	0.01														0.00	0	0.20	E
Azinphos-methyl																				
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate																				
Captan																			xxxxxx	
Chlorothalonil																				
Chlorpyrifos																				
Chlorpyrifos-methyl																				
Cypermethrin																				
Deltamethrin																				
Diazinon																				
Dichlofluanid																				
Dicofol																				
Dimethoate																				
Endosulfan																				
Folpet																			xxxxxx	
Captan+ Folpet (Sum)																				
Imazalil																				
Iprodione																				
Kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion																				
Maneb-group(##)																				
Mecarbam																				
Methamidophos																				
Metalaxyl																				
Methidathion																				
Methiocarb	2	2	0.02														0	0		
Methomyl	2	2	0.01														0	0	0.05	E
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin																				
Phorate																				
Pirimiphos-methyl																				
Procymidone																				
Propyzamide																				
Thiabendazol																				
Tolyfluanid																				
Triazophos																				
Vinclozolin																				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Hellas</u>	Year of sampling:	<u>#####</u>
		Remark: Only	
Total number of samples analysed:	<u>21</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>19</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL		With residues above national MRL:	
or without MRL:	<u>2</u>		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	14	14	0.10																
Aldicarb	7	7	0.01													0.00	0	0.05	E
Azinphos-methyl	14	14	0.05																
Azoxystrobin	14	14	0.03																
Benomyl group(#)	14	14	0.10																
Bromopropylate	14	14	0.02																
Captan	14	14	0.04															xxxxxx	
Chlorothalonil	14	14	0.02																
Chlorpyrifos	14	14	0.02																
Chlorpyrifos-methyl	14	14	0.02																
Cypermethrin	14	14	0.05																
Deltamethrin	14	14	0.03																
Diazinon	14	14	0.02																
Dichlofuanid	14	14	0.02																
Dicofol	14	14	0.10																
Dimethoate	14	14	0.02																
Endosulfan	14	12	0.01		1	1										0.05	0	0,05*	E
Folpet	14	14	0.06															xxxxxx	
Captan+ Folpet (Sum)	14	14																	
Imazalil	0	0																	
Iprodione	14	14	0.04																
Kresoxim-methyl	14	14	0.02																
Lambda-cyhalothrin	14	13	0.02			1										0.03	0	0.10	E
Malathion	14	14	0.02																
Maneb-group(##)	0	0																	
Mecarbam	14	14	0.02																
Methamidophos	14	14	0.05																
Metaxyl	14	14	0.10																
Methidathion	14	14	0.02																
Methiocarb	7	7	0.02													0.00	0		
Methomyl	7	7	0.01													0.00	0	0.05	E
Omethoate	14	14	0.04																
Oxydemeton-methyl	0	0																	
Parathion	14	14	0.02																
Permethrin	14	14	0.05																
Phorate	14	14	0.05																
Pirimiphos-methyl	14	14	0.02																
Procymidone	14	14	0.02																
Propyzamide	14	14	0.02																
Thiabendazol	14	14	0.10																
Tolyfluanid	14	14	0.01																
Triazophos	14	14	0.04																
Vinclozolin	14	14	0.02																

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Hellas</u>	Year of sampling:	<u>2003</u>
		Remark: Only add	
Total number of samples analysed:	<u>22</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>21</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u> </u>

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	13	13	0.10														0.00	0	0.05	E
Aldicarb	9	9	0.02																	
Azinphos-methyl	13	13	0.05																	
Azoxystrobin	13	13	0.03																	
Benomyl group(#)	13	13	0.10																	
Bromopropylate	13	13	0.02																	
Captan	13	13	0.04															xxxxxx		
Chlorothalonil	13	13	0.02																	
Chlorpyrifos	13	13	0.02																	
Chlorpyrifos-methyl	13	13	0.02																	
Cypermethrin	13	13	0.05																	
Deltamethrin	13	12	0.03			1											0.04	0	1.00	E
Diazinon	13	13	0.02																	
Dichlofluanid	13	13	0.02																	
Dicofol	13	13	0.10																	
Dimethoate	13	13	0.02																	
Endosulfan	13	13	0.01																	
Folpet	13	13	0.06															xxxxxx		
Captan+ Folpet (Sum)	13	13																		
Imazalil	0	0																		
Iprodione	13	13	0.04																	
Kresoxim-methyl	13	13	0.02																	
Lambda-cyhalothrin	13	13	0.02																	
Malathion	13	12	0.02							1							1.38	0	8.00	E
Maneb-group(##)	0	0																		
Mecarbam	13	13	0.02																	
Methamidophos	13	13	0.05																	
Metalaxyl	13	13	0.10																	
Methidathion	13	13	0.02																	
Methiocarb	9	9	0.04														0	0		
Methomyl	9	9	0.02														0.00	0	0.05	E
Omethoate	13	13	0.04																	
Oxydemeton-methyl	13	13																		
Parathion	13	13	0.02																	
Permethrin	13	13	0.05																	
Phorate	13	13	0.05																	
Pirimiphos-methyl	13	13	0.02																	
Procyimdone	13	13	0.02																	
Propyzamide	13	13	0.02																	
Thiabendazol	13	13	0.10																	
Tolyfluanid	13	13	0.01																	
Triazophos	13	13	0.04																	
Vinclozolin	13	13	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Hellas</u>	Year of sampling:	<u>2003</u>
		Remark: Only add	
Total number of samples analysed:	18	With residues above MRL (EC+national):	1
Without detectable residues:	13	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	11	0.10				1										0.10	0	0.50	E
Aldicarb	6	5	0.01	1													0.01	0	0.05	E
Azinphos-methyl	12	12	0.05																	
Azoxystrobin	12	12	0.03																	
Benomyl group(#)	12	12	0.10																	
Bromopropylate	12	11	0.02				1										0.10	1	0.05*	E
Captan	12	12	0.04																xxxxxx	
Chlorothalonil	12	12	0.02																	
Chlorpyrifos	12	12	0.02																	
Chlorpyrifos-methyl	12	12	0.02																	
Cypermethrin	12	12	0.05																	
Deltamethrin	12	12	0.03																	
Diazinon	12	12	0.02																	
Dichlofluanid	12	12	0.02																	
Dicofol	12	12	0.10																	
Dimethoate	12	12	0.02																	
Endosulfan	12	12	0.01																	
Folpet	12	12	0.06																xxxxxx	
Captan+ Folpet (Sum)	12	12																		
Imazalil	0	0																		
Iprodione	12	12	0.04																	
Kresoxim-methyl	12	12	0.02																	
Lambda-cyhalothrin	12	12	0.02																	
Malathion	12	12	0.02																	
Maneb-group(##)	0	0																		
Mecarbam	12	12	0.02																	
Methamidophos	12	12	0.05																	
Metalaxyl	12	12	0.10																	
Methidathion	12	12	0.02																	
Methiocarb	6	6	0.02														0	0		
Methomyl	6	6	0.01														0	0	0.50	E
Omethoate	12	12	0.04																	
Oxydemeton-methyl	12	12																		
Parathion	12	12	0.02																	
Permethrin	12	12	0.05																	
Phorate	12	12	0.05																	
Pirimiphos-methyl	12	12	0.02																	
Procymidone	12	11	0.02		1												0.02	0	2.00	E
Propyzamide	12	12	0.02																	
Thiabendazol	12	12	0.10																	
Tolyfluanid	12	12	0.01																	
Triazophos	12	12	0.04																	
Vinclozolin	12	12	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Hellas</u>	Year of sampling:	<u>2003</u>
		Remark: Only add	
Total number of samples analysed:	12	With residues above EC-MRL:	0
Without detectable residues:	10	With residues above national MRL:	0
With detectable residues at or below MRL or without MRL:	2		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12	0.10																	
Aldicarb	0	0																		
Azinphos-methyl	12	12	0.05																	
Azoxystrobin	12	12	0.03																	
Benomyl group(#)	12	12	0.10																	
Bromopropylate	12	12	0.02																	
Captan	12	12	0.04															xxxxxx		
Chlorothalonil	12	12	0.02																	
Chlorpyrifos	12	11	0.02			1											0.03	0	0.05	E
Chlorpyrifos-methyl	12	12	0.02																	
Cypermethrin	12	12	0.05																	
Deltamethrin	12	12	0.03																	
Diazinon	12	12	0.02																	
Dichlofluanid	12	12	0.02																	
Dicofol	12	12	0.10																	
Dimethoate	12	12	0.02																	
Endosulfan	12	11	0.01	1													0.01	0	0.05*	E
Folpet	12	12	0.06															xxxxxx		
Captan+ Folpet (Sum)	12	12																		
Imazalil	0	0																		
Iprodione	12	12	0.04																	
Kresoxim-methyl	12	12	0.02																	
Lambda-cyhalothrin	12	12	0.02																	
Malathion	12	12	0.02																	
Maneb-group(##)	0	0																		
Mecarbam	12	12	0.02																	
Methamidophos	12	12	0.05																	
Metalaxyl	12	12	0.10																	
Methidathion	12	12	0.02																	
Methiocarb	0	0																		
Methomyl	0	0																		
Omethoate	12	12	0.04																	
Oxydemeton-methyl	12	12																		
Parathion	12	12	0.02																	
Permethrin	12	12	0.05																	
Phorate	12	12	0.05																	
Pirimiphos-methyl	12	12	0.02																	
Procyimdone	12	12	0.02																	
Propyzamide	12	12	0.02																	
Thiabendazol	12	12	0.10																	
Tolyfluanid	12	12	0.01																	
Triazophos	12	12	0.04																	
Vinclozolin	12	12	0.02													50				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>Hellas</u>	Year of sampling:	<u>2003</u>
		Remark: Only add	
Total number of samples analysed:	<u>27</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>18</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>9</u>	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	15	15	0.10																	
Aldicarb	12	12	0.01														0.00	0	0.05	E
Azinphos-methyl	15	15	0.05																	
Azoxystrobin	15	15	0.03																	
Benomyl group(#)	15	15	0.10																	
Bromopropylate	15	15	0.02																	
Captan	15	12	0.04			1	1		1								0.32	0	xxxxxx	E
Chlorothalonil	15	15	0.02																	
Chlorpyrifos	15	12	0.02		1	1	1										0.06	0	0.50	E
Chlorpyrifos-methyl	15	15	0.02																	
Cypermethrin	15	15	0.05																	
Deltamethrin	15	15	0.03																	
Diazinon	15	15	0.02																	
Dichlofluanid	15	14	0.02		1												0.02	0	10.00	E
Dicofol	15	15	0.10																	
Dimethoate	15	15	0.02																	
Endosulfan	15	15	0.01																	
Folpet	15	15	0.06																xxxxxx	
Captan+ Folpet (Sum)	15	15																		
Imazalil	0	0																		
Iprodione	15	11	0.04					3	1								0.24	0	10.00	E
kresoxim-methyl	15	15	0.02																	
Lambda-cyhalothrin	15	14	0.02			1											0.04	0	0.20	E
Malathion	15	15	0.02																	
Maneb-group(##)	0	0																		
Mecarbam	15	15	0.02																	
Methamidophos	15	15	0.05																	
Metalaxyl	15	15	0.10																	
Methidathion	15	15	0.02																	
Methiocarb	12	12	0.02														0.00	0		
Methomyl	12	12	0.01														0.00	0	1.00	E
Omethoate	15	14	0.04				1										0.05	0	0.10	E
Oxydemeton-methyl	15	15																		
Parathion	15	15	0.02																	
Permethrin	15	15	0.05																	
Phorate	15	15	0.05																	
Pirimiphos-methyl	15	15	0.02																	
Procymidone	15	14	0.02			1											0.04	0	5.00	E
Propyzamide	15	15	0.02																	
Thiabendazol	15	15	0.10																	
Tolyfluanid	15	15	0.01																	
Triazophos	15	15	0.04																	
Vinclozolin	15	15	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>Hellas</u>	Year of sampling:	<u>2003</u>
		Remark: Only add	
Total number of samples analysed:	19	With residues above MRL (EC+national):	1
Without detectable residues:	15	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12	0.10														0.00	0	0.05	E
Aldicarb	7	7	0.01																	
Azinphos-methyl	12	12	0.05																	
Azoxystrobin	12	12	0.03																	
Benomyl group(#)	12	12	0.10																	
Bromopropylate	12	12	0.02																	
Captan	12	12	0.04															xxxxxx		
Chlorothalonil	12	12	0.02																	
Chlorpyrifos	12	12	0.02																	
Chlorpyrifos-methyl	12	12	0.02																	
Cypermethrin	12	12	0.05																	
Deltamethrin	12	12	0.03																	
Diazinon	12	12	0.02																	
Dichlofluanid	12	12	0.02																	
Dicofol	12	12	0.10																	
Dimethoate	12	12	0.02																	
Endosulfan	12	8	0.01	1		2	1										0.1	1	0.05*	E
Folpet	12	12	0.06															xxxxxx		
Captan+ Folpet (Sum)	12	12																		
Imazalil	0	0																		
Iprodione	12	12	0.04																	
Kresoxim-methyl	12	12	0.02																	
Lambda-cyhalothrin	12	12	0.02																	
Malathion	12	12	0.02																	
Maneb-group(##)	0	0																		
Mecarbam	12	12	0.02																	
Methamidophos	12	12	0.05																	
Metalaxyl	12	12	0.10																	
Methidathion	12	12	0.02																	
Methiocarb	7	7	0.02														0.00	0		
Methomyl	7	7	0.01														0.00	0	0.05	E
Omethoate	12	12	0.04																	
Oxydemeton-methyl	12	12																		
Parathion	12	12	0.02																	
Permethrin	12	12	0.05																	
Phorate	12	12	0.05																	
Pirimiphos-methyl	12	12	0.02																	
Procymidone	12	12	0.02																	
Propyzamide	12	12	0.02																	
Thiabendazol	12	12	0.10																	
Tolyfluanid	12	12	0.01																	
Triazophos	12	12	0.04																	
Vinclozolin	12	12	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>Hellas</u>	Year of sampling:	<u>2003</u>
		Remark: Only add	
Total number of samples analysed:	<u>15</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>15</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>0</u>	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12	0.10																	
Aldicarb	3	3	0.01														0.00	0	0.05	E
Azinphos-methyl	12	12	0.05																	
Azoxystrobin	12	12	0.03																	
Benomyl group(#)	12	12	0.10																	
Bromopropylate	12	12	0.02																	
Captan	12	12	0.04																xxxxxx	
Chlorothalonil	12	12	0.02																	
Chlorpyrifos	12	12	0.02																	
Chlorpyrifos-methyl	12	12	0.02																	
Cypermethrin	12	12	0.05																	
Deltamethrin	12	12	0.03																	
Diazinon	12	12	0.02																	
Dichlofluanid	12	12	0.02																	
Dicofol	12	12	0.10																	
Dimethoate	12	12	0.02																	
Endosulfan	12	12	0.01																	
Folpet	12	12	0.06																xxxxxx	
Captan+ Folpet (Sum)	12	12																		
Imazalil	0	0																		
Iprodione	12	12	0.04																	
Kresoxim-methyl	12	12	0.02																	
Lambda-cyhalothrin	12	12	0.02																	
Malathion	12	12	0.02																	
Maneb-group(##)	0	0																		
Mecarbam	12	12	0.02																	
Methamidophos	12	12	0.05																	
Metalaxyl	12	12	0.10																	
Methidathion	12	12	0.02																	
Methiocarb	3	3	0.02														0	0		
Methomyl	3	3	0.01														0.00	0	0.05	E
Omethoate	12	12	0.04																	
Oxydemeton-methyl	12	12																		
Parathion	12	12	0.02																	
Permethrin	12	12	0.05																	
Phorate	12	12	0.05																	
Pirimiphos-methyl	12	12	0.02																	
Procymidone	12	12	0.02																	
Propyzamide	12	12	0.02																	
Thiabendazol	12	12	0.10																	
Tolyfluanid	12	12	0.01																	
Triazophos	12	12	0.04																	
Vinclozolin	12	12	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>SPAIN</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	<u>45</u>	With residues above MRL (EC+national):	<u>1</u>
Without detectable residues:	<u>33</u>	With residues above EC-MRL:	<u>1</u>
With detectable residues at or below MRL or without MRL:	<u>11</u>	With residues above national MRL:	<u></u>

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	45	0.02																	
Aldicarb	45	45	0.05																	
Azinphos-methyl	45	45	0.05																	
Azoxystrobin	45	45	0.05																	
Benomyl group(#)	45	45	0.10																	
Bromopropylate	45	45	0.05																	
Captan	45	45	0.10															xxxxxx		
Chlorothalonil	45	45	0.01																	
Chlorpyrifos	45	44	0.05					1									0.14	1	0.05	E
Chlorpyrifos-methyl	45	45	0.05																	
Cypermethrin	45	45	0.05																	
Deltamethrin	45	45	0.05																	
Diazinon	45	45	0.02																	
Dichlofluanid	45	45	0.10																	
Dicofol	45	45	0.02																	
Dimethoate	45	45	0.02																	
Endosulfan	45	45	0.05																	
Folpet	45	45	0.10															xxxxxx		
Captan+ Folpet (Sum)	45	45	0.10																	
Imazalil	45	45	0.02																	
Iprodione	45	45	0.02																	
Kresoxim-methyl	45	45	0.05																	
Lambda-cyhalothrin	45	45	0.02																	
Malathion	45	45	0.01																	
Maneb-group(##)	45	35	0.05				1	4	4	1							0.6	0	1.00	E
Mecarbam	45	45	0.05																	
Methamidophos	45	45	0.01																	
Metalaxyl	45	45	0.05																	
Methidathion	45	45	0.02																	
Methiocarb	45	45	0.05																	
Methomyl	45	45	0.05																	
Omethoate	45	45	0.02																	
Oxydemeton-methyl	45	45	0.05																	
Parathion	45	45	0.05																	
Permethrin	45	45	0.05																	
Phorate	45	45	0.05																	
Pirimiphos-methyl	45	45	0.05																	
Procymidone	45	45	0.02																	
Propyzamide	45	45	0.02																	
Thiabendazol	45	45	0.05																	
Tolyfluanid	45	45	0.05																	
Triazophos	45	45	0.02																	
Vinclozolin	45	45	0.05																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>SPAIN</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	45	With residues above MRL (EC+national):	0
Without detectable residues:	30	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	15	With residues above national MRL:	

Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	45	0.02																	
Aldicarb	45	45	0.05																	
Azinphos-methyl	45	45	0.05																	
Azoxystrobin	45	45	0.05																	
Benomyl group(#)	45	45	0.10																	
Bromopropylate	45	45	0.05																	
Captan	45	45	0.10															xxxxxx		
Chlorothalonil	45	43	0.01			2											0.04	0	2.00	E
Chlorpyrifos	45	45	0.05																	
Chlorpyrifos-methyl	45	44	0.05				1										0.08	0	0.30	E
Cypermethrin	45	45	0.05																	
Deltamethrin	45	45	0.05																	
Diazinon	45	45	0.02																	
Dichlofluanid	45	45	0.10																	
Dicofol	45	45	0.02																	
Dimethoate	45	45	0.02																	
Endosulfan	45	39	0.05				3	2	1								0.35	0	1.00	E
Folpet	45	45	0.10															xxxxxx		
Captan+ Folpet (Sum)	45	45	0.10																	
Imazalil	45	45	0.02																	
Iprodione	45	45	0.02																	
Kresoxim-methyl	45	45	0.05																	
Lambda-cyhalothrin	45	44	0.02				1										0.09	0	3.00	E
Malathion	45	45	0.01																	
Maneb-group(##)	45	45	0.05																	
Mecarbam	45	45	0.05																	
Methamidophos	45	45	0.01																	
Metalaxyl	45	45	0.05																	
Methidathion	45	45	0.02																	
Methiocarb	45	45	0.05																	
Methomyl	45	45	0.05																	
Omethoate	45	45	0.02																	
Oxydemeton-methyl	45	45	0.05																	
Parathion	45	45	0.05																	
Permethrin	45	45	0.05																	
Phorate	45	45	0.05																	
Pirimiphos-methyl	45	43	0.05			1				1							0.65	0	1.00	E
Procymidone	45	42	0.02			1	1		1								0.33	0	2.00	E
Propyzamide	45	45	0.02																	
Thiabendazol	45	45	0.05																	
Tolyfluanid	45	45	0.05																	
Triazophos	45	45	0.02																	
Vinclozolin	45	45	0.05														55			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>SPAIN</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	45	With residues above MRL (EC+national):	0
Without detectable residues:	44	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	45	0.02																	
Aldicarb	45	45	0.05																	
Azinphos-methyl	45	45	0.05																	
Azoxystrobin	45	45	0.05																	
Benomyl group(#)	45	45	0.10																	
Bromopropylate	45	45	0.05																	
Captan	45	45	0.10															xxxxxx		
Chlorothalonil	45	45	0.01																	
Chlorpyrifos	45	45	0.05																	
Chlorpyrifos-methyl	45	45	0.05																	
Cypermethrin	45	45	0.05																	
Deltamethrin	45	45	0.05																	
Diazinon	45	45	0.02																	
Dichlofluanid	45	45	0.10																	
Dicofol	45	45	0.02																	
Dimethoate	45	45	0.02																	
Endosulfan	45	45	0.05																	
Folpet	45	45	0.10															xxxxxx		
Captan+ Folpet (Sum)	45	45	0.10																	
Imazalil	45	45	0.02																	
Iprodione	45	45	0.02																	
Kresoxim-methyl	45	45	0.05																	
Lambda-cyhalothrin	45	45	0.02																	
Malathion	45	45	0.01																	
Maneb-group(##)	45	44	0.05				1									0.1	0	1.00	E	
Mecarbam	45	45	0.05																	
Methamidophos	45	45	0.01																	
Metalaxyl	45	45	0.05																	
Methidathion	45	45	0.02																	
Methiocarb	45	45	0.05																	
Methomyl	45	45	0.05																	
Omethoate	45	45	0.02																	
Oxydemeton-methyl	45	45	0.05																	
Parathion	45	45	0.05																	
Permethrin	45	45	0.05																	
Phorate	45	45	0.05																	
Pirimiphos-methyl	45	45	0.05																	
Procymidone	45	45	0.02																	
Propyzamide	45	45	0.02																	
Thiabendazol	45	45	0.05																	
Tolyfluanid	45	45	0.05																	
Triazophos	45	45	0.02																	
Vinclozolin	45	45	0.05																	

56

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>SPAIN</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	49	With residues above MRL (EC+national):	3
Without detectable residues:	34	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	12	With residues above national MRL:	

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	49	49	0.02																	
Aldicarb	49	49	0.05																	
Azinphos-methyl	49	49	0.05																	
Azoxystrobin	49	49	0.05																	
Benomyl group(#)	49	49	0.10																	
Bromopropylate	49	49	0.05																	
Captan	49	49	0.10															xxxxxx		
Chlorothalonil	49	45	0.01			2		1		1							0.56	0	2.00	E
Chlorpyrifos	49	48	0.05						1								0.5	0	0.50	E
Chlorpyrifos-methyl	49	49	0.05																	
Cypermethrin	49	49	0.05																	
Deltamethrin	49	49	0.05																	
Diazinon	49	49	0.02																	
Dichlofluanid	49	49	0.10																	
Dicofol	49	49	0.02																	
Dimethoate	49	49	0.02																	
Endosulfan	49	45	0.05			1	1	1	1								0.23	3	0.05	E
Folpet	49	49	0.10															xxxxxx		
Captan+ Folpet (Sum)	49	49	0.10																	
Imazalil	49	49	0.02																	
Iprodione	49	49	0.02																	
Kresoxim-methyl	49	49	0.05																	
Lambda-cyhalothrin	49	49	0.02																	
Malathion	49	49	0.01																	
Maneb-group(##)	49	49	0.05																	
Mecarbam	49	49	0.05																	
Methamidophos	49	49	0.01																	
Metalaxyl	49	49	0.05																	
Methidathion	49	49	0.02																	
Methiocarb	49	49	0.05																	
Methomyl	49	49	0.05																	
Omethoate	49	49	0.02																	
Oxydemeton-methyl	49	49	0.05																	
Parathion	49	49	0.05																	
Permethrin	49	49	0.05																	
Phorate	49	49	0.05																	
Pirimiphos-methyl	49	49	0.05																	
Procymidone	49	43	0.02		1	1		1	1	2							1	0	2.00	E
Propyzamide	49	49	0.02																	
Thiabendazol	49	49	0.05																	
Tolyfluanid	49	49	0.05																	
Triazophos	49	49	0.02																	
Vinclozolin	49	47	0.05				1	1									5.7	0	3.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals

Food item: Rice (husked or polished)

Reporting country: SPAIN

Year of sampling: 2003

Remark:

Total number of samples analysed: 45

Without detectable residues: 44

With detectable residues at or below MRL or without MRL: 1

With residues above MRL (EC+national): 0

With residues above EC-MRL:

With residues above national MRL:

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	45	0.02																	
Aldicarb	45	45	0.05																	
Azinphos-methyl	45	45	0.05																	
Azoxystrobin	45	45	0.05																	
Benomyl group(#)	45	45	0.10																	
Bromopropylate	45	45	0.05																	
Captan	45	45	0.10															xxxxxx		
Chlorothalonil	45	45	0.01																	
Chlorpyrifos	45	45	0.05																	
Chlorpyrifos-methyl	45	45	0.05																	
Cypermethrin	45	45	0.05																	
Deltamethrin	45	45	0.05																	
Diazinon	45	45	0.02																	
Dichlofluanid	45	45	0.10																	
Dicofol	45	45	0.02																	
Dimethoate	45	45	0.02																	
Endosulfan	45	45	0.05																	
Folpet	45	45	0.10															xxxxxx		
Captan+ Folpet (Sum)	45	45	0.10																	
Imazalil	45	45	0.02																	
Iprodione	45	45	0.02																	
Kresoxim-methyl	45	45	0.05																	
Lambda-cyhalothrin	45	45	0.02																	
Malathion	45	44	0.01		1												0.012	0	8.00	E
Maneb-group(##)	45	45	0.05																	
Mecarbam	45	45	0.05																	
Methamidophos	45	45	0.01																	
Metalaxyl	45	45	0.05																	
Methidathion	45	45	0.02																	
Methiocarb	45	45	0.05																	
Methomyl	45	45	0.05																	
Omethoate	45	45	0.02																	
Oxydemeton-methyl	45	45	0.05																	
Parathion	45	45	0.05																	
Permethrin	45	45	0.05																	
Phorate	45	45	0.05																	
Pirimiphos-methyl	45	45	0.05																	
Procymidone	45	45	0.02																	
Propyzamide	45	45	0.02																	
Thiabendazol	45	45	0.05																	
Tolyfluanid	45	45	0.05																	
Triazophos	45	45	0.02																	
Vinclozolin	45	45	0.05														58			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>SPAIN</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	45	With residues above MRL (EC+national):	1
Without detectable residues:	31	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	13	With residues above national MRL:	

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	45	45	0.02																	
Aldicarb	45	45	0.05																	
Azinphos-methyl	45	45	0.05																	
Azoxystrobin	45	45	0.05																	
Benomyl group(#)	45	42	0.10						2	1							2	0	2.00	E
Bromopropylate	45	45	0.05																	
Captan	45	45	0.10																xxxxxx	
Chlorothalonil	45	45	0.01																	
Chlorpyrifos	45	38	0.05			1	3	1	1			1					2.69	1	0.50	E
Chlorpyrifos-methyl	45	45	0.05																	
Cypermethrin	45	45	0.05																	
Deltamethrin	45	45	0.05																	
Diazinon	45	45	0.02																	
Dichlofluanid	45	45	0.10																	
Dicofol	45	45	0.02																	
Dimethoate	45	45	0.02																	
Endosulfan	45	45	0.05																	
Folpet	45	45	0.10																xxxxxx	
Captan+ Folpet (Sum)	45	45	0.10																	
Imazalil	45	45	0.02																	
Iprodione	45	45	0.02																	
kresoxim-methyl	45	45	0.05																	
Lambda-cyhalothrin	45	43	0.02		1	1											0.07	0	0.20	E
Malathion	45	43	0.01			1	1										0.06	0	0.50	E
Maneb-group(##)	45	43	0.05						1	1							0.6	0	2.00	E
Mecarbam	45	45	0.05																	
Methamidophos	45	45	0.01																	
Metalaxyl	45	45	0.05																	
Methidathion	45	45	0.02																	
Methiocarb	45	45	0.05																	
Methomyl	45	45	0.05																	
Omethoate	45	45	0.02																	
Oxydemeton-methyl	45	45	0.05																	
Parathion	45	45	0.05																	
Permethrin	45	45	0.05																	
Phorate	45	45	0.05																	
Pirimiphos-methyl	45	45	0.05																	
Procymidone	45	41	0.02						3	1										
Propyzamide	45	45	0.02														0.62	0	5.00	E
Thiabendazol	45	45	0.05																	
Tolyfluanid	45	45	0.05																	
Triazophos	45	45	0.02																	
Vinclozolin	45	45	0.05														59			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>SPAIN</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	54	With residues above MRL (EC+national):	3
Without detectable residues:	35	With residues above EC-MRL:	3
With detectable residues at or below MRL or without MRL:	16	With residues above national MRL:	

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	54	54	0.02																	
Aldicarb	54	54	0.05																	
Azinphos-methyl	54	54	0.05																	
Azoxystrobin	54	54	0.05																	
Benomyl group(#)	54	54	0.10																	
Bromopropylate	54	54	0.05																	
Captan	54	54	0.10															xxxxxx		
Chlorothalonil	54	46	0.01			4	2	1	1								0.21	0	1.00	E
Chlorpyrifos	54	54	0.05																	
Chlorpyrifos-methyl	54	54	0.05																	
Cypermethrin	54	53	0.05			1											0.05	0	0.20	E
Deltamethrin	54	54	0.05																	
Diazinon	54	54	0.02																	
Dichlofluanid	54	54	0.10																	
Dicofol	54	54	0.02																	
Dimethoate	54	54	0.02																	
Endosulfan	54	49	0.05			2	3										0.09	3	0.05	E
Folpet	54	54	0.10																xxxxxx	
Captan+ Folpet (Sum)	54	54	0.10																	
Imazalil	54	54	0.02																	
Iprodione	54	51	0.02		1	2											0.05	0	1.00	E
Kresoxim-methyl	54	54	0.05																	
Lambda-cyhalothrin	54	54	0.02																	
Malathion	54	54	0.01																	
Maneb-group(##)	54	54	0.05																	
Mecarbam	54	54	0.05																	
Methamidophos	54	54	0.01																	
Metalaxyl	54	54	0.05																	
Methidathion	54	54	0.02																	
Methiocarb	54	54	0.05																	
Methomyl	54	54	0.05																	
Omethoate	54	54	0.02																	
Oxydemeton-methyl	54	54	0.05																	
Parathion	54	54	0.05																	
Permethrin	54	54	0.05																	
Phorate	54	54	0.05																	
Pirimiphos-methyl	54	54	0.05																	
Procymidone	54	48	0.02		1	2		2	1								0.24	0	1.00	E
Propyzamide	54	54	0.02																	
Thiabendazol	54	54	0.05																	
Tolyfluanid	54	54	0.05																	
Triazophos	54	54	0.02																	
Vinclozolin	54	54	0.05														60			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>SPAIN</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	38	With residues above MRL (EC+national):	0
Without detectable residues:	33	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	38	38	0.02																	
Aldicarb	38	38	0.05																	
Azinphos-methyl	38	38	0.05																	
Azoxystrobin	38	38	0.05																	
Benomyl group(#)	38	38	0.10																	
Bromopropylate	38	38	0.05																	
Captan	38	38	0.10																	
Chlorothalonil	38	33	0.01					2	2		1						0.7	0	2.00	E
Chlorpyrifos	38	38	0.05																	
Chlorpyrifos-methyl	38	38	0.05																	
Cypermethrin	38	38	0.05																	
Deltamethrin	38	38	0.05																	
Diazinon	38	38	0.02																	
Dichlofluanid	38	38	0.10																	
Dicofol	38	38	0.02																	
Dimethoate	38	38	0.02																	
Endosulfan	38	38	0.05																	
Folpet	38	38	0.10																xxxxxx	
Captan+ Folpet (Sum)	38	38	0.10																	
Imazalil	38	38	0.02																	
Iprodione	38	38	0.02																	
Kresoxim-methyl	38	38	0.05																	
Lambda-cyhalothrin	38	38	0.02																	
Malathion	38	38	0.01																	
Maneb-group(##)	38	38	0.05																	
Mecarbam	38	38	0.05																	
Methamidophos	38	38	0.01																	
Metalaxyl	38	38	0.05																	
Methidathion	38	38	0.02																	
Methiocarb	38	38	0.05																	
Methomyl	38	38	0.05																	
Omethoate	38	38	0.02																	
Oxydemeton-methyl	38	38	0.05																	
Parathion	38	38	0.05																	
Permethrin	38	38	0.05																	
Phorate	38	38	0.05																	
Pirimiphos-methyl	38	38	0.05																	
Procymidone	38	38	0.02																	
Propyzamide	38	38	0.02																	
Thiabendazol	38	38	0.05																	
Tolyfluanid	38	38	0.05																	
Triazophos	38	38	0.02																	
Vinclozolin	38	38	0.05														61			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>BRASSICA VEGETABLES</u>	Food item:	<u>CAULIFLOWER</u>
Reporting country :	<u>Fran/France</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>69</u>	With residues above MRL (EC+national):	<u>2</u>
Without detectable residues:	<u>55</u>	With residues above EC-MRL:	<u>2</u>
With detectable residues at or below MRL or without MRL:	<u>12</u>	With residues above national MRL:	<u>0</u>

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	69	69	0.010															0	0.02	E
Aldicarb	0	0	0.020																0.20	E
Azinphos-methyl	69	69	0.005															0	0.50	E
Azoxystrobin	55	55	0.010															0	0.50	E
Benomyl group(#)	28	27	0.010					1									0.150	1	0.10	E
Bromopropylate	69	69	0.005															0	0.05	E
Captan	69	65	0.005			1	2	1									0.200	xxxxxx		
Chlorothalonil	69	69	0.005															0	3.00	E
Chlorpyrifos	69	69	0.005															0	0.05	E
Chlorpyrifos-methyl	69	69	0.005															0	0.05	E
Cypermethrin	69	69	0.005															0	0.50	E
Deltamethrin	69	69	0.005															0	0.10	E
Diazinon	69	69	0.005															0	0.02	E
Dichlofluanid	69	69	0.005															0	5.00	E
Dicofol	69	69	0.005															0	0.02	E
Dimethoate	69	69	0.005															0	0.20	E
Endosulfan	69	69	0.005															0	0.05	E
Folpet	69	69	0.005															xxxxxx		
Captan+ Folpet (Sum)	69	65	0.005			1	2	1									0.200	1	0.10	E
Imazalil	60	60	0.010															0	0.02	E
Iprodione	69	69	0.005															0	0.05	E
Kresoxim-methyl	61	61	0.005															0	0.05	E
Lambda-cyhalothrin	69	69	0.005															0	0.10	E
Malathion	69	69	0.005															0	3.00	E
Maneb-group(##)	28	20	0.050				1	5	1	1							0.600	0	1.00	E
Mecarbam	69	69	0.005															0	0.05	E
Methamidophos	69	69	0.005															0	0.10	E
Metalaxyl	59	59	0.005															0	0.10	E
Methidathion	69	69	0.005															0	0.02	E
Methiocarb	16	16	0.010															0	0.10	N
Methomyl	16	16	0.020															0	0.05	E
Omethoate	60	60	0.010															0	0.20	N
Oxydemeton-methyl	16	16	0.010															0	0.02	E
Parathion	69	69	0.005															0	0.05	E
Permethrin	69	69	0.010															0	0.10	E
Phorate	32	32	0.010															0	0.05	E
Pirimiphos-methyl	69	69	0.005															0	1.00	E
Procyimidone	69	69	0.005															0	0.02	E
Propyzamide	69	69	0.010															0	0.02	E
Thiabendazol	28	27	0.010			1											0.030	0	0.05	E
Tolyfluanid	69	69	0.005															0	0.00	N
Triazophos	69	69	0.005															0	0.00	E
Vinclozolin	69	69	0.005															0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>FRUITING VEGETABLES</u>	Food item:	<u>PEPPERS</u>
Reporting country :	<u>Fran France</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:		2	
Without detectable residues:		2	
With detectable residues at or below MRL		0	
or without MRL:		30	
Remark: Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	92	92	0.010																0.02	E
Aldicarb	0	0	0.020																0.05	E
Azinphos-methyl	92	91	0.005	1													0.010	0	0.50	E
Azoxystrobin	56	56	0.010																2.00	E
Benomyl group(##)	64	64	0.010																0.10	E
Bromopropylate	92	92	0.005																0.05	E
Captan	92	92	0.005																xxxxxx	
Chlorothalonil	92	91	0.005	1													0.010	0	2.00	E
Chlorpyrifos	92	88	0.005	1	2	1											0.050	0	0.50	E
Chlorpyrifos-methyl	92	92	0.005																0.50	E
Cypermethrin	92	90	0.005	1		1											0.025	0	0.50	E
Deltamethrin	92	86	0.005	2		4											0.050	0	0.20	E
Diazinon	92	92	0.005																0.50	E
Dichlofuanid	92	92	0.005																5.00	E
Dicofol	83	83	0.005																0.02	E
Dimethoate	93	93	0.005																0.02	E
Endosulfan	92	84	0.005	1	1	3	1	1		1							1.800	1	1.00	E
Folpet	92	92	0.005																xxxxxx	
Captan+ Folpet (Sum)	92	92	0.005																0.10	E
Imazalil	34	34	0.010																0.00	E
Iprodione	92	91	0.005	1													0.010	0	5.00	E
Kresoxim-methyl	92	92	0.005																1.00	E
Lambda-cyhalothrin	92	92	0.005																0.10	E
Malathion	92	88	0.005		2	1		1									0.110	0	3.00	E
Maneb-group(##)	64	64	0.050																2.00	E
Mecarbam	92	92	0.005																0.05	E
Methamidophos	92	91	0.005				1										0.065	1	0.01	E
Metaxyl	91	91	0.005																0.05	E
Methidathion	92	92	0.005																0.02	E
Methiocarb	63	63	0.010																0.10	N
Methomyl	0	0	0.020																0.05	E
Omethoate	83	83	0.010																0.20	N
Oxydemeton-methyl	19	19	0.010																0.02	E
Parathion	92	92	0.005																0.05	E
Permethrin	92	92	0.010																0.50	E
Phorate	63	63	0.010																0.05	E
Pirimiphos-methyl	92	82	0.005	1	4	2	1	2									0.110	0	1.00	E
Procymidone	92	87	0.005	1			1	3									0.200	0	2.00	E
Propyzamide	92	92	0.010																0.02	E
Thiabendazol	92	92	0.010																0.05	E
Tolyfluanid	92	92	0.005																0.00	N
Triazophos	92	92	0.005																0.02	E
Vinclozolin	92	92	0.005																3.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>CEREALS</u>	Food item:	<u>WHEAT</u>
Reporting country :	<u>Fran/France</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>131</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>54</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>77</u>	With residues above national MRL:	<u>0</u>

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	131	131	0.010																0.02	E
Aldicarb	0		0.050																0.05	E
Azinphos-methyl	131	131	0.010																	W
Azoxystrobin	75	75	0.010																0.30	E
Benomyl group(#)	75	75	0.010																0.10	E
Bromopropylate	131	131	0.010																0.05	E
Captan	131	131	0.010																xxxxxx	
Chlorothalonil	131	131	0.010																0.10	E
Chlorpyrifos	131	115	0.010		4	12											0.040	0	0.05	E
Chlorpyrifos-methyl	131	107	0.010		2	13	6	3									0.150	0	3.00	E
Cypermethrin	131	131	0.010																0.02	E
Deltamethrin	131	101	0.010	9	3	10	7	1									0.120	0	1.00	E
Diazinon	131	131	0.010																0.05	E
Dichlofluanid	131	131	0.010																	W
Dicofol	131	131	0.010																0.02	E
Dimethoate	131	131	0.010																0.30	E
Endosulfan	131	131	0.010																0.05	E
Folpet	131	131	0.010																xxxxxx	
Captan+ Folpet (Sum)	131	131	0.010																	W
Imazalil	0		0.010																0.02	E
Iprodione	131	131	0.010																0.50	E
Kresoxim-methyl	131	131	0.010																0.05	E
Lambda-cyhalothrin	131	131	0.010																0.02	E
Malathion	131	94	0.010	3	4	11	2	1		1	12	3					3.100	0	8.00	E
Maneb-group(##)	0		0.200																1.00	E
Mecarbam	131	131	0.010																0.05	E
Methamidophos	131	131	0.010																0.01	E
Metalaxyl	131	131	0.010																0.05	E
Methidathion	131	131	0.010																0.02	E
Methiocarb	0		0.020																	W
Methomyl	0		0.020																0.05	E
Omethoate	131	131	0.010																0.30	E
Oxydemeton-methyl	75	75	0.010																0.02	E
Parathion	131	131	0.010																0.05	E
Permethrin	131	131	0.010																0.05	E
Phorate	131	131	0.010																0.05	E
Pirimiphos-methyl	131	75	0.010	2	1	5	7	8	25	1	4	3					2.450	0	5.00	E
Procymidone	131	131	0.010																0.02	E
Propyzamide	131	131	0.010																0.02	E
Thiabendazol	0		0.010																0.05	E
Tolyfluanid	131	131	0.010																	W
Triazophos	131	131	0.010																0.02	E
Vinclozolin	131	131	0.010																0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>FRUITING VEGETABLES</u>	Food item:	<u>AUBERGINES</u>
Reporting country :	<u>Fran/France</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>72</u>	With residues above MRL (EC+national):	<u>2</u>
Without detectable residues:	<u>58</u>	With residues above EC-MRL:	<u>2</u>
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>
or without MRL:	<u>12</u>	Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	72	71	0.010				1										0.055	0	0.50	N
Aldicarb	0	0	0.020																0.05	E
Azinphos-methyl	72	72	0.005																0.50	E
Azoxystrobin	49	49	0.010																2.00	E
Benomyl group(#)	62	60	0.010		1	1											0.040	0	0.50	E
Bromopropylate	72	72	0.005																0.05	E
Captan	72	72	0.005																xxxxxx	
Chlorothalonil	72	70	0.005			2											0.040	0	2.00	E
Chlorpyrifos	72	71	0.005				1										0.090	0	0.50	E
Chlorpyrifos-methyl	72	71	0.005		1												0.020	0	0.50	E
Cypermethrin	72	72	0.005																0.50	E
Deltamethrin	72	71	0.005				1										0.060	0	0.20	E
Diazinon	72	72	0.005																0.50	E
Dichlofluanid	72	72	0.005																5.00	E
Dicofol	58	58	0.005																0.02	E
Dimethoate	72	72	0.005																0.02	E
Endosulfan	72	71	0.005				1										0.080	1	0.05	E
Folpet	72	72	0.005																xxxxxx	
Captan+ Folpet (Sum)	72	72	0.005																0.10	E
Imazalil	41	41	0.010																0.02	E
Iprodione	72	71	0.005		1												0.020	0	5.00	E
Kresoxim-methyl	72	72	0.005																0.50	N
Lambda-cyhalothrin	72	72	0.005																0.50	E
Malathion	72	72	0.005																3.00	E
Maneb-group(##)	53	53	0.050																2.00	E
Mecarbam	72	72	0.005																0.05	E
Methamidophos	72	72	0.005																0.20	E
Metalaxyl	55	55	0.005																0.05	E
Methidathion	72	72	0.005																0.02	E
Methiocarb	24	24	0.010																0.10	N
Methomyl	13	13	0.020																0.50	E
Omethoate	58	58	0.010																0.20	N
Oxydemeton-methyl	13	13	0.010																0.02	E
Parathion	72	72	0.005																0.05	E
Permethrin	72	72	0.010																0.05	E
Phorate	37	37	0.010																0.05	E
Pirimiphos-methyl	72	69	0.005		2			1									0.140	1	0.05	E
Procymidone	72	71	0.005				1										0.070	0	2.00	E
Propyzamide	72	72	0.010																0.02	E
Thiabendazol	72	72	0.010																0.05	E
Tolyfluanid	72	72	0.005																0.00	N
Triazophos	72	72	0.005																0.02	E
Vinclozolin	72	72	0.005																3.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>CEREALS</u>	Food item:	<u>RICE (HUSKET OR POLISHED)</u>
Reporting country :	<u>Fran/France</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>5</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>4</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	5	5	0.010															0.02	E
Aldicarb	0	0	0.050															0.05	E
Azinphos-methyl	5	5	0.010																W
Azoxystrobin	0	0	0.010															5.00	E
Benomyl group(##)	0	0	0.010															0.10	E
Bromopropylate	5	5	0.010															0.05	E
Captan	5	5	0.010															xxxxxx	
Chlorothalonil	5	5	0.010															0.10	E
Chlorpyrifos	5	5	0.010															0.05	E
Chlorpyrifos-methyl	5	5	0.010															3.00	E
Cypermethrin	5	5	0.010															0.02	E
Deltamethrin	5	5	0.010															1.00	E
Diazinon	5	5	0.010															0.05	E
Dichlofluanid	5	5	0.010																W
Dicofol	5	5	0.010															0.02	E
Dimethoate	5	5	0.010															0.30	E
Endosulfan	5	5	0.010															0.05	E
Folpet	5	5	0.010															xxxxxx	
Captan+ Folpet (Sum)	0	0	0.010																W
Imazalil	0	0	0.010															0.02	E
Iprodione	0	0	0.010															3.00	E
Kresoxim-methyl	5	5	0.010															0.05	E
Lambda-cyhalothrin	5	5	0.010															0.02	E
Malathion	5	5	0.010															8.00	E
Maneb-group(##)	0	0	0.200															1.00	E
Mecarbam	5	5	0.010															0.05	E
Methamidophos	5	5	0.010															0.01	E
Metalaxyl	0	0	0.010															0.05	E
Methidathion	5	5	0.010															0.02	E
Methiocarb	0	0	0.020																W
Methomyl	0	0	0.020															0.05	E
Omethoate	5	5	0.010															0.30	E
Oxydemeton-methyl	0	0	0.010															0.02	E
Parathion	5	5	0.010															0.05	E
Permethrin	5	5	0.010															0.05	E
Phorate	5	5	0.010															0.05	E
Pirimiphos-methyl	5	4	0.010	1												0.010	0	5.00	E
Procymidone	5	5	0.010															0.02	E
Propyzamide	5	5	0.010															0.02	E
Thiabendazol	0	0	0.010															0.05	E
Tolyfluanid	5	5	0.010																W
Triazophos	5	5	0.010															0.02	E
Vinclozolin	5	5	0.010															0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>BERRIES AND SMALL FRUIT</u>	Food item:	<u>GRAPES</u>
Reporting country:	<u>France</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed: 93 Without detectable residues: 38 With detectable residues at or below MRL or without MRL: 52		With residues above MRL (EC+national): 3 With residues above EC-MRL: 3 With residues above national MRL: 0	
Remark: Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	93	92	0.010			1											0.030	1	0.02	E
Aldicarb	0	0	0.020																0.05	E
Azinphos-methyl	93	93	0.005																1.00	E
Azoxystrobin	44	43	0.010					1									0.200	0	2.00	E
Benomyl group(#)	84	80	0.010		2		1		1								0.410	0	2.00	E
Bromopropylate	93	89	0.005	1		1		1	1								0.420	2	0.05	E
Captan	93	91	0.005			1	1										0.050		xxxxxx	
Chlorothalonil	93	93	0.005																1.00	E
Chlorpyrifos	93	74	0.005	6	1	4	3	3	2								0.220	0	0.50	E
Chlorpyrifos-methyl	93	91	0.005		1	1											0.050	0	0.20	E
Cypermethrin	93	92	0.005	1													0.005	0	0.50	E
Deltamethrin	93	91	0.005	1	1												0.020	0	0.10	E
Diazinon	93	93	0.005																0.02	E
Dichlofluanid	93	93	0.005																10.00	E
Dicofol	93	90	0.005			1	1		1								0.440	0	2.00	E
Dimethoate	93	91	0.005	1	1												0.020	0	0.02	E
Endosulfan	93	93	0.005																0.50	E
Folpet	93	88	0.005			1			3		1						1.160		xxxxxx	
Captan+ Folpet (Sum)	93	86	0.005			2	1		3		1						1.160	0	3.00	E
Imazalil	49	49	0.010																0.00	E
Iprodione	93	86	0.005				1		3	2	1						1.100	0	10.00	E
kresoxim-methyl	93	89	0.005			2			2								0.450	0	1.00	E
Lambda-cyhalothrin	93	90	0.005	1	1	1											0.030	0	0.20	E
Malathion	93	93	0.005																0.50	E
Maneb-group(##)	67	65	0.050					1	1								0.800	0	2.00	E
Mecarbam	93	93	0.005																0.05	E
Methamidophos	93	92	0.005	1													0.010	0	0.01	E
Metalaxyl	93	90	0.005			2	1										0.070	0	2.00	E
Methidathion	93	93	0.005																0.50	E
Methiocarb	52	52	0.010																0.10	N
Methomyl	16	16	0.020																0.05	E
Omethoate	93	93	0.010																0.02	N
Oxydemeton-methyl	16	16	0.010																0.02	E
Parathion	93	93	0.005																0.05	E
Permethrin	93	93	0.010																0.05	E
Phorate	68	68	0.010																0.05	E
Pirimiphos-methyl	93	93	0.005																0.05	E
Procyimidone	93	79	0.005		1	1	4	1	4	1	2						1.300	0	5.00	E
Propyzamide	93	93	0.010																0.02	E
Thiabendazol	93	93	0.010																0.05	E
Tolyfluanid	93	93	0.005																0.00	N
Triazophos	93	93	0.005																0.02	E
Vinclozolin	93	93	0.005																5.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>FRUITING VEGETABLES</u>	Food item:	<u>CUCUMBERS</u>
Reporting country:	<u>France</u>	Year of sampling:	<u>2003</u>
Remark:			
Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns			
Total number of samples analysed:	<u>85</u>	With residues above MRL (EC+national):	<u>5</u>
Without detectable residues:	<u>65</u>	With residues above EC-MRL:	<u>5</u>
With detectable residues at or below MRL or without MRL:	<u>15</u>	With residues above national MRL:	<u>0</u>

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	85	85	0.010																0.02	E
Aldicarb	0	0	0.020																0.05	E
Azinphos-methyl	85	85	0.005																0.50	E
Azoxystrobin	67	67	0.010																1.00	E
Benomyl group(#)	64	59	0.010				4	1									0.200	0	1.00	E
Bromopropylate	85	85	0.005																0.05	E
Captan	85	84	0.005			1											0.030		xxxxxx	
Chlorothalonil	85	84	0.005			1											0.050	0	1.00	E
Chlorpyrifos	85	85	0.005																0.05	E
Chlorpyrifos-methyl	85	85	0.005																0.05	E
Cypermethrin	85	85	0.005																0.20	E
Deltamethrin	85	85	0.005																0.10	E
Diazinon	85	85	0.005																0.02	E
Dichlofluanid	85	85	0.005																5.00	E
Dicofol	85	84	0.005							1							0.700	1	0.20	E
Dimethoate	85	85	0.005																0.02	E
Endosulfan	85	79	0.005		2	2		1	1								0.340	2	0.05	E
Folpet	85	85	0.005																xxxxxx	
Captan+ Folpet (Sum)	85	84	0.005			1											0.030	0	0.10	E
Imazalil	34	34	0.010																0.00	E
Iprodione	85	82	0.005		1			1				1					3.200	1	2.00	E
Kresoxim-methyl	85	85	0.005																0.05	E
Lambda-cyhalothrin	85	84	0.005	1													0.005	0	0.10	E
Malathion	85	85	0.005																3.00	E
Maneb-group(##)	73	72	0.050			1											0.050	0	0.50	E
Mecarbam	85	85	0.005																0.05	E
Methamidophos	82	80	0.005	1			1										0.060	0	1.00	E
Metalaxyl	85	83	0.005	1		1											0.050	0	0.50	E
Methidathion	85	85	0.005																0.02	E
Methiocarb	30	30	0.010																0.10	N
Methomyl	23	23	0.020																0.05	E
Omethoate	77	77	0.010																0.20	N
Oxydemeton-methyl	23	23	0.010																0.02	E
Parathion	85	85	0.005																0.05	E
Permethrin	85	85	0.010																0.10	E
Phorate	53	53	0.010																0.05	E
Pirimiphos-methyl	85	85	0.005																0.10	E
Procyimidine	85	81	0.005			2	2										0.070	0	1.00	E
Propyzamide	85	85	0.010																0.02	E
Thiabendazol	85	83	0.010		1		1										0.090	1	0.05	E
Tolyfluanid	85	85	0.005																0.00	N
Triazophos	85	85	0.005																0.02	E
Vinclozolin	85	85	0.005																1.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:	<u>LEGUME VEGETABLES</u>	Food item:	<u>PEAS (FRESH / FROZEN , WITHOUT POD)</u>
Reporting country:	<u>France</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>46</u>	With residues above MRL (EC+national):	<u>2</u>
Without detectable residues:	<u>32</u>	With residues above EC-MRL:	<u>2</u>
With detectable residues at or below MRL or without MRL:	<u>12</u>	With residues above national MRL:	<u>0</u>

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	46	46	0.010																0.02	E
Aldicarb	0	0	0.020																0.05	E
Azinphos-methyl	46	46	0.005																0.50	E
Azoxystrobin	31	31	0.010																0.50	E
Benomyl group(#)	40	38	0.010			2											0.050	0	0.10	E
Bromopropylate	46	46	0.005																0.05	E
Captan	46	45	0.005		1												0.020		xxxxxx	
Chlorothalonil	46	45	0.005										1				5.800	1	2.00	E
Chlorpyrifos	46	46	0.005																0.05	E
Chlorpyrifos-methyl	46	45	0.005		1												0.020	0	0.05	E
Cypermethrin	46	46	0.005																0.50	E
Deltamethrin	46	46	0.005																0.10	E
Diazinon	46	45	0.005			1											0.030	1	0.02	E
Dichlofluanid	46	46	0.005																5.00	E
Dicofol	40	40	0.005																0.02	E
Dimethoate	46	44	0.005					2									0.150	0	1.00	E
Endosulfan	46	46	0.005																0.05	E
Folpet	46	45	0.005		1												0.020		xxxxxx	
Captan+ Folpet (Sum)	46	44	0.005		2												0.020	0	2.00	E
Imazalil	12	12	0.010																0.02	E
Iprodione	46	46	0.005																1.00	E
Kresoxim-methyl	46	46	0.005																0.05	E
Lambda-cyhalothrin	46	45	0.005				1										0.060	0	0.20	E
Malathion	46	46	0.005																3.00	E
Maneb-group(##)	28	28	0.050																1.00	E
Mecarbam	46	46	0.005																0.05	E
Methamidophos	46	46	0.005																0.01	E
Metalaxyl	35	35	0.005																0.02	E
Methidathion	46	46	0.005																0.02	E
Methiocarb	13	13	0.010																0.10	N
Methomyl	14	14	0.020																0.05	E
Omethoate	39	39	0.010																1.00	N
Oxydemeton-methyl	14	14	0.010																0.02	E
Parathion	46	46	0.005																0.05	E
Permethrin	46	46	0.010																0.10	E
Phorate	27	27	0.010																0.05	E
Pirimiphos-methyl	46	46	0.005																0.05	E
Procyimidone	46	43	0.005	1					1	1							1.000	0	1.00	E
Propyzamide	46	46	0.010																0.02	E
Thiabendazol	46	46	0.010																0.05	E
Tolyfluanid	46	46	0.005																0.00	N
Triazophos	46	46	0.005																0.02	E
Vinclozolin	46	40	0.005	1	1	4											69 0.050	0	2.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: **Notifications of the co-ordinated programme (specific exercise) to the European Commission**

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	18	With residues above MRL (EC+national):	0
Without detectable residues:	18	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	18	18	0.05																
Aldicarb																			
Azinphos-methyl	18	18	0.11																
Azoxystrobin	18	18	0.02																
Benomyl group(#)	18	18	0.02																
Bromopropylate	18	18	0.04																
Captan	18	18	0.02															xxxxxx	
Chlorothalonil	18	18	0.02																
Chlorpyrifos	18	18	0.06																
Chlorpyrifos-methyl	18	18	0.05																
Cypermethrin	18	18	0.05																
Deltamethrin	18	18	0.04																
Diazinon	18	18	0.05																
Dichlofluanid	18	18	0.03																
Dicofol	18	18	0.03																
Dimethoate	18	18	0.04																
Endosulfan	18	18	0.02																
Folpet	18	18	0.02															xxxxxx	
Captan+ Folpet (Sum)	18	18	0.02																
Imazalil																			
Iprodione	18	18	0.07																
Kresoxim-methyl	18	18	0.02																
Lambda-cyhalothrin	18	18	0.02																
Malathion	18	18	0.04																
Maneb-group(##)																			
Mecarbam	18	18	0.02																
Methamidophos	18	18	0.05																
Metalaxyl	18	18	0.02																
Methidathion	18	18	0.04																
Methiocarb	18	18	0.02																
Methomyl																			
Omethoate	18	18	0.04																
Oxydemeton-methyl																			
Parathion	18	18	0.05																
Permethrin	18	18	0.20																
Phorate																			
Pirimiphos-methyl	18	18	0.05																
Procymidone	18	18	0.12																
Propyzamide	18	18	0.09																
Thiabendazol	18	18	0.02																
Tolyfluanid	18	18	0.03																
Triazophos	18	18	0.06																
Vinclozolin	18	18	0.02																

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	<u>17</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>16</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	17	17	0.05																
Aldicarb																			
Azinphos-methyl	17	17	0.11																
Azoxystrobin	17	17	0.02																
Benomyl group(##)	17	16	0.02			1										0.05	0	0.10	E
Bromopropylate	17	17	0.04																
Captan	17	17	0.02															xxxxxx	
Chlorothalonil	17	17	0.02																
Chlorpyrifos	17	17	0.06																
Chlorpyrifos-methyl	17	17	0.05																
Cypermethrin	17	17	0.05																
Deltamethrin	17	17	0.04																
Diazinon	17	17	0.05																
Dichlofluanid	17	16	0.03			1										0.04	0	5.00	E
Dicofol	17	17	0.03																
Dimethoate	17	17	0.04																
Endosulfan	17	17	0.02																
Folpet	17	17	0.02															xxxxxx	
Captan+ Folpet (Sum)	17	17	0.02																
Imazalil	17	17																	
Iprodione	17	17	0.07																
Kresoxim-methyl	17	17	0.02																
Lambda-cyhalothrin	17	17	0.02																
Malathion	17	17	0.04																
Maneb-group(###)																			
Mecarbam	17	17	0.02																
Methamidophos	17	17	0.05																
Metaxyl	17	17	0.02																
Methidathion	17	17	0.04																
Methiocarb	17	17	0.02																
Methomyl																			
Omethoate	17	17	0.04																
Oxydemeton-methyl																			
Parathion	17	17	0.05																
Permethrin	17	17	0.20																
Phorate																			
Pirimiphos-methyl	17	17	0.05																
Procymidone	17	16	0.12				1									0.16	0	2.00	E
Propyzamide	17	17	0.09																
Thiabendazol	17	17	0.02																
Tolyfluanid	17	17	0.03																
Triazophos	17	17	0.06																
Vinclozolin	17	17	0.02																

71

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (###) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	22	With residues above MRL (EC+national):	0
Without detectable residues:	19	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	22	22	0.05																	
Aldicarb																				
Azinphos-methyl	22	22	0.11																	
Azoxystrobin	22	22	0.02																	
Benomyl group(#)	22	22	0.02																	
Bromopropylate	22	22	0.04																	
Captan	22	22	0.02															xxxxxx		
Chlorothalonil	22	22	0.02																	
Chlorpyrifos	22	22	0.06																	
Chlorpyrifos-methyl	22	22	0.05																	
Cypermethrin	22	22	0.05																	
Deltamethrin	22	21	0.04				1									0.07	0	W		
Diazinon	22	22	0.05																	
Dichlofluanid	22	22	0.03																	
Dicofol	22	22	0.03																	
Dimethoate	22	22	0.04																	
Endosulfan	22	22	0.02																	
Folpet	22	22	0.02															xxxxxx		
Captan+ Folpet (Sum)	22	22	0.02																	
Imazalil																				
Iprodione	22	22	0.07																	
Kresoxim-methyl	22	22	0.02																	
Lambda-cyhalothrin	22	22	0.02																	
Malathion	22	22	0.04																	
Maneb-group(##)																				
Mecarbam	22	22	0.02																	
Methamidophos	22	22	0.05																	
Metalaxyl	22	22	0.02																	
Methidathion	22	22	0.04																	
Methiocarb	22	22	0.02																	
Methomyl	22	22																		
Omethoate	22	22	0.04																	
Oxydemeton-methyl	22	22																		
Parathion	22	22	0.05																	
Permethrin	22	22	0.20																	
Phorate																				
Pirimiphos-methyl	22	20	0.05					2								0.19	0	5.00	E	
Procymidone	22	22	0.12																	
Propyzamide	22	22	0.09																	
Thiabendazol	22	22	0.02																	
Tolyfluanid	22	22	0.03																	
Triazophos	22	22	0.06																	
Vinclozolin	22	22	0.02													72				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	14	With residues above MRL (EC+national):	0
Without detectable residues:	13	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	14	14	0.05																	
Aldicarb																				
Azinphos-methyl	14	14	0.11																	
Azoxystrobin	14	14	0.02																	
Benomyl group(#)	14	13	0.02				1										0.11		0.50	E
Bromopropylate	14	14	0.04																	
Captan	14	14	0.02																xxxxxx	
Chlorothalonil	14	14	0.02																	
Chlorpyrifos	14	14	0.06																	
Chlorpyrifos-methyl	14	14	0.05																	
Cypermethrin	14	14	0.05																	
Deltamethrin	14	14	0.04																	
Diazinon	14	14	0.05																	
Dichlofluanid	14	14	0.03																	
Dicofol	14	14	0.03																	
Dimethoate	14	14	0.04																	
Endosulfan	14	14	0.02																	
Folpet	14	14	0.02																xxxxxx	
Captan+ Folpet (Sum)	14	14	0.02																	
Imazalil																				
Iprodione	14	14	0.07																	
Kresoxim-methyl	14	14	0.02																	
Lambda-cyhalothrin	14	14	0.02																	
Malathion	14	14	0.04																	
Maneb-group(##)																				
Mecarbam	14	14	0.02																	
Methamidophos	14	14	0.05																	
Metalaxyl	14	14	0.02																	
Methidathion	14	14	0.04																	
Methiocarb	14	14	0.02																	
Methomyl																				
Omethoate	14	14	0.04																	
Oxydemeton-methyl	14	14																		
Parathion	14	14	0.05																	
Permethrin	14	14	0.20																	
Phorate																				
Pirimiphos-methyl	14	14	0.05																	
Procymidone	14	14	0.12																	
Propyzamide	14	14	0.09																	
Thiabendazol	14	14	0.02																	
Tolyfluanid	14	14	0.03																	
Triazophos	14	14	0.06																	
Vinclozolin	14	14	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	11	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12	0.05																	
Aldicarb																				
Azinphos-methyl	12	12	0.11																	
Azoxystrobin	12	12	0.02																	
Benomyl group(#)	12	12	0.02																	
Bromopropylate	12	12	0.04																	
Captan	12	12	0.02															xxxxxx		
Chlorothalonil	12	12	0.02																	
Chlorpyrifos	12	12	0.06																	
Chlorpyrifos-methyl	12	12	0.05																	
Cypermethrin	12	12	0.05																	
Deltamethrin	12	12	0.04																	
Diazinon	12	12	0.05																	
Dichlofluanid	12	12	0.03																	
Dicofol	12	12	0.03																	
Dimethoate	12	12	0.04																	
Endosulfan	12	12	0.02																	
Folpet	12	12	0.02															xxxxxx		
Captan+ Folpet (Sum)	12	12	0.02																	
Imazalil																				
Iprodione	12	12	0.07																	
Kresoxim-methyl	12	12	0.02																	
Lambda-cyhalothrin	12	12	0.02																	
Malathion	12	11	0.04				1										0.08	0	8.00	E
Maneb-group(##)																				
Mecarbam	12	12	0.02																	
Methamidophos	12	12	0.05																	
Metalaxyl	12	12	0.02																	
Methidathion	12	12	0.04																	
Methiocarb	12	12	0.02																	
Methomyl																				
Omethoate	12	12	0.04																	
Oxydemeton-methyl																				
Parathion	12	12	0.05																	
Permethrin	12	12	0.20																	
Phorate																				
Pirimiphos-methyl	12	12	0.05																	
Procymidone	12	12	0.12																	
Propyzamide	12	12	0.09																	
Thiabendazol	12	12	0.02																	
Tolyfluanid	12	12	0.03																	
Triazophos	12	12	0.06																	
Vinclozolin	12	12	0.02														74			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries A		Food item: Table Grapes	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	28	With residues above MRL (EC+national):	0
Without detectable residues:	15	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	13	With residues above national MRL:	0

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	28	28	0.05																	
Aldicarb																				
Azinphos-methyl	28	28	0.11																	
Azoxystrobin	28	28	0.02																	
Benomyl group(#)	28	24	0.02			1	1		2								0.35	0		E
Bromopropylate	28	28	0.04																	
Captan	28	25	0.02			1	1	1									0.11	0	xxxxxx	E
Chlorothalonil	28	28	0.02																	
Chlorpyrifos	28	21	0.06				5	1	1								0.25	0	0.50	E
Chlorpyrifos-methyl	28	28	0.05																	
Cypermethrin	28	28	0.05																	
Deltamethrin	28	28	0.04																	
Diazinon	28	28	0.05																	
Dichlofluanid	28	28	0.03																	
Dicofol	28	28	0.03																	
Dimethoate	28	28	0.04																	
Endosulfan	28	28	0.02																	
Folpet	28	28	0.02																xxxxxx	
Captan+ Folpet (Sum)	28	25	0.02			1	1	1									0.11	0	3.00	E
Imazalil																				
Iprodione	28	27	0.07							1							0.6	0	10.00	E
kresoxim-methyl	28	28	0.02																	
Lambda-cyhalothrin	28	28	0.02																	
Malathion	28	28	0.04																	
Maneb-group(##)																				
Mecarbam	28	28	0.02																	
Methamidophos	28	28	0.05																	
Metalaxyl	28	28	0.02																	
Methidathion	28	28	0.04																	
Methiocarb	28	28	0.02																	
Methomyl																				
Omethoate	28	28	0.04																	
Oxydemeton-methyl																				
Parathion	28	28	0.05																	
Permethrin	28	28	0.20																	
Phorate																				
Pirimiphos-methyl	28	28	0.05																	
Procymidone	28	28	0.12																	
Propyzamide	28	28	0.09																	
Thiabendazol	28	28	0.02																	
Tolyfluanid	28	28	0.03																	
Triazophos	28	28	0.06																	
Vinclozolin	28	28	0.02														75			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	15	With residues above MRL (EC+national):	1
Without detectable residues:	14	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	15	15	0.05																	
Aldicarb																				
Azinphos-methyl	15	15	0.11																	
Azoxystrobin	15	15	0.02																	
Benomyl group(#)	15	15	0.02																	
Bromopropylate	15	15	0.04																	
Captan	15	15	0.02															xxxxxx		
Chlorothalonil	15	15	0.02																	
Chlorpyrifos	15	15	0.06																	
Chlorpyrifos-methyl	15	15	0.05																	
Cypermethrin	15	15	0.05																	
Deltamethrin	15	15	0.04																	
Diazinon	15	15	0.05																	
Dichlofluanid	15	15	0.03																	
Dicofol	15	15	0.03																	
Dimethoate	15	15	0.04																	
Endosulfan	15	15	0.02																	
Folpet	15	15	0.02															xxxxxx		
Captan+ Folpet (Sum)	15	15	0.02																	
Imazalil																				
Iprodione	15	15	0.07																	
Kresoxim-methyl	15	15	0.02																	
Lambda-cyhalothrin	15	15	0.02																	
Malathion	15	15	0.04																	
Maneb-group(##)	15	15																		
Mecarbam	15	15	0.02																	
Methamidophos	15	15	0.05																	
Metalaxyl	15	15	0.02																	
Methidathion	15	15	0.04																	
Methiocarb	15	15	0.02																	
Methomyl																				
Omethoate	15	15	0.04																	
Oxydemeton-methyl	15	15																		
Parathion	15	15	0.05																	
Permethrin	15	15	0.20																	
Phorate																				
Pirimiphos-methyl	15	15	0.05																	
Procymidone	15	15	0.12																	
Propyzamide	15	15	0.09																	
Thiabendazol	15	14	0.02							1							0.79	1	0.05	E
Tolyfluanid	15	15	0.03																	
Triazophos	15	15	0.06																	
Vinclozolin	15	15	0.02														76			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>Ireland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>12</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>12</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>0</u>	With residues above national MRL:	<u>0</u>

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	12	12	0.05																
Aldicarb																			
Azinphos-methyl	12	12	0.11																
Azoxystrobin	12	12	0.02																
Benomyl group(#)	12	12	0.02																
Bromopropylate	12	12	0.04																
Captan	12	12	0.02															xxxxxx	
Chlorothalonil	12	12	0.02																
Chlorpyrifos	12	12	0.06																
Chlorpyrifos-methyl	12	12	0.05																
Cypermethrin	12	12	0.05																
Deltamethrin	12	12	0.04																
Diazinon	12	12	0.05																
Dichlofluanid	12	12	0.03																
Dicofol	12	12	0.03																
Dimethoate	12	12	0.04																
Endosulfan	12	12	0.02																
Folpet	12	12	0.02															xxxxxx	
Captan+ Folpet (Sum)	12	12	0.02																
Imazalil																			
Iprodione	12	12	0.07																
Kresoxim-methyl	12	12	0.02																
Lambda-cyhalothrin	12	12	0.02																
Malathion	12	12	0.04																
Maneb-group(##)																			
Mecarbam	12	12	0.02																
Methamidophos	12	12	0.05																
Metalaxyl	12	12	0.02																
Methidathion	12	12	0.04																
Methiocarb	12	12	0.02																
Methomyl																			
Omethoate	12	12	0.04																
Oxydemeton-methyl																			
Parathion	12	12	0.05																
Permethrin	12	12	0.20																
Phorate																			
Pirimiphos-methyl	12	12	0.05																
Procymidone	12	12	0.12																
Propyzamide	12	12	0.09																
Thiabendazol	12	12	0.02																
Tolyfluanid	12	12	0.03																
Triazophos	12	12	0.06																
Vinclozolin	12	12	0.02																

77

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	ITALY	Year of sampling:	2003
Total number of samples analysed: 64 Without detectable residues: 61 With detectable residues at or below MRL or without MRL: 3		With residues above MRL (EC+national): 0 With residues above EC-MRL: 0 With residues above national MRL: 0	
Remark: Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	44	44		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E
Aldicarb	11	11		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Azinphos-methyl	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Azoxystrobin	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Benomyl group(##)	11	11		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Bromopropylate	55	55		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Captan	57	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	E
Chlorpyrifos	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorpyrifos-methyl	52	52		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin	50	50		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Deltamethrin	48	48		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Diazinon	58	58		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofluanid	60	60		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Dicofol	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	57	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Endosulfan	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	57	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	114	114		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Imazalil	51	51		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Kresoxim-methyl	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Lambda-cyhalothrin	19	19		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Malathion	57	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Maneb-group(##)	17	15		0	0	0	0	1	1	0	0	0	0	0	0	0	0.36	0	1	E
Mecarbam	14	14		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	50	50		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Metalaxyl	45	45		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Methidathion	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	21	21		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	12	11		0	0	1	0	0	0	0	0	0	0	0	0	0	0.024	0	0.05	E
Omethoate	49	49		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Oxydemeton-methyl	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Parathion	54	54		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Permethrin	41	41		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Phorate	57	57		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Pirimiphos-methyl	53	53		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E
Procymidone	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	46	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	17	17		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Tolyfluanid****				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Triazophos	31	31		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Vinclozolin	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	78	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(###) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	ITALY	Year of sampling:	2003
Total number of samples analysed:		With residues above MRL (EC+national):	
Without detectable residues:		With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:		With residues above national MRL:	
		Remark:	
		Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	103	102		0	0	0	1	0	0	0	0	0	0	0	0	0	0.09	1	0.02	E	
Aldicarb	47	47		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Azinphos-methyl	129	129		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Azoxystrobin	60	60		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E	
Benomyl group(#)	67	67		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E	
Bromopropylate	124	124		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.051	E	
Captan	123	123		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		E	
Chlorothalonil	131	129		0	0	0	0	2	0	0	0	0	0	0	0	0	0.14	0	2	E	
Chlorpyrifos	139	133		0	0	1	0	2	3	0	0	0	0	0	0	0	0.5	0	0.5	E	
Chlorpyrifos-methyl	133	132		0	0	0	1	0	0	0	0	0	0	0	0	0	0.06	0	0.5	E	
Cypermethrin	118	116		0	0	2	0	0	0	0	0	0	0	0	0	0	0.04	0	0.5	E	
Deltamethrin	116	116		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E	
Diazinon	138	138		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Dichlofuanid	124	123		0	0	0	1	0	0	0	0	0	0	0	0	0	0.1	0	5	E	
Dicofol	118	118		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Dimethoate	131	130		0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	E	
Endosuffan	117	108		1	3	0	1	3	0	0	1	0	0	0	0	0	1.3	1	1	E	
Folpet	110	110		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		E	
Captan+ Folpet (Sum)	233	233		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E	
Imazalil	106	106		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Iprodione	123	121		0	0	1	1	0	0	0	0	0	0	0	0	0	0.09	0	5	E	
Kresoxim-methyl	13	13		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E	
Lambda-cyhalothrin	70	69		1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.1	E	
Malathion	136	130		1	1	1	1	1	1	0	0	0	0	0	0	0	0.4	0	3	E	
Maneb-group(##)	83	83		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E	
Mecarbam	60	60		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Methamidophos	117	117		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Metaxyl	91	90		0	0	0	0	1	0	0	0	0	0	0	0	0	0.12	1	0.01	E	
Methidathion	132	131		0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.02	E	
Methiocarb	66	65		0	0	0	0	0	0	0	1	0	0	0	0	0	1.18	1	0.05	N	
Methomyl	48	48		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Omethoate	104	104		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Oxydemeton-methyl	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Parathion	123	123		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Permethrin	87	87		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Phorate	124	124		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Pirimiphos-methyl	129	121		0	1	2	1	1	2	1	0	0	0	0	0	0	0.77	0	1	E	
Procymidone	131	119		0	1	1	3	3	4	0	0	0	0	0	0	0	0.34	0	2	E	
Propyzamide	82	82		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	Si	
Thiabendazol	80	80		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N	
Tolyfluand****	0	0																			
Triazophos	65	65		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Vinclozolin	133	133		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>ITALY</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>127</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>107</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>20</u>	With residues above national MRL:	<u>0</u>

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	46	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Aldicarb	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Azinphos-methyl	77	77		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Azoxystrobin	19	19		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	E
Benomyl group(#)	8	8		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Bromopropylate	58	58		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Captan	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	32	32		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Chlorpyrifos	125	124		0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.05	E
Chlorpyrifos-methyl	87	85		2	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	3	E
Cypermethrin	76	76		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Deltamethrin	73	73		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E
Diazinon	79	79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofluanid	55	55		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Dicofol	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	77	77		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Endosulfan	74	74		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	48	48		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	107	107		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Imazalil	30	30		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	56	56		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Kresoxim-methyl	0	0																	0.05	E
Lambda-cyhalothrin	19	19		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Malathion	120	114		1	0	4	1	0	0	0	0	0	0	0	0	0	0.07	0	8	E
Maneb-group(##)	26	25		0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	1	E
Mecarbam	18	18		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	58	58		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Metalaxyl	56	56		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Methidathion	75	75		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	44	44		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Methomyl	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Omethoate	47	47		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.3	E
Oxydemeton-methyl	0	0																	0.02	E
Parathion	86	84		2	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.05	N
Permethrin	73	73		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	60	60		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Pirimiphos-methyl	127	115		2	0	2	0	3	3	1	1	0	0	0	0	0	1.8	0	5	E
Procymidone	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	86	86		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	8	8		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Tolyfluanid****																				
Triazophos	49	49		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Vinclozolin	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	80	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>ITALY</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	100	With residues above MRL (EC+national):	0
Without detectable residues:	92	With residues above EC-MRL:	0
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	8		

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	50	50		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Aldicarb	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Azinphos-methyl	83	83		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Azoxystrobin	36	36		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E
Benomyl group(##)	33	33		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Bromopropylate	73	73		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Captan	77	76		0	0	0	1	0	0	0	0	0	0	0	0	0	0.1	0		
Chlorothalonil	85	85		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E
Chlorpyrifos	93	92		1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.5	E
Chlorpyrifos-methyl	85	85		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Cypermethrin	67	67		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Deltamethrin	70	70		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Diazinon	85	85		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Dichlofluanid	80	80		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Dicofol	76	76		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	85	85		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Endosulfan	70	70		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	79	79		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	156	155		0	0	0	1	0	0	0	0	0	0	0	0	0	0.1	0	0.1	E
Imazalil	71	71		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	81	80		0	0	1	0	0	0	0	0	0	0	0	0	0	0.034	0	5	E
Kresoxim-methyl	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Lambda-cyhalothrin	41	41		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Malathion	84	84		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	N
Maneb-group(##)	69	68		0	0	0	0	0	0	1	0	0	0	0	0	0	0.75	0	2	E
Mecarbam	33	33		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	71	71		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Metalaxyl	44	44		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Methidathion	82	82		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	33	33		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	9	9		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Omethoate	55	55		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Oxydemeton-methyl	0	0																	0.02	E
Parathion	76	76		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	N
Permethrin	64	64		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	75	75		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Pirimiphos-methyl	81	81		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procymidone	90	85		0	1	1	3	0	0	0	0	0	0	0	0	0	0.1	0	2	E
Propyzamide	45	45		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	41	41		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Tolyfluanid****																				
Triazophos	40	40		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Vinclozolin	88	88		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(###) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>ITALY</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	139	With residues above MRL (EC+national):	0
Without detectable residues:	136	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Aldicarb	11	11		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Azinphos-methyl	106	106		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Azoxystrobin	9	9		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Benomyl group(##)	6	6		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Bromopropylate	76	76		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Captan	73	73		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	81	81		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Chlorpyrifos	127	127		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorpyrifos-methyl	135	135		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	E
Cypermethrin	101	101		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Deltamethrin	96	96		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E
Diazinon	115	115		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofluanid	77	77		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Dicofol	68	68		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	128	128		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	N
Endosulfan	106	106		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	69	69		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	142	142		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	
Imazalil	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	79	78		0	0	0	0	0	1	0	0	0	0	0	0	0	0.34	0	3	E
Kresoxim-methyl	0	0																	0.05	E
Lambda-cyhalothrin	39	39		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Malathion	133	133		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Maneb-group(##)	11	9		0	0	0	2	0	0	0	0	0	0	0	0	0	0.1	0	1	E
Mecarbam	53	53		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	68	68		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Metalaxyl	72	72		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Methidathion	118	118		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	8	8		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		W
Methomyl	2	2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Omethoate	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Oxydemeton-methyl	0	0																	0.02	E
Parathion	115	115		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Permethrin	53	53		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	71	71		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Pirimiphos-methyl	136	136		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Procymidone	76	76		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Propyzamide	67	67		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	11	11		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Tolyfluanid****																				
Triazophos	17	17		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Vinclozolin	70	70		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(###) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>ITALY</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:		Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns	
Without detectable residues:		With residues above MRL (EC+national):	4
With detectable residues at or below MRL		With residues above EC-MRL:	4
or without MRL:		With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	181	181		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Aldicarb	88	88		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Azinphos-methyl	227	225		0	0	0	1	0	0	1	0	0	0	0	0	0	1	0	1	E	
Azoxystrobin	124	119		0	0	1	2	1	1	0	0	0	0	0	0	0	0.22	0	2	E	
Benomyl group(#)	106	101		0	0	0	0	0	3	1	1	0	0	0	0	0	1.17	0	2	E	
Bromopropylate	216	207		1	1	4	0	1	2	0	0	0	0	0	0	0	0.38	3	0.05	E	
Captan	207	207		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Chlorothalonil	207	207		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E	
Chlorpyrifos	177	142		2	4	14	5	5	5	0	0	0	0	0	0	0	0.5	0	0.5	E	
Chlorpyrifos-methyl	222	212		2	3	4	1	0	0	0	0	0	0	0	0	0	0.1	0	0.2	E	
Cypermethrin	175	172		0	1	1	1	0	0	0	0	0	0	0	0	0	0.09	0	0.5	E	
Deltamethrin	179	178		0	0	0	1	0	0	0	0	0	0	0	0	0	0.09	0	0.1	E	
Diazinon	237	237		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Dichlofluanid	227	218		1	1	1	2	1	2	0	1	0	0	0	0	0	1.5	0	10	E	
Dicofol	208	208		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E	
Dimethoate	225	223		0	0	2	0	0	0	0	0	0	0	0	0	0	0.05	1	0.02	E	
Endosulfan	198	196		0	0	2	0	0	0	0	0	0	0	0	0	0	0.05	0	0.5	E	
Folpet	210	207		1	1	0	1	0	0	0	0	0	0	0	0	0	0.06	0		E	
Captan+ Folpet (Sum)	417	414		1	1	0	1	0	0	0	0	0	0	0	0	0	0.06	0	3	e	
Imazalil	205	205		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Iprodione	209	205		1	0	0	0	0	2	1	0	0	0	0	0	0	0.76	0	10	E	
kresoxim-methyl	41	40		0	0	1	0	0	0	0	0	0	0	0	0	0	0.05	0	1	E	
Lambda-cyhalothrin	129	129		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E	
Malathion	238	238		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Maneb-group(##)	141	135		0	0	0	0	1	2	3	0	0	0	0	0	0	0.8	0	2	E	
Mecarbam	97	94		0	3	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.05	E	
Methamidophos	223	210		1	4	4	1	3	0	0	0	0	0	0	0	0	0.2	0	2	E	
Metalaxyl	180	180		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E	
Methidathion	211	211		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Methiocarb	100	100		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N	
Methomyl	81	78		0	0	1	1	0	1	0	0	0	0	0	0	0	0.04	0	0.05	E	
Omethoate	199	199		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Oxydemeton-methyl	0	0																	0.02	E	
Parathion	206	206		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E	
Permethrin	109	109		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E	
Phorate	212	212		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Pirimiphos-methyl	223	223		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E	
Procymidone	261	189		4	6	4	16	7	18	11	5	1	0	0	0	0	2.03	0	5	E	
Propyzamide	152	152		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Thiabendazol	113	113		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N	
Tolyfluanid****																					
Triazophos	69	69		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E	
Vinclozolin	243	241		0	0	0	2	0	0	0	0	0	0	0	0	0	83 0.09	0	5	E	
xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)																					

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>ITALY</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	78	With residues above MRL (EC+national):	1
Without detectable residues:	71	With residues above EC-MRL:	1
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	6		

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	51	51		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Aldicarb	12	12		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Azinphos-methyl	64	64		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Azoxystrobin	36	36		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E
Benomyl group(#)	39	39		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E
Bromopropylate	64	64		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Captan	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	71	70		0	0	1	0	0	0	0	0	0	0	0	0	0	0.05	0	1	E
Chlorpyrifos	69	68		1	0	0	0	0	0	0	0	0	0	0	0	0	0.01	0	0.05	E
Chlorpyrifos-methyl	69	69		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin	61	61		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Deltamethrin	62	62		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Diazinon	69	69		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofluanid	62	62		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Dicofol	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E
Dimethoate	62	62		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Endosulfan	62	60		0	0	1	0	1	0	0	0	0	0	0	0	0	0.172	1	0.05	E
Folpet	63	63		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	126	126		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Imazalil	59	59		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Iprodione	62	62		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E
Kresoxim-methyl	4	4		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Lambda-cyhalothrin	39	39		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Malathion	69	68		0	0	0	1	0	0	0	0	0	0	0	0	0	0.08	0	3	E
Maneb-group(##)	47	47		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Mecarbam	39	38		0	1	0	0	0	0	0	0	0	0	0	0	0	0.02	0	0.05	E
Methamidophos	59	58		0	0	0	0	1	0	0	0	0	0	0	0	0	0.14	0	0.5	E
Metalaxyl	25	24		0	0	0	0	1	0	0	0	0	0	0	0	0	0.125	0	1	E
Methidathion	66	66		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	38	38		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	12	11		0	0	1	0	0	0	0	0	0	0	0	0	0	0.03	0	0.05	E
Omethoate	53	53		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Oxydemeton-methyl	0	0																	0.02	
Parathion	65	65		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Permethrin	53	53		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	65	65		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Pirimiphos-methyl	62	62		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Procymidone	70	68		1	0	1	0	0	0	0	0	0	0	0	0	0	0.05	0	1	E
Propyzamide	36	36		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	43	43		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Tolyfluanid****																				
Triazophos	46	46		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	N
Vinclozolin	68	68		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>ITALY</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	31	With residues above MRL (EC+national):	0
Without detectable residues:	31	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	18	18		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Aldicarb	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Azinphos-methyl	28	28		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E
Azoxystrobin	17	17		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Benomyl group(#)	2	2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.1	E
Bromopropylate	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Captan	23	23		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chlorothalonil	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Chlorpyrifos	31	31		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Chlorpyrifos-methyl	31	31		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Cypermethrin	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Deltamethrin	25	25		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	E
Diazinon	30	30		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dichlofluanid	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	E
Dicofol	23	23		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Dimethoate	27	27		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Endosulfan	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Folpet	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Captan+ Folpet (Sum)	45	45		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	E
Imazalil	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Iprodione	26	26		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Kresoxim-methyl	9	9		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Lambda-cyhalothrin	14	14		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Malathion	30	30		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	E
Maneb-group(##)	5	5		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Mecarbam	5	5		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Methamidophos	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Metalaxyl	22	22		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Methidathion	28	28		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Methiocarb	4	4		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	N
Methomyl	7	7		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Omethoate	17	17		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Oxydemeton-methyl	0	0																	0.02	E
Parathion	25	25		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Permethrin	18	18		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Phorate	24	24		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.01	E
Pirimiphos-methyl	29	29		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Procymidone	29	29		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.2	E
Propyzamide	24	24		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Thiabendazol	2	2		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.05	E
Tolyfluanid****																				
Triazophos	5	5		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.02	E
Vinclozolin	29	29		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.5	E

85

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country: <u>LU</u>	Year of sampling: <u>2003</u>	Remark:	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	9	With residues above national MRL:	

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12	0.02																	
Aldicarb	12	12	0.50																	
Azinphos-methyl	12	12	0.05																	
Azoxystrobin	12	12	0.05																	
Benomyl group(#)	12	12	0.05																	
Bromopropylate	12	12	0.02																	
Captan	12	12	0.10															xxxxxx		
Chlorothalonil	12	12	0.01																	
Chlorpyrifos	12	12	0.05																	
Chlorpyrifos-methyl	12	12	0.05																	
Cypermethrin	12	12	0.05																	
Deltamethrin	12	12	0.10																	
Diazinon	12	12	0.02																	
Dichlofluanid	12	12	0.05																	
Dicofol	12	12	0.02																	
Dimethoate	12	12	0.05																	
Endosulfan	12	12	0.05																	
Folpet	12	12	0.10															xxxxxx		
Captan+ Folpet (Sum)	12	12	0.10																	
Imazalil	12	12	0.10																	
Iprodione	12	12	0.02																	
Kresoxim-methyl	12	12	0.05																	
Lambda-cyhalothrin	0																			
Malathion	12	12	0.02																	
Maneb-group(##)	12	3	0.01	1		1	3	3	1							0.36	0	1.00	E	
Mecarbam	12	12	0.10																	
Methamidophos	12	12	0.01																	
Metalaxyl	12	12	0.05																	
Methidathion	12	12	0.02																	
Methiocarb	12	12	0.50																	
Methomyl	12	12	0.50																	
Omethoate	12	12	0.02																	
Oxydemeton-methyl	12	12	0.05																	
Parathion	12	12	0.05																	
Permethrin	12	12	0.05																	
Phorate	12	12	0.05																	
Pirimiphos-methyl	12	12	0.05																	
Procymidone	12	12	0.02																	
Propyzamide	12	12	0.02																	
Thiabendazol	12	12	0.50																	
Tolyfluanid	12	12	0.05																	
Triazophos	12	12	0.02																	
Vinclozolin	12	12	0.05														86			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>LU</u>	Year of sampling:	<u>2003</u>
Remark:		Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns	
Total number of samples analysed:	13	With residues above MRL (EC+national):	0
Without detectable residues:	10	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	13	13	0.02																	
Aldicarb	13	13	0.50																	
Azinphos-methyl	13	13	0.05																	
Azoxystrobin	13	13	0.05																	
Benomyl group(##)	13	13	0.05																	
Bromopropylate	13	13	0.02																	
Captan	13	13	0.10															xxxxxx		
Chlorothalonil	13	13	0.01																	
Chlorpyrifos	13	13	0.05																	
Chlorpyrifos-methyl	13	13	0.05																	
Cypermethrin	13	13	0.05																	
Deltamethrin	13	13	0.10																	
Diazinon	13	13	0.02																	
Dichlofuanid	13	13	0.05																	
Dicofol	13	13	0.02																	
Dimethoate	13	13	0.05																	
Endosulfan	13	12	0.05				1									0.75	0	1.00	E	
Folpet	13	13	0.10															xxxxxx		
Captan+ Folpet (Sum)	13	13	0.10																	
Imazalil	13	13	0.10																	
Iprodione	13	12	0.02					1								0.13	0	5.00	E	
Kresoxim-methyl	13	13	0.05																	
Lambda-cyhalothrin	0																			
Malathion	13	12	0.02			1										0.05	0	0.50	E	
Maneb-group(##)	13	13	0.01																	
Mecarbam	13	13	0.10																	
Methamidophos	13	13	0.01																	
Metaxyl	13	13	0.05																	
Methidathion	13	13	0.02																	
Methiocarb	13	13	0.50																	
Methomyl	13	13	0.50																	
Omethoate	13	13	0.02																	
Oxydemeton-methyl	13	13	0.05																	
Parathion	13	13	0.05																	
Permethrin	13	13	0.05																	
Phorate	13	13	0.05																	
Pirimiphos-methyl	13	13	0.05																	
Procymidone	13	12	0.02					1								0.17	0	2.00	E	
Propyzamide	13	13	0.02																	
Thiabendazol	13	13	0.50																	
Tolyfluand	13	13	0.05																	
Triazophos	13	13	0.02																	
Vinclozolin	13	13	0.05																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>LU</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	15	With residues above MRL (EC+national):	0
Without detectable residues:	15	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	15	15	0.02																	
Aldicarb	15	15	0.50																	
Azinphos-methyl	15	15	0.05																	
Azoxystrobin	15	15	0.05																	
Benomyl group(#)	15	15	0.05																	
Bromopropylate	15	15	0.02																	
Captan	15	15	0.10															xxxxxx		
Chlorothalonil	15	15	0.01																	
Chlorpyrifos	15	15	0.05																	
Chlorpyrifos-methyl	15	15	0.05																	
Cypermethrin	15	15	0.05																	
Deltamethrin	15	15	0.10																	
Diazinon	15	15	0.02																	
Dichlofluanid	15	15	0.05																	
Dicofol	15	15	0.02																	
Dimethoate	15	15	0.05																	
Endosulfan	15	15	0.05																	
Folpet	15	15	0.10															xxxxxx		
Captan+ Folpet (Sum)	15	15	0.10																	
Imazalil	15	15	0.10																	
Iprodione	15	15	0.02																	
Kresoxim-methyl	15	15	0.05																	
Lambda-cyhalothrin	0																			
Malathion	15	15	0.02																	
Maneb-group(##)	15	15	0.01																	
Mecarbam	15	15	0.10																	
Methamidophos	15	15	0.01																	
Metalaxyl	15	15	0.05																	
Methidathion	15	15	0.02																	
Methiocarb	15	15	0.50																	
Methomyl	15	15	0.50																	
Omethoate	15	15	0.02																	
Oxydemeton-methyl	15	15	0.05																	
Parathion	15	15	0.05																	
Permethrin	15	15	0.05																	
Phorate	15	15	0.05																	
Pirimiphos-methyl	15	15	0.05																	
Procymidone	15	15	0.02																	
Propyzamide	15	15	0.02																	
Thiabendazol	15	15	0.50																	
Tolyfluanid	15	15	0.05																	
Triazophos	15	15	0.02																	
Vinclozolin	15	15	0.05																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country: LU	Year of sampling: 2003	Remark:	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	10	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	12	12	0.02																
Aldicarb	12	12	0.50																
Azinphos-methyl	12	12	0.05																
Azoxystrobin	12	12	0.05																
Benomyl group(##)	12	12	0.05																
Bromopropylate	12	12	0.02																
Captan	12	12	0.10															xxxxxx	
Chlorothalonil	12	12	0.01																
Chlorpyrifos	12	12	0.05																
Chlorpyrifos-methyl	12	12	0.05																
Cypermethrin	12	12	0.05																
Deltamethrin	12	12	0.10																
Diazinon	12	12	0.02																
Dichlofluanid	12	12	0.05																
Dicofol	12	12	0.02																
Dimethoate	12	12	0.05																
Endosulfan	12	12	0.05																
Folpet	12	12	0.10															xxxxxx	
Captan+ Folpet (Sum)	12	12	0.10																
Imazalil	12	12	0.10																
Iprodione	12	12	0.02																
Kresoxim-methyl	12	12	0.05																
Lambda-cyhalothrin	0																		
Malathion	12	12	0.02																
Maneb-group(##)	12	11	0.01	1												0.01	0	2.00	E
Mecarbam	12	12	0.10																
Methamidophos	12	12	0.01																
Metalaxyl	12	12	0.05																
Methidathion	12	12	0.02																
Methiocarb	12	12	0.50																
Methomyl	12	12	0.50																
Omethoate	12	12	0.02																
Oxydemeton-methyl	12	12	0.05																
Parathion	12	12	0.05																
Permethrin	12	12	0.05																
Phorate	12	12	0.05																
Pirimiphos-methyl	12	12	0.05																
Procymidone	12	11	0.02		1											0.02	0	2.00	E
Propyzamide	12	12	0.02																
Thiabendazol	12	12	0.50																
Tolyfluanid	12	12	0.05																
Triazophos	12	12	0.02																
Vinclozolin	12	12	0.05													89			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>LU</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	4	4	0.02																		
Aldicarb	4	4	0.50																		
Azinphos-methyl	4	4	0.05																		
Azoxystrobin	4	4	0.05																		
Benomyl group(#)	4	4	0.05																		
Bromopropylate	4	4	0.02																		
Captan	4	4	0.10														xxxxxx				
Chlorothalonil	4	4	0.01																		
Chlorpyrifos	4	4	0.05																		
Chlorpyrifos-methyl	4	4	0.05																		
Cypermethrin	4	4	0.05																		
Deltamethrin	4	4	0.10																		
Diazinon	4	4	0.02																		
Dichlofluanid	4	4	0.05																		
Dicofol	4	4	0.02																		
Dimethoate	4	4	0.05																		
Endosulfan	4	4	0.05																		
Folpet	4	4	0.10														xxxxxx				
Captan+ Folpet (Sum)	4	4	0.10																		
Imazalil	4	4	0.10																		
Iprodione	4	4	0.02																		
Kresoxim-methyl	4	4	0.05																		
Lambda-cyhalothrin	0																				
Malathion	4	4	0.02																		
Maneb-group(##)	4	4	0.01																		
Mecarbam	4	4	0.10																		
Methamidophos	4	4	0.01																		
Metalaxyl	4	4	0.05																		
Methidathion	4	4	0.02																		
Methiocarb	4	4	0.10																		
Methomyl	4	4	0.10																		
Omethoate	4	4	0.02																		
Oxydemeton-methyl	4	4	0.05																		
Parathion	4	4	0.05																		
Permethrin	4	4	0.05																		
Phorate	4	4	0.05																		
Pirimiphos-methyl	4	4	0.05																		
Procymidone	4	4	0.02																		
Propyzamide	4	4	0.02																		
Thiabendazol	4	4	0.50																		
Tolylfluanid	4	4	0.05																		
Triazophos	4	4	0.02																		
Vinclozolin	4	4	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Wine Grapes	
Reporting country: LU	Year of sampling: 2003	Remark: As not specified in the programme, luxembourgian WINE grapes were analysed	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	12	With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12	0.02																	
Aldicarb	12	12	0.50																	
Azinphos-methyl	12	12	0.05																	
Azoxystrobin	12	12	0.05																	
Benomyl group(#)	12	12	0.05																	
Bromopropylate	12	12	0.02																	
Captan	12	12	0.10															xxxxxx		
Chlorothalonil	12	12	0.01																	
Chlorpyrifos	12	12	0.05																	
Chlorpyrifos-methyl	12	12	0.05																	
Cypermethrin	12	12	0.05																	
Deltamethrin	12	12	0.10																	
Diazinon	12	12	0.02																	
Dichlofluanid	12	12	0.05																	
Dicofol	12	12	0.02																	
Dimethoate	12	12	0.05																	
Endosulfan	12	12	0.05																	
Folpet	12	5	0.10						3	1	1	1	1			8	0	xxxxxx		
Captan+ Folpet (Sum)	12	5	0.10						3	1	1	1	1			8	0	10.00		E
Imazalil	12	12	0.10																	
Iprodione	12	12	0.02																	
kresoxim-methyl	12	12	0.05																	
Lambda-cyhalothrin	0																			
Malathion	12	12	0.02																	
Maneb-group(##)	12	0	0.01	4	4	2	1		1							0.33	0	2.00		E
Mecarbam	12	12	0.10																	
Methamidophos	12	12	0.01																	
Metalaxyl	12	12	0.05																	
Methidathion	12	12	0.02																	
Methiocarb	12	12	0.50																	
Methomyl	12	12	0.50																	
Omethoate	12	12	0.02																	
Oxydemeton-methyl	12	12	0.05																	
Parathion	12	12	0.05																	
Permethrin	12	12	0.05																	
Phorate	12	12	0.05																	
Pirimiphos-methyl	12	12	0.05																	
Procymidone	12	12	0.02																	
Propyzamide	12	12	0.02																	
Thiabendazol	12	12	0.50																	
Tolylfluanid	12	12	0.05																	
Triazophos	12	12	0.02																	
Vinclozolin	12	12	0.05																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>LU</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	9	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	12	12	0.02																
Aldicarb	12	12	0.50																
Azinphos-methyl	12	12	0.05																
Azoxystrobin	12	12	0.05																
Benomyl group(#)	12	12	0.05																
Bromopropylate	12	12	0.02																
Captan	12	12	0.10															xxxxxx	
Chlorothalonil	12	12	0.01																
Chlorpyrifos	12	12	0.05																
Chlorpyrifos-methyl	12	12	0.05																
Cypermethrin	12	12	0.05																
Deltamethrin	12	12	0.10																
Diazinon	12	12	0.02																
Dichlofluanid	12	12	0.05																
Dicofol	12	12	0.02																
Dimethoate	12	12	0.05																
Endosulfan	12	12	0.05																
Folpet	12	12	0.10															xxxxxx	
Captan+ Folpet (Sum)	12	12	0.10																
Imazalil	12	12	0.10																
Iprodione	12	12	0.02																
Kresoxim-methyl	12	12	0.05																
Lambda-cyhalothrin	0																		
Malathion	12	12	0.02																
Maneb-group(##)	12	9	0.01		1	1	1									0.07	0	0.50	E
Mecarbam	12	12	0.10																
Methamidophos	12	12	0.01																
Metalaxyl	12	11	0.05				1									0.06	0	0.50	E
Methidathion	12	12	0.02																
Methiocarb	12	12	0.50																
Methomyl	12	12	0.50																
Omethoate	12	12	0.02																
Oxydemeton-methyl	12	12	0.05																
Parathion	12	12	0.05																
Permethrin	12	12	0.05																
Phorate	12	12	0.05																
Pirimiphos-methyl	12	12	0.05																
Procymidone	12	11	0.02					1								0.15	0	1.00	E
Propyzamide	12	12	0.02																
Thiabendazol	12	12	0.50																
Tolyfluanid	12	12	0.05																
Triazophos	12	12	0.02																
Vinclozolin	12	12	0.05													92			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>LU</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	12	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	12	12	0.02																
Aldicarb	12	12	0.50																
Azinphos-methyl	12	12	0.05																
Azoxystrobin	12	12	0.05																
Benomyl group(#)	12	12	0.05																
Bromopropylate	12	12	0.02																
Captan	12	12	0.10															xxxxxx	
Chlorothalonil	12	12	0.01																
Chlorpyrifos	12	12	0.05																
Chlorpyrifos-methyl	12	12	0.05																
Cypermethrin	12	12	0.05																
Deltamethrin	12	12	0.10																
Diazinon	12	12	0.02																
Dichlofluanid	12	12	0.05																
Dicofol	12	12	0.02																
Dimethoate	12	12	0.05																
Endosulfan	12	12	0.05																
Folpet	12	12	0.10															xxxxxx	
Captan+ Folpet (Sum)	12	12	0.10																
Imazalil	12	12	0.10																
Iprodione	12	12	0.02																
Kresoxim-methyl	12	12	0.05																
Lambda-cyhalothrin	0																		
Malathion	12	12	0.02																
Maneb-group(##)	12	12	0.01																
Mecarbam	12	12	0.10																
Methamidophos	12	12	0.01																
Metalaxyl	12	12	0.05																
Methidathion	12	12	0.02																
Methiocarb	12	12	0.50																
Methomyl	12	12	0.50																
Omethoate	12	12	0.02																
Oxydemeton-methyl	12	12	0.05																
Parathion	12	12	0.05																
Permethrin	12	12	0.05																
Phorate	12	12	0.05																
Pirimiphos-methyl	12	12	0.05																
Procymidone	12	12	0.02																
Propyzamide	12	12	0.02																
Thiabendazol	12	12	0.50																
Tolyfluanid	12	12	0.05																
Triazophos	12	12	0.02																
Vinclozolin	12	12	0.05																

93

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>The Netherlands</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	31	With residues above MRL (EC+national):	0
Without detectable residues:	30	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	31	31	0.02																	
Aldicarb	11	11	0.02																	
Azinphos-methyl	31	31	0.02																	
Azoxystrobin	31	31	0.10																	
Benomyl group(#)	31	31	0.10																	
Bromopropylate	31	31	0.05																	
Captan	31	31	0.05															xxxxxx		
Chlorothalonil	31	31	0.01																	
Chlorpyrifos	31	31	0.03																	
Chlorpyrifos-methyl	31	31	0.03																	
Cypermethrin	31	31	0.05																	
Deltamethrin	31	31	0.05																	
Diazinon	31	31	0.03																	
Dichlofluanid	31	31	0.05																	
Dicofol	31	31	0.05																	
Dimethoate	31	31	0.05																	
Endosulfan	31	31	0.01																	
Folpet	31	31	0.05															xxxxxx		
Captan+ Folpet (Sum)	31	31																		
Imazalil	31	31	0.05																	
Iprodione	31	31	0.05																	
Kresoxim-methyl	31	31	0.03																	
Lambda-cyhalothrin	31	31	0.03																	
Malathion	31	31	0.03																	
Maneb-group(##)	3	2	0.05				1									0.1		2.00		E
Mecarbam	31	31	0.02																	
Methamidophos	31	31	0.02																	
Metalaxyl	31	31	0.03																	
Methidathion	31	31	0.03																	
Methiocarb	31	31	0.03																	
Methomyl	11	11	0.02																	
Omethoate	31	31	0.02																	
Oxydemeton-methyl	31	31	0.05																	
Parathion	31	31	0.03																	
Permethrin	31	31	0.03																	
Phorate	31	31	0.10																	
Pirimiphos-methyl	31	31	0.03																	
Procymidone	31	31	0.05																	
Propyzamide	31	31	0.03																	
Thiabendazol	31	31	0.10																	
Tolyfluanid	31	31	0.05																	
Triazophos	31	31	0.05																	
Vinclozolin	31	31	0.05																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>The Netherlands</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed: 145		With residues above MRL (EC+national): 16	
Without detectable residues: 93		With residues above EC-MRL: 16	
With detectable residues at or below MRL or without MRL: 36		With residues above national MRL: 0	
Remark: Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	147	147	0.02																	
Aldicarb	93	93	0.02																	
Azinphos-methyl	147	147	0.02																	
Azoxystrobin	147	147	0.10																	
Benomyl group(#)	133	132	0.10					1									0.13	1	0.10	E
Bromopropylate	147	147	0.05																	
Captan	147	147	0.05																xxxxxx	
Chlorothalonil	147	147	0.01																	
Chlorpyrifos	147	147	0.03																	
Chlorpyrifos-methyl	147	145	0.03						2								0.42		0.50	E
Cypermethrin	147	136	0.05				2	2	7								0.43		0.50	E
Deltamethrin	147	145	0.05				1	1									0.14		0.20	E
Diazinon	147	146	0.03			1											0.05		0.50	E
Dichlofuanid	147	147	0.05																	
Dicofol	147	146	0.05						1								0.44	1	0.02	E
Dimethoate	147	147	0.05																	
Endosulfan	147	137	0.01				4	1	3	2							0.71		1.00	E
Folpet	147	147	0.05																xxxxxx	
Captan+ Folpet (Sum)																				
Imazalil	147	147	0.05																	
Iprodione	147	138	0.05				3	4	2								0.41		5.00	E
Kresoxim-methyl	147	146	0.03						1								0.34		1.00	E
Lambda-cyhalothrin	147	147	0.03																	
Malathion	147	147	0.03																	
Maneb-group(##)	15	15	0.05														0		2.00	E
Mecarbam	147	147	0.02																	
Methamidophos	147	138	0.02			4	1	1	1	2							0.68	9	0.01	E
Metalaxyl	147	146	0.03				1										0.08	1	0.05	E
Methidathion	147	147	0.03																	
Methiocarb	147	145	0.03				1	1									0.13	2	0.05	E
Methomyl	93	91	0.02				1	1									0.16	2	0.05	E
Omethoate	147	147	0.02																	
Oxydemeton-methyl	147	147	0.05																	
Parathion	147	147	0.03																	
Permethrin	147	147	0.03																	
Phorate	147	147	0.10																	
Pirimiphos-methyl	147	135	0.03				5	3	2	2							0.72		1.00	E
Procymidone	147	134	0.05				6	4	3								0.46		2.00	E
Propyzamide	147	147	0.03																	
Thiabendazol	147	147	0.10																	
Tolyfluanid	147	147	0.05																	
Triazophos	147	146	0.05						1								0.21	1	0.02	E
Vinclozolin	147	147	0.05														95			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals

Food item: Wheat

Reporting country: The Netherlands

Year of sampling: 2003

Remark:

Total number of samples analysed: 21

Without detectable residues: 15

With detectable residues at or below MRL or without MRL: 6

With residues above MRL (EC+national): 0

With residues above EC-MRL: 0

With residues above national MRL: 0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	21	21	0.02																	
Aldicarb	4	4	0.02																	
Azinphos-methyl	21	21	0.02																	
Azoxystrobin	21	21	0.10																	
Benomyl group(#)	21	21	0.10																	
Bromopropylate	21	21	0.05																	
Captan	21	21	0.05															xxxxxx		
Chlorothalonil	21	21	0.01																	
Chlorpyrifos	21	21	0.03																	
Chlorpyrifos-methyl	21	21	0.03																	
Cypermethrin	21	21	0.05																	
Deltamethrin	21	21	0.05																	
Diazinon	21	21	0.03																	
Dichlofluanid	21	21	0.05																	
Dicofol	21	21	0.05																	
Dimethoate	21	21	0.05																	
Endosulfan	21	21	0.01																	
Folpet	21	21	0.05															xxxxxx		
Captan+ Folpet (Sum)	21	21																		
Imazalil	21	21	0.05																	
Iprodione	21	21	0.05																	
Kresoxim-methyl	21	21	0.03																	
Lambda-cyhalothrin	21	21	0.03																	
Malathion	21	21	0.03																	
Maneb-group(##)	21	21	0.05																	
Mecarbam	21	21	0.02																	
Methamidophos	21	21	0.02																	
Metalaxyl	21	21	0.03																	
Methidathion	21	21	0.03																	
Methiocarb	21	21	0.03																	
Methomyl	4	4	0.02																	
Omethoate	21	21	0.02																	
Oxydemeton-methyl	21	21	0.05																	
Parathion	21	21	0.03																	
Permethrin	21	21	0.03																	
Phorate	21	21	0.10																	
Pirimiphos-methyl	21	15	0.03				2	1	1	1	1						1.3		5.00	E
Procymidone	21	21	0.05																	
Propyzamide	21	21	0.03																	
Thiabendazol	21	21	0.10																	
Tolyfluanid	21	21	0.05																	
Triazophos	21	21	0.05																	
Vinclozolin	21	21	0.05														96			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>The Netherlands</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	23	With residues above MRL (EC+national):	0
Without detectable residues:	19	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	0

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	23	23	0.02																	
Aldicarb	18	18	0.02																	
Azinphos-methyl	23	23	0.02																	
Azoxystrobin	23	23	0.10																	
Benomyl group(#)	23	23	0.10																	
Bromopropylate	23	23	0.05																	
Captan	23	23	0.05															xxxxxx		
Chlorothalonil	23	21	0.01		1		1										0.06		2.00	E
Chlorpyrifos	23	23	0.03																	
Chlorpyrifos-methyl	23	23	0.03																	
Cypermethrin	23	23	0.05																	
Deltamethrin	23	23	0.05																	
Diazinon	23	23	0.03																	
Dichlofluanid	23	23	0.05																	
Dicofol	23	23	0.05																	
Dimethoate	23	23	0.05																	
Endosulfan	23	23	0.01																	
Folpet	23	23	0.05															xxxxxx		
Captan+ Folpet (Sum)	23	23																		
Imazalil	23	23	0.05																	
Iprodione	23	22	0.05				1										0.07		5.00	E
Kresoxim-methyl	23	23	0.03																	
Lambda-cyhalothrin	23	23	0.03																	
Malathion	23	23	0.03																	
Maneb-group(##)	4	4	0.05														0		2.00	E
Mecarbam	23	23	0.02																	
Methamidophos	23	23	0.02																	
Metalaxyl	23	23	0.03																	
Methidathion	23	23	0.03																	
Methiocarb	18	18	0.03																	
Methomyl	23	23	0.02																	
Omethoate	23	23	0.02																	
Oxydemeton-methyl	23	23	0.05																	
Parathion	23	23	0.03																	
Permethrin	23	23	0.03																	
Phorate	23	23	0.10																	
Pirimiphos-methyl	23	23	0.03																	
Procymidone	23	22	0.05					1									0.13		2.00	E
Propyzamide	23	23	0.03																	
Thiabendazol	23	23	0.10																	
Tolyfluanid	23	23	0.05																	
Triazophos	23	23	0.05																	
Vinclozolin	23	23	0.05														97			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals

Food item: Rice (husked or polished)

Reporting country: The Netherlands

Year of sampling: 2003

Remark:

Total number of samples analysed: 21

Without detectable residues: 21

With detectable residues at or below MRL or without MRL: 0

With residues above MRL (EC+national): 0

With residues above EC-MRL: 0

With residues above national MRL: 0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	21	21	0.02																	
Aldicarb	15	15	0.02																	
Azinphos-methyl	21	21	0.02																	
Azoxystrobin	21	21	0.10																	
Benomyl group(#)	21	21	0.10																	
Bromopropylate	21	21	0.05																	
Captan	21	21	0.05															xxxxxx		
Chlorothalonil	21	21	0.01																	
Chlorpyrifos	21	21	0.03																	
Chlorpyrifos-methyl	21	21	0.03																	
Cypermethrin	21	21	0.05																	
Deltamethrin	21	21	0.05																	
Diazinon	21	21	0.03																	
Dichlofluanid	21	21	0.05																	
Dicofol	21	21	0.05																	
Dimethoate	21	21	0.05																	
Endosulfan	21	21	0.01																	
Folpet	21	21	0.05															xxxxxx		
Captan+ Folpet (Sum)	21	21																		
Imazalil	21	21	0.05																	
Iprodione	21	21	0.05																	
Kresoxim-methyl	21	21	0.03																	
Lambda-cyhalothrin	21	21	0.03																	
Malathion	21	21	0.03																	
Maneb-group(##)	0	0	0.05																	
Mecarbam	21	21	0.02																	
Methamidophos	21	21	0.02																	
Metalaxyl	21	21	0.03																	
Methidathion	21	21	0.03																	
Methiocarb	21	21	0.03																	
Methomyl	15	15	0.02																	
Omethoate	21	21	0.02																	
Oxydemeton-methyl	21	21	0.05																	
Parathion	21	21	0.03																	
Permethrin	21	21	0.03																	
Phorate	21	21	0.10																	
Pirimiphos-methyl	21	21	0.03																	
Procymidone	21	21	0.05																	
Propyzamide	21	21	0.03																	
Thiabendazol	21	21	0.10																	
Tolyfluanid	21	21	0.05																	
Triazophos	21	21	0.05																	
Vinclozolin	21	21	0.05														98			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>The Netherlands</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	266	With residues above MRL (EC+national):	38
Without detectable residues:	123	With residues above EC-MRL:	38
With detectable residues at or below MRL		With residues above national MRL:	0
or without MRL:	105		

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	266	256	0.02			1	4	3	2								0.40	10	0.02	E
Aldicarb	241	241	0.02																	
Azinphos-methyl	266	263	0.02			3											0.04		1.00	E
Azoxystrobin	266	246	0.10					8	10	2							0.65		2.00	E
Benomyl group(#)	220	203	0.10					8	5	3	1						1.5		2.00	E
Bromopropylate	266	263	0.05						3								0.44	3	0.05	E
Captan	222	213	0.05					3	3	1	2						1.3		3.00	E
Chlorothalonil	222	221	0.01							1							0.76		1.00	E
Chlorpyrifos	266	243	0.03				6	9	7	1							0.77	1	0.50	E
Chlorpyrifos-methyl	266	259	0.03				3	3	1								0.29	1	0.20	E
Cypermethrin	222	218	0.05				2	1	1								0.34		0.50	E
Deltamethrin	222	222	0.05																	
Diazinon	266	266	0.03																	
Dichlofluanid	222	222	0.05																	
Dicofol	222	222	0.05																	
Dimethoate	266	265	0.05				1										0.09	1	0.02	E
Endosulfan	222	220	0.01				1	1									0.2		0.50	E
Folpet	222	219	0.05						2	1							0.72		3.00	E
Captan+ Folpet (Sum)																				
Imazalil	266	266	0.05																	
Iprodione	266	225	0.05				11	6	18	5	1						1.5		10.00	E
kresoxim-methyl	266	266	0.03																	
Lambda-cyhalothrin	266	262	0.03			1	1	2									0.13		0.20	E
Malathion	266	266	0.03																	
Maneb-group(##)	35	27	0.05			2	3	2		1							0.57		3.00	E
Mecarbam	266	266	0.02																	
Methamidophos	266	264	0.02			2											0.05	2	0.01	E
Metalaxyl	266	257	0.03				6	1	2								0.35		2.00	E
Methidathion	266	265	0.03			1											0.04		0.50	E
Methiocarb	266	264	0.03				2										0.09	2	0.05	E
Methomyl	241	214	0.02				2	8	10	6		1					3.8	27	0.05	E
Ormethoate	266	266	0.02																	
Oxydemeton-methyl	266	266	0.05																	
Parathion	266	266	0.03																	
Permethrin	266	266	0.03																	
Phorate	266	266	0.10																	
Pirimiphos-methyl	266	266	0.03																	
Procymidone	266	239	0.05				2	5	11	6	2	1					4.9		5.00	E
Propyzamide	266	266	0.03																	
Thiabendazol	220	220	0.10																	
Tolyfluanid	222	221	0.05					1									0.165		5.00	N
Triazophos	266	266	0.05																	
Vinclozolin	266	258	0.05				4	2	2								0.9		5.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>The Netherlands</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	59	With residues above MRL (EC+national):	1
Without detectable residues:	48	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	10	With residues above national MRL:	0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	59	59	0.02																	
Aldicarb	43	43	0.02																	
Azinphos-methyl	59	59	0.02																	
Azoxystrobin	59	59	0.10																	
Benomyl group(#)	58	57	0.10						1								0.22		1.00	E
Bromopropylate	59	59	0.05																	
Captan	59	59	0.05															xxxxxx		
Chlorothalonil	59	55	0.01				2	1	1								0.23		1.00	E
Chlorpyrifos	59	59	0.03																	
Chlorpyrifos-methyl	59	59	0.03																	
Cypermethrin	59	59	0.05																	
Deltamethrin	59	59	0.05																	
Diazinon	59	59	0.03																	
Dichlofluanid	59	59	0.05																	
Dicofol	59	59	0.05																	
Dimethoate	59	59	0.05																	
Endosulfan	59	59	0.01																	
Folpet	59	59	0.05															xxxxxx		
Captan+ Folpet (Sum)	59	59																		
Imazalil	59	59	0.05																	
Iprodione	59	57	0.05				1			1							0.71		2.00	E
Kresoxim-methyl	59	59	0.03																	
Lambda-cyhalothrin	59	59	0.03																	
Malathion	59	59	0.03																	
Maneb-group(##)	10	8	0.05				1		1								0.24		1.00	E
Mecarbam	59	59	0.02																	
Methamidophos	59	59	0.02																	
Metalaxyl	59	57	0.03				2										0.06		0.50	E
Methidathion	59	59	0.03																	
Methiocarb	59	59	0.03																	
Methomyl	43	42	0.02				1										0.06	1	0.05	E
Omethoate	59	59	0.02																	
Oxydemeton-methyl	59	59	0.05																	
Parathion	59	59	0.03																	
Permethrin	59	59	0.03																	
Phorate	59	59	0.10																	
Pirimiphos-methyl	59	59	0.03																	
Procymidone	59	55	0.05				4										0.08		1.00	E
Propyzamide	59	59	0.03																	
Thiabendazol	58	58	0.10																	
Tolyfluanid	59	59	0.05																	
Triazophos	59	59	0.05																	
Vinclozolin	59	59	0.05														100			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B:
Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)

Food item: Peas (fresh/frozen, without pod)

Reporting country: The Netherlands

Year of sampling: 2003

Remark:

Total number of samples analysed: 23

Without detectable residues: 22

With detectable residues at or below MRL or without MRL: 0

With residues above MRL (EC+national): 1

With residues above EC-MRL: 1

With residues above national MRL: 0

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	23	23	0.02																	
Aldicarb	17	17	0.02																	
Azinphos-methyl	23	23	0.02																	
Azoxystrobin	23	23	0.10																	
Benomyl group(#)	23	23	0.10																	
Bromopropylate	23	23	0.05																	
Captan	23	23	0.05															xxxxxx		
Chlorothalonil	23	23	0.01																	
Chlorpyrifos	23	23	0.03																	
Chlorpyrifos-methyl	23	23	0.03																	
Cypermethrin	23	23	0.05																	
Deltamethrin	23	23	0.05																	
Diazinon	23	23	0.03																	
Dichlofluanid	23	23	0.05																	
Dicofol	23	23	0.05																	
Dimethoate	23	22	0.05				1									0.08	1	0.02	E	
Endosulfan	23	23	0.01																	
Folpet	23	23	0.05															xxxxxx		
Captan+ Folpet (Sum)	23	23																		
Imazalil	23	23	0.05																	
Iprodione	23	23	0.05																	
Kresoxim-methyl	23	23	0.03																	
Lambda-cyhalothrin	23	23	0.03																	
Malathion	23	23	0.03																	
Maneb-group(##)	23	23	0.05																	
Mecarbam	23	23	0.02																	
Methamidophos	23	23	0.02																	
Metalaxyl	23	23	0.03																	
Methidathion	23	23	0.03																	
Methiocarb	23	23	0.03																	
Methomyl	17	17	0.02																	
Omethoate	23	23	0.02																	
Oxydemeton-methyl	23	23	0.05																	
Parathion	23	23	0.03																	
Permethrin	23	23	0.03																	
Phorate	23	23	0.10																	
Pirimiphos-methyl	23	23	0.03																	
Procymidone	23	23	0.05																	
Propyzamide	23	23	0.03																	
Thiabendazol	23	23	0.10																	
Tolyfluanid	23	23	0.05																	
Triazophos	23	23	0.05																	
Vinclozolin	23	23	0.05													101				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
 (*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
 (**) in alphabetical order of the English name
 (***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
 (##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:Brassica vegetables

Food item: Cauliflower (fresh or frozen)

Reporting country: Austria

Year of sampling: 2003

Remark:

Total number of samples analysed: 10

Without detectable residues: 10

With detectable residues at or below MRL or without MRL: 0

With residues above MRL (EC+national): 0

With residues above EC-MRL: 0

With residues above national MRL: 0

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	10	10																		
Aldicarb	5	5																		
Azinphos-methyl	10	10																		
Azoxystrobin	10	10																		
Benomyl group(#)	10	10																		
Bromopropylate	10	10																		
Captan	10	10																xxxxxx		
Chlorothalonil	10	10																		
Chlorpyrifos	10	10																		
Chlorpyrifos-methyl	10	10																		
Cypermethrin	10	10																		
Deltamethrin	10	10																		
Diazinon	10	10																		
Dichlofluanid	10	10																		
Dicofol	10	10																		
Dimethoate	10	10																		
Endosulfan	10	10																		
Folpet	10	10																xxxxxx		
Captan+ Folpet (Sum)	10	10																		
Imazalil	10	10																		
Iprodione	10	10																		
Kresoxim-methyl	10	10																		
Lambda-cyhalothrin	10	10																		
Malathion	10	10																		
Maneb-group(##)	5	5																		
Mecarbam	10	10																		
Methamidophos	10	10																		
Metalaxyl	10	10																		
Methidathion	10	10																		
Methiocarb	5	5																		
Methomyl	5	5																		
Omethoate	10	10																		
Oxydemeton-methyl	5	5																		
Parathion	10	10																		
Permethrin	10	10																		
Phorate	10	10																		
Pirimiphos-methyl	10	10																		
Procymidone	10	10																		
Propyzamide	10	10																		
Thiabendazol	5	5																		
Tolyfluanid	10	10																		
Triazophos	10	10																		
Vinclozolin	10	10																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables

Food item: Peppers

Reporting country: Austria

Year of sampling: 2003

Remark:

Total number of samples analysed: 10

Without detectable residues: 6

With detectable residues at or below MRL or without MRL: 4

With residues above MRL (EC+national): 0

With residues above EC-MRL: 0

With residues above national MRL: 0

Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	10	10																		
Aldicarb	10	10																		
Azinphos-methyl	10	10																		
Azoxystrobin	10	10																		
Benomyl group(#)	10	10																		
Bromopropylate	10	10																		
Captan	10	10																xxxxxx		
Chlorothalonil	10	9				1											0.04			
Chlorpyrifos	10	10																		
Chlorpyrifos-methyl	10	10																		
Cypermethrin	10	10																		
Deltamethrin	10	10																		
Diazinon	10	10																		
Dichlofluanid	10	10																		
Dicofol	10	10																	xxxxxx	
Dimethoate	10	10																		
Endosulfan	10	10																		
Folpet	10	10																		
Captan+ Folpet (Sum)	10	10																		
Imazalil	10	10																		
Iprodione	10	10																		
Kresoxim-methyl	10	10																		
Lambda-cyhalothrin	10	9					1										0.1			
Malathion	10	10																		
Maneb-group(##)	10	7							3								0.36			
Mecarbam	10	10																		
Methamidophos	10	10																		
Metalaxyl	10	10																		
Methidathion	10	10																		
Methiocarb	10	10																		
Methomyl	10	10																		
Omethoate	10	10																		
Oxydemeton-methyl	5	5																		
Parathion	10	10																		
Permethrin	10	10																		
Phorate	10	10																		
Pirimiphos-methyl	10	10																		
Procymidone	10	8					2										0.1			
Propyzamide	10	10																		
Thiabendazol	5	5																		
Tolyfluanid	10	10																		
Triazophos	10	10																		
Vinclozolin	10	10															103			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
		Remark:	the exceedence was in an organic product
Total number of samples analysed:	12	With residues above MRL (EC+national):	1
Without detectable residues:	11	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12																		
Aldicarb	12	12																		
Azinphos-methyl	12	12																		
Azoxystrobin	12	12																		
Benomyl group(#)	12	12																		
Bromopropylate	12	12																		
Captan	12	12																xxxxxx		
Chlorothalonil	12	12																		
Chlorpyrifos	12	12																		
Chlorpyrifos-methyl	12	12																		
Cypermethrin	12	12																		
Deltamethrin	12	12																		
Diazinon	12	12																		
Dichlofuanid	12	12																		
Dicofol	12	12																		
Dimethoate	12	12																		
Endosulfan	12	12																		
Folpet	12	12																xxxxxx		
Captan+ Folpet (Sum)	12	12																		
Imazalil	12	12																		
Iprodione	12	12																		
Kresoxim-methyl	12	12																		
Lambda-cyhalothrin	12	12																		
Malathion	12	12																		
Maneb-group(##)	12	12																		
Mecarbam	12	12																		
Methamidophos	12	12																		
Metalaxyl	12	12																		
Methidathion	12	12																		
Methiocarb	12	12																		
Methomyl	12	12																		
Omethoate	12	12																		
Oxydemeton-methyl	6	6																		
Parathion	12	12																		
Permethrin	12	12																		
Phorate	12	12																		
Pirimiphos-methyl	12	11				1											0.022	1		organic
Procymidone	12	12																		
Propyzamide	12	12																		
Thiabendazol	6	6																		
Tolyfluanid	12	12																		
Triazophos	12	12																		
Vinclozolin	12	12																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	11	With residues above MRL (EC+national):	0
Without detectable residues:	7	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	4	With residues above national MRL:	0

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	11	11																		
Aldicarb	11	11																		
Azinphos-methyl	11	11																		
Azoxystrobin	11	11																		
Benomyl group(#)	11	11																		
Bromopropylate	11	11																		
Captan	11	11																xxxxxx		
Chlorothalonil	11	11																		
Chlorpyrifos	11	11																		
Chlorpyrifos-methyl	11	11																		
Cypermethrin	11	9				1	1										0.09			
Deltamethrin	11	11																		
Diazinon	11	11																		
Dichlofuanid	11	11																		
Dicofol	11	11																		
Dimethoate	11	11																		
Endosulfan	11	10					1										0.054			
Folpet	11	11																xxxxxx		
Captan+ Folpet (Sum)	11	11																		
Imazalil	11	11																		
Iprodione	11	11																		
Kresoxim-methyl	11	11																		
Lambda-cyhalothrin	11	11																		
Malathion	11	11																		
Maneb-group(##)	11	11																		
Mecarbam	11	11																		
Methamidophos	11	11																		
Metalaxyl	11	11																		
Methidathion	11	11																		
Methiocarb	11	11																		
Methomyl	11	10					1										0.056			
Omethoate	11	11																		
Oxydemeton-methyl	6	6																		
Parathion	11	11																		
Permethrin	11	11																		
Phorate	11	11																		
Pirimiphos-methyl	11	11																		
Procymidone	11	11																		
Propyzamide	11	11																		
Thiabendazol	5	5																		
Tolyfluanid	11	11																		
Triazophos	11	11																		
Vinclozolin	11	11															105			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	11	With residues above MRL (EC+national):	0
Without detectable residues:	11	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	11	11																		
Aldicarb	11	11																		
Azinphos-methyl	11	11																		
Azoxystrobin	11	11																		
Benomyl group(#)	11	11																		
Bromopropylate	11	11																		
Captan	11	11																xxxxxx		
Chlorothalonil	11	11																		
Chlorpyrifos	11	11																		
Chlorpyrifos-methyl	11	11																		
Cypermethrin	11	11																		
Deltamethrin	11	11																		
Diazinon	11	11																		
Dichlofluanid	11	11																		
Dicofol	11	11																		
Dimethoate	11	11																		
Endosulfan	11	11																		
Folpet	11	11																xxxxxx		
Captan+ Folpet (Sum)	11	11																		
Imazalil	11	11																		
Iprodione	11	11																		
Kresoxim-methyl	11	11																		
Lambda-cyhalothrin	11	11																		
Malathion	11	11																		
Maneb-group(##)	11	11																		
Mecarbam	11	11																		
Methamidophos	11	11																		
Metalaxyl	11	11																		
Methidathion	11	11																		
Methiocarb	11	11																		
Methomyl	11	11																		
Omethoate	11	11																		
Oxydemeton-methyl	6	6																		
Parathion	11	11																		
Permethrin	11	11																		
Phorate	11	11																		
Pirimiphos-methyl	11	11																		
Procymidone	11	11																		
Propyzamide	11	11																		
Thiabendazol	5	5																		
Tolyfluanid	11	11																		
Triazophos	11	11																		
Vinclozolin	11	11																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>Austria</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed:		With residues above MRL (EC+national):	Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns
Without detectable residues:		With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:		With residues above national MRL:	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	11	11																		
Aldicarb	11	11																		
Azinphos-methyl	11	11																		
Azoxystrobin	11	8					1	1	1								0.30			
Benomyl group(#)	11	10								1							1.9			
Bromopropylate	11	11																		
Captan	11	11																xxxxxx		
Chlorothalonil	11	11																		
Chlorpyrifos	11	11																		
Chlorpyrifos-methyl	11	10						1									0.13			
Cypermethrin	11	10					1										0.09			
Deltamethrin	11	11																		
Diazinon	11	11																		
Dichlofluanid	11	10				1											0.05			
Dicofol	11	11																		
Dimethoate	11	11																		
Endosulfan	11	11																		
Folpet	11	11																xxxxxx		
Captan+ Folpet (Sum)	11	11																		
Imazalil	11	11																		
Iprodione	11	9								1	1						4.4			
kresoxim-methyl	11	11																		
Lambda-cyhalothrin	11	10						1									0.14			
Malathion	11	11																		
Maneb-group(##)	7	6					1										0.06			
Mecarbam	11	11																		
Methamidophos	11	11																		
Metalaxyl	11	11																		
Methidathion	11	11																		
Methiocarb	11	11																		
Methomyl	11	11																		
Omethoate	11	11																		
Oxydemeton-methyl	11	11																		
Parathion	11	11																		
Permethrin	11	11																		
Phorate	11	11																		
Pirimiphos-methyl	11	11																		
Procymidone	11	9						1			1						2.1			
Propyzamide	11	11																		
Thiabendazol	5	5																		
Tolyfluanid	11	11																		
Triazophos	11	11																		
Vinclozolin	11	11															107			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables

Food item: Cucumber

Reporting country: Austria

Year of sampling: 2003

Remark:

Total number of samples analysed: 11

Without detectable residues: 8

With detectable residues at or below MRL or without MRL: 3

With residues above MRL (EC+national): 0

With residues above EC-MRL: 0

With residues above national MRL: 0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	11	11																		
Aldicarb	11	11																		
Azinphos-methyl	11	11																		
Azoxystrobin	11	11																		
Benomyl group(#)	11	11																		
Bromopropylate	11	11																		
Captan	11	11																xxxxxx		
Chlorothalonil	11	11																		
Chlorpyrifos	11	11																		
Chlorpyrifos-methyl	11	11																		
Cypermethrin	11	11																		
Deltamethrin	11	11																		
Diazinon	11	11																		
Dichlofluanid	11	11																		
Dicofol	11	11																		
Dimethoate	11	11																		
Endosulfan	11	11																		
Folpet	11	11																xxxxxx		
Captan+ Folpet (Sum)	11	11																		
Imazalil	11	11																		
Iprodione	11	11																		
Kresoxim-methyl	11	11																		
Lambda-cyhalothrin	11	11																		
Malathion	11	11																		
Maneb-group(##)	11	8				1		1	1								0.47			
Mecarbam	11	11																		
Methamidophos	11	11																		
Metalaxyl	11	11																		
Methidathion	11	11																		
Methiocarb	6	6																		
Methomyl	6	6																		
Omethoate	11	11																		
Oxydemeton-methyl	5	5																		
Parathion	11	11																		
Permethrin	11	11																		
Phorate	11	11																		
Pirimiphos-methyl	11	11																		
Procymidone	11	11																		
Propyzamide	11	11																		
Thiabendazol	6	6																		
Tolyfluanid	11	11																		
Triazophos	11	11																		
Vinclozolin	11	11																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)

Food item: Peas (fresh/frozen, without pod)

Reporting country: Austria

Year of sampling: 2003

Remark:

Total number of samples analysed: 12

Without detectable residues: 11

With detectable residues at or below MRL or without MRL: 1

With residues above MRL (EC+national): 0

With residues above EC-MRL: 0

With residues above national MRL: 0

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	12	12																		
Aldicarb	12	12																		
Azinphos-methyl	12	12																		
Azoxystrobin	12	12																		
Benomyl group(#)	10	10																		
Bromopropylate	12	12																		
Captan	12	12																xxxxxx		
Chlorothalonil	12	12																		
Chlorpyrifos	12	12																		
Chlorpyrifos-methyl	12	12																		
Cypermethrin	12	12																		
Deltamethrin	12	12																		
Diazinon	12	12																		
Dichlofluanid	12	12																		
Dicofol	12	12																		
Dimethoate	12	12																		
Endosulfan	12	12																		
Folpet	12	12																xxxxxx		
Captan+ Folpet (Sum)	12	12																		
Imazalil	12	12																		
Iprodione	12	12																		
Kresoxim-methyl	12	12																		
Lambda-cyhalothrin	12	12																		
Malathion	12	12																		
Maneb-group(##)	8	8																		
Mecarbam	12	12																		
Methamidophos	12	12																		
Metalaxyl	12	12																		
Methidathion	12	12																		
Methiocarb	12	12																		
Methomyl	12	12																		
Omethoate	12	12																		
Oxydemeton-methyl	6	6																		
Parathion	12	12																		
Permethrin	12	12																		
Phorate	12	12																		
Pirimiphos-methyl	12	12																		
Procymidone	12	12																		
Propyzamide	12	12																		
Thiabendazol	6	6																		
Tolyfluanid	12	12																		
Triazophos	12	12																		
Vinclozolin	12	11							1								109	0.34		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	33	With residues above MRL (EC+national):	0
Without detectable residues:	26	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	7	With residues above national MRL:	0

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	27	27	0.02-0.05																		
Aldicarb	24	24	0.05-0.1																		
Azinphos-methyl	27	27	0.02-0.05																		
Azoxystrobin	27	27	0.05																		
Benomyl group(#)	15	15	0.1																		
Bromopropylate	27	27	0.05																		
Captan	27	27	0.05																		
Chlorothalonil	27	27	0.01																		
Chlorpyrifos	27	27	0.05																		
Chlorpyrifos-methyl	27	27	0.05																		
Cypermethrin	27	27	0.05-0.1																		
Deltamethrin	27	27	0.05-0.1																		
Diazinon	27	27	0.02-0.05																		
Dichlofluanid	27	27	0.05																		
Dicofol	27	27	0.02-0.05																		
Dimethoate	27	27	0.02																		
Endosulfan	27	27	0.05																		
Folpet	27	27	0.05																		
Captan+ Folpet (Sum)	27	27	0.1																		
Imazalil	27	27	0.02-0.05																		
Iprodione	27	27	0.05-0.1																		
Kresoxim-methyl	27	27	0.05																		
Lambda-cyhalothrin	27	27	0.02																		
Malathion	27	27	0.02																		
Maneb-group(##)	21	15	0.05-0.2				3	2	1							0.25	0	1.00	E		
Mecarbam	27	27	0.05																		
Methamidophos	27	27	0.02-0.05																		
Metalaxyl	27	27	0.05																		
Methidathion	27	27	0.02																		
Methiocarb	24	24	0.02-0.1														0				
Methomyl	24	23	0.02-0.1		1											0.02	0	0.05	E		
Omethoate	27	27	0.02-0.05																		
Oxydemeton-methyl	12	12	0.05-0.1																		
Parathion	27	27	0.02																		
Permethrin	27	27	0.05-0.1																		
Phorate	12	12	0.05																		
Pirimiphos-methyl	27	27	0.05																		
Procymidone	27	27	0.02																		
Propyzamide	15	15	0.05																		
Thiabendazol	15	15	0.1																		
Tolyfluanid	15	15	0.05																		
Triazophos	27	27	0.02-0.05																		
Vinclozolin	27	27	0.02													110					

110

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
Remark:		Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns	
Total number of samples analysed:	<u>18</u>	With residues above MRL (EC+national):	<u>2</u>
Without detectable residues:	<u>8</u>	With residues above EC-MRL:	<u>2</u>
With detectable residues at or below MRL or without MRL:	<u>8</u>	With residues above national MRL:	<u>0</u>

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	14	14	0.02																	
Aldicarb	14	14	0.05																	
Azinphos-methyl	14	14	0.02																	
Azoxystrobin	14	14	0.05																	
Benomyl group(#)	14	12	0.1						2								0.26	2	0.1	E
Bromopropylate	14	14	0.05																	
Captan	14	14	0.05																	
Chlorothalonil	14	14	0.01																	
Chlorpyrifos	14	13	0.02			1											0.04	0	0.5	E
Chlorpyrifos-methyl	14	14	0.02																	
Cypermethrin	14	14	0.05																	
Deltamethrin	14	14	0.05																	
Diazinon	14	14	0.02																	
Dichlofluanid	14	14	0.05																	
Dicofol	14	14	0.05																	
Dimethoate	14	13	0.02					1									0.20 ^(a)	1	0.02	E
Endosulfan	14	12	0.05					2									0.18	0	1	E
Folpet	14	14	0.05																	
Captan+ Folpet (Sum)	14	14	0.1																	
Imazalil	14	14	0.05																	
Iprodione	14	14	0.02																	
Kresoxim-methyl	14	14	0.05																	
Lambda-cyhalothrin	14	13	0.02				1										0.09	0	0.1	E
Malathion	14	13	0.02			1											0.03	0	3	E
Maneb-group(##)	4	4	0.2																	
Mecarbam	14	14	0.02																	
Methamidophos	14	13	0.02			1											0.04	1	0.01	E
Metaxyl	14	14	0.05																	
Methidathion	14	14	0.02																	
Methiocarb	14	12	0.05				1	1									0.14	0	0.2	N
Methomyl	14	14	0.02																	
Omethoate	14	13	0.02			1											0.04	0	0.2	E
Oxydemeton-methyl	14	14	0.05-0,1																	
Parathion	14	14	0.02																	
Permethrin	14	14	0.05																	
Phorate	14	14	0.05																	
Pirimiphos-methyl	14	12	0.05					2									0.18	0	1	E
Procymidone	14	12	0.02					1	1								0.24	0	2	E
Propyzamide	14	14	0.05																	
Thiabendazol	14	14	0.1																	
Tolyfluanid	14	14	0.05																	
Triazophos	14	14	0.02																	
Vinclozolin	14	14	0.02													1 1 1				

xxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

a) Sum of dimethoate and omethoate

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	29	With residues above MRL (EC+national):	0
Without detectable residues:	17	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	12	With residues above national MRL:	0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	29	29	0.05																
Aldicarb	24	24	0.05																
Azinphos-methyl	29	29	0.02																
Azoxystrobin	24	24	0.05																
Benomyl group(#)	24	24	0.2																
Bromopropylate	29	29	0.05																
Captan	29	29	0.05															xxxxxx	
Chlorothalonil	24	24	0.01																
Chlorpyrifos	29	29	0.05																
Chlorpyrifos-methyl	29	28	0.05			1										0.05	0	3.00	E
Cypermethrin	24	24	0.05																
Deltamethrin	24	24	0.05																
Diazinon	29	29	0.02																
Dichlofluanid	29	29	0.05																
Dicofol	29	29	0.05																
Dimethoate	29	29	0.05																
Endosulfan	29	29	0.05																
Folpet	29	29	0.05															xxxxxx	
Captan+ Folpet (Sum)	29	29	0.1																
Imazalil	29	29	0.1																
Iprodione	29	29	0.02																
Kresoxim-methyl	29	29	0.05																
Lambda-cyhalothrin	24	24	0.02																
Malathion	29	17	0.02				4	1	2	4	1					1.1	0	8.00	E
Maneb-group(##)	1	1	0.1																
Mecarbam	29	29	0.05																
Methamidophos	29	29	0.02																
Metalaxyl	29	29	0.1																
Methidathion	29	29	0.02																
Methiocarb	24	24	0.1																
Methomyl	24	24	0.05																
Omethoate	29	29	0.05																
Oxydemeton-methyl	15	15	0.1																
Parathion	29	29	0.02																
Permethrin	24	24	0.05																
Phorate	15	15	0.1																
Pirimiphos-methyl	29	24	0.05			1	1	1	2							0.44	0	5.00	E
Procymidone	29	29	0.02																
Propyzamide	24	24	0.05																
Thiabendazol	24	24	0.2																
Tolyfluanid	24	24	0.05																
Triazophos	29	29	0.05																
Vinclozolin	29	29	0.02																

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	19	With residues above MRL (EC+national):	8
Without detectable residues:	5	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	6	With residues above national MRL:	8

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	16	16	0.02																	
Aldicarb	16	16	0.05																	
Azinphos-methyl	16	16	0.02																	
Azoxystrobin	16	16	0.05																	
Benomyl group(#)	16	16	0.1																	
Bromopropylate	16	16	0.05																	
Captan	16	16	0.05															xxxxxx		
Chlorothalonil	16	16	0.01																	
Chlorpyrifos	16	16	0.05																	
Chlorpyrifos-methyl	16	16	0.05																	
Cypermethrin	16	15	0.05					1								0.14	0	0.5	E	
Deltamethrin	16	16	0.05																	
Diazinon	16	16	0.02																	
Dichlofluanid	16	16	0.05																	
Dicofol	16	16	0.05																	
Dimethoate	16	15	0.02				1									0.06	0	1 ^{a)}	E	
Endosulfan	16	16	0.05																	
Folpet	16	16	0.05															xxxxxx		
Captan+ Folpet (Sum)	16	16	0.1																	
Imazalil	16	16	0.05																	
Iprodione	16	13	0.02			3										0.04	0	5	E	
Kresoxim-methyl	16	16	0.05																	
Lambda-cyhalothrin	16	16	0.02																	
Malathion	16	16	0.02																	
Maneb-group(##)	3	2	0.1					1								0.50	0	3	E	
Mecarbam	16	16	0.02																	
Methamidophos	16	16	0.02																	
Metalaxyl	16	16	0.05																	
Methidathion	16	16	0.02																	
Methiocarb	16	8	0.05					1	6	1						0.60	8	0.05	N	
Methomyl	16	15	0.05				1									0.10	0	0.5	E	
Omethoate	16	15	0.02				1									0.06	0	0.2	E	
Oxydemeton-methyl	12	12	0.05-0,1																	
Parathion	16	16	0.02																	
Permethrin	16	16	0.05																	
Phorate	12	12	0.05																	
Pirimiphos-methyl	16	15	0.05				1									0.09	1	0.05	E	
Procymidone	16	14	0.02			2										0.05	0	2	E	
Propyzamide	16	16	0.05																	
Thiabendazol	16	16	0.1																	
Tolyfluanid	16	16	0.05																	
Triazophos	16	16	0.02																	
Vinclozolin	16	16	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

a) The sample was collected before directive EC/71/2002 was transposed into the national legislation

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	23	With residues above MRL (EC+national):	0
Without detectable residues:	22	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	23	23	0.05																
Aldicarb	22	22	0.05																
Azinphos-methyl	23	23	0.05																
Azoxystrobin	22	22	0.05																
Benomyl group(#)	22	22	0,1-0,2																
Bromopropylate	23	23	0.05																
Captan	23	23	0.05															xxxxxx	
Chlorothalonil	16	16	0.01																
Chlorpyrifos	23	23	0.05																
Chlorpyrifos-methyl	23	23	0.05																
Cypermethrin	22	22	0.05																
Deltamethrin	23	22	0.05							1						1	0	1	E
Diazinon	23	23	0.02																
Dichlofluanid	23	23	0.05																
Dicofol	23	23	0,02-0,05																
Dimethoate	23	23	0,02-0,05																
Endosulfan	23	23	0.05																
Folpet	23	23	0.05															xxxxxx	
Captan+ Folpet (Sum)	23	23	0.10																
Imazalil	23	23	0,02-0,1																
Iprodione	23	23	0.02																
Kresoxim-methyl	23	23	0.05																
Lambda-cyhalothrin	23	23	0.02																
Malathion	23	23	0.02																
Maneb-group(##)	23	23	0,05-0,1																
Mecarbam	23	23	0.05																
Methamidophos	23	23	0.02																
Metalaxyl	23	23	0,05-0,1																
Methidathion	23	23	0.02																
Methiocarb	22	22	0.10																
Methomyl	22	22	0,05-0,1																
Omethoate	23	23	0.05																
Oxydemeton-methyl	16	16	0.10																
Parathion	23	23	0.02																
Permethrin	22	22	0,05-0,1																
Phorate	16	16	0.10																
Pirimiphos-methyl	23	23	0.05																
Procymidone	23	23	0.02																
Propyzamide	16	16	0.05																
Thiabendazol	22	22	0,1-0,2																
Tolyfluanid	16	16	0.05																
Triazophos	23	23	0.05																
Vinclozolin	23	23	0.05																

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	32	With residues above MRL (EC+national):	0
Without detectable residues:	11	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	21	With residues above national MRL:	0

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	32	32	0,02-0,05																	
Aldicarb	32	32	0,05-0,1																	
Azinphos-methyl	32	32	0,02-0,05																	
Azoxystrobin	32	30	0,05				1	1									0.13	0	2	E
Benomyl group(#)	32	30	0,10					1		1							0.52	0	2	E
Bromopropylate	32	32	0,05																	
Captan	32	30	0,05			1	1										0.07	0	xxxxxx	
Chlorothalonil	12	12	0,01																	
Chlorpyrifos	32	27	0,05			1	3	1									0.20	0	0.5	E
Chlorpyrifos-methyl	32	32	0,05																	
Cypermethrin	32	32	0,05-0,1																	
Deltamethrin	32	32	0,05-0,1																	
Diazinon	32	32	0,02-0,05																	
Dichlofluanid	32	32	0,05																	
Dicofol	32	32	0,02-0,05																	
Dimethoate	32	32	0,02																	
Endosulfan	32	32	0,05																	
Folpet	32	32	0,05																xxxxxx	
Captan+ Folpet (Sum)	32	30				1	1										0.07	0	3	E
Imazalil	32	32	0,02-0,05																	
Iprodione	32	29	0,05-0,1					2	1								0.22	0	10	E
kresoxim-methyl	32	32	0,05																	
Lambda-cyhalothrin	32	32	0,02																	
Malathion	32	31	0,02					1									0.12	0	0.5	E
Maneb-group(##)	20	15	0,05				2	1	2								0.37	0	2	E
Mecarbam	32	32	0,05																	
Methamidophos	32	32	0,02-0,05																	
Metalaxyl	32	32	0,05																	
Methidathion	32	32	0,02																	
Methiocarb	32	32	0,02-0,1																	
Methomyl	32	31	0,02-0,1		1												0.02	0	0.05	E
Omethoate	32	32	0,02-0,05																	
Oxydemeton-methyl	12	12	0,05-0,1																	
Parathion	32	32	0,02																	
Permethrin	32	32	0,05-0,10																	
Phorate	12	12	0,05																	
Pirimiphos-methyl	32	32	0,05																	
Procymidone	32	24	0,02			1		1	4	1	1						1.1	0	5	E
Propyzamide	12	12	0,05																	
Thiabendazol	32	32	0,10																	
Tolyfluanid	12	12	0,05																	
Triazophos	32	32	0,02-0,05																	
Vinclozolin	32	32	0,02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	42	With residues above MRL (EC+national):	2
Without detectable residues:	32	With residues above EC-MRL:	2
With detectable residues at or below MRL or without MRL:	8	With residues above national MRL:	0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	36	36	0,02-0,05																	
Aldicarb	36	36	0,05-0,1																	
Azinphos-methyl	36	36	0,02-0,05																	
Azoxystrobin	36	36	0,05																	
Benomyl group(#)	36	36	0,10																	
Bromopropylate	36	36	0,05																	
Captan	36	36	0,05															xxxxxx		
Chlorothalonil	16	13	0,01			2		1									0,15	0	1	E
Chlorpyrifos	36	36	0,05																	
Chlorpyrifos-methyl	36	36	0,05																	
Cypermethrin	36	36	0,05-0,1																	
Deltamethrin	36	36	0,05-0,1																	
Diazinon	36	36	0,02-0,05																	
Dichlofluanid	36	36	0,05																	
Dicofol	36	36	0,02-0,05																	
Dimethoate	36	36	0,02																	
Endosulfan	36	34	0,05				2										0,08	1	0,05	E
Folpet	36	36	0,05																xxxxxx	
Captan+ Folpet (Sum)	36	36																		
Imazalil	36	36	0,02-0,05																	
Iprodione	36	35	0,05-0,1				1										0,10	0	2	E
Kresoxim-methyl	36	36	0,05																	
Lambda-cyhalothrin	36	36	0,02																	
Malathion	36	36	0,02																	
Maneb-group(##)	26	24	0,05						1		1						1,2	1	0,5	E
Mecarbam	36	36	0,05																	
Methamidophos	36	36	0,02-0,05																	
Metalaxyl	36	36	0,05																	
Methidathion	36	36	0,02																	
Methiocarb	36	36	0,02-0,1																	
Methomyl	36	35	0,02-0,1				1										0,06	0	0,05	E
Omethoate	36	36	0,02-0,05																	
Oxydemeton-methyl	12	12	0,05-0,1																	
Parathion	36	36	0,02																	
Permethrin	36	36	0,05-0,10																	
Phorate	12	12	0,05																	
Pirimiphos-methyl	36	36	0,05																	
Procymidone	36	34	0,02				1	1									0,19	0	1	E
Propyzamide	16	16	0,05																	
Thiabendazol	36	36	0,10																	
Tolyfluanid	16	16	0,05																	
Triazophos	36	36	0,02-0,05																	
Vinclozolin	36	35	0,02					1									11613	0	1	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>Portugal</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	16	With residues above MRL (EC+national):	0
Without detectable residues:	15	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	13	13	0.02																
Aldicarb	13	13	0.05																
Azinphos-methyl	13	13	0.02																
Azoxystrobin	13	13	0.05																
Benomyl group(#)	13	13	0.1																
Bromopropylate	13	13	0.05																
Captan	13	13	0.05															xxxxxx	
Chlorothalonil	13	13	0.01																
Chlorpyrifos	13	13	0.02																
Chlorpyrifos-methyl	13	13	0.02																
Cypermethrin	13	13	0.05																
Deltamethrin	13	13	0.05																
Diazinon	13	13	0.02																
Dichlofluanid	13	13	0.05																
Dicofol	13	13	0.05																
Dimethoate	13	13	0.02																
Endosulfan	13	13	0.05																
Folpet	13	13	0.05															xxxxxx	
Captan+ Folpet (Sum)	13	13	0.1																
Imazalil	13	13	0.05																
Iprodione	13	13	0.02																
Kresoxim-methyl	13	13	0.05																
Lambda-cyhalothrin	13	13	0.02																
Malathion	13	13	0.02																
Maneb-group(##)	3	3	0.1																
Mecarbam	13	13	0.02																
Methamidophos	13	13	0.02																
Metalaxyl	13	13	0.05																
Methidathion	13	13	0.02																
Methiocarb	13	13	0.05																
Methomyl	13	13	0.02																
Omethoate	13	13	0.02																
Oxydemeton-methyl	12	12	0.05-0.1																
Parathion	13	13	0.02																
Permethrin	13	13	0.05																
Phorate	12	12	0.05																
Pirimiphos-methyl	13	13	0.05																
Procymidone	13	12	0.02				1									0.08	0	0.3	E
Propyzamide	13	13	0.05																
Thiabendazol	13	13	0.1																
Tolyfluanid	13	13	0.05																
Triazophos	13	13	0.02																
Vinclozolin	13	12	0.02			1										1103	0	0.3	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>Finland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>31</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>30</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>
or without MRL:	<u>1</u>		

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	31	31	0.01																2.00	E
Aldicarb	13	13	0.01																0.20	E
Azinphos-methyl	31	31	0.01																0.50	E
Azoxystrobin	25	25	0.03																0.50	E
Benomyl group(#)	13	13	0.01																0.10	E
Bromopropylate	31	31	0.01																0.05	E
Captan	31	31	0.03															xxxxxx		
Chlorothalonil	31	31	0.01																3.00	E
Chlorpyrifos	31	31	0.01																0.05	E
Chlorpyrifos-methyl	31	31	0.01																0.05	E
Cypermethrin	31	31	0.02																0.50	E
Deltamethrin	31	31	0.01																0.10	E
Diazinon	31	31	0.01																0.02	E
Dichlofluanid	31	31	0.01																5.00	E
Dicofol	31	31	0.02																0.02	E
Dimethoate	31	31	0.01																0.20	E
Endosulfan	31	31	0.01																0.05	E
Folpet	25	25	0.10															xxxxxx		
Captan+ Folpet (Sum)	25	25	0.03																0.10	E
Imazalil	31	31	0.03																0.02	E
Iprodione	31	31	0.02																0.05	E
Kresoxim-methyl	25	25	0.03																0.05	E
Lambda-cyhalothrin	31	31	0.01																0.10	E
Malathion	31	31	0.01																3.00	E
Maneb-group(##)	12	12	0.20																1.00	E
Mecarbam	31	31	0.02																0.05	E
Methamidophos	31	31	0.02																0.50	E
Metalaxyl	31	31	0.05																0.10	E
Methidathion	31	31	0.01																0.02	E
Methiocarb	31	31	0.02																	W
Methomyl	13	12	0.01		1												0.015		0.05	E
Omethoate	25	25	0.05																0.20	E
Oxydemeton-methyl	13	13	0.01																0.02	E
Parathion	31	31	0.01																0.05	E
Permethrin	31	31	0.03																0.05	E
Phorate	13	13	0.01																0.05	E
Pirimiphos-methyl	31	31	0.01																1.00	E
Procymidone	31	31	0.01																0.02	E
Propyzamide	25	25	0.02																0.02	E
Thiabendazol	31	31	0.03																0.05	E
Tolyfluanid	31	31	0.01																	W
Triazophos	31	31	0.02																0.02	E
Vinclozolin	31	31	0.01														118		0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Finland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>79</u>	With residues above MRL (EC+national):	<u>3</u>
Without detectable residues:	<u>52</u>	With residues above EC-MRL:	<u>3</u>
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>
or without MRL:	<u>24</u>		

Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	79	79	0.01																0.02	E
Aldicarb	19	19	0.01																0.05	E
Azinphos-methyl	79	79	0.01																0.50	E
Azoxystrobin	66	66	0.03																2.00	E
Benomyl group(#)	19	19	0.01																0.10	E
Bromopropylate	79	79	0.01																0.05	E
Captan	79	79	0.03																xxxxxx	
Chlorothalonil	79	79	0.01																2.00	E
Chlorpyrifos	79	77	0.01	1		1											0.043		0.50	E
Chlorpyrifos-methyl	79	77	0.01		1			1									0.16		0.50	E
Cypermethrin	79	74	0.02			1	2		1	1							0.89	1	0.50	E
Deltamethrin	79	78	0.01		1												0.019		0.20	E
Diazinon	79	79	0.01																0.50	E
Dichlofuanid	79	78	0.01		1												0.02		5.00	E
Dicofol	79	79	0.02																0.02	E
Dimethoate	79	76	0.01		2	1											0.036	1	0.02	E
Endosulfan	79	60	0.01		4	4	2	6	2	1							0.51		1.00	E
Folpet	66	66	0.10																xxxxxx	
Captan+ Folpet (Sum)	66	66	0.03																0.10	E
Imazalil	79	79	0.03																0.02	E
Iprodione	79	77	0.02			1		1									0.12		5.00	E
Kresoxim-methyl	66	66	0.03																1.00	E
Lambda-cyhalothrin	79	79	0.01																0.10	E
Malathion	79	74	0.01	1	3	1											0.03		3.00	E
Maneb-group(##)	12	12	0.20																2.00	E
Mecarbam	79	78	0.02			1											0.036		0.05	E
Methamidophos	79	79	0.02																0.01	E
Metalaxyl	79	79	0.05																0.05	E
Methidathion	79	79	0.01																0.02	E
Methiocarb	79	79	0.02																	W
Methomyl	19	17	0.01		1	1											0.028		0.05	E
Omethoate	66	66	0.05																0.20	E
Oxydemeton-methyl	19	19	0.01																0.02	E
Parathion	79	79	0.01																0.05	E
Permethrin	79	78	0.03					1									0.4	1	0.05	E
Phorate	19	19	0.01																0.05	E
Pirimiphos-methyl	79	72	0.01	3	1	1	1	1									0.17		1.00	E
Procymidone	79	69	0.01			4	5	1									0.16		2.00	E
Propyzamide	66	66	0.02																0.02	E
Thiabendazol	79	79	0.03																0.05	E
Tolyfluanid	79	79	0.01																	W
Triazophos	79	79	0.02																0.02	E
Vinclozolin	79	79	0.01														119		3.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Finland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	37	With residues above MRL (EC+national):	0
Without detectable residues:	34	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	33	33	0.01																0.02	E
Aldicarb	23	23	0.01																0.05	E
Azinphos-methyl	33	33	0.01																	W
Azoxystrobin	33	33	0.03																0.30	E
Benomyl group(#)	23	23	0.01																0.10	E
Bromopropylate	33	33	0.01																0.05	E
Captan	33	33	0.03															xxxxxx		
Chlorothalonil	33	33	0.01																0.10	E
Chlorpyrifos	33	33	0.01																0.05	E
Chlorpyrifos-methyl	33	32	0.01			1											0.031		3.00	E
Cypermethrin	33	33	0.02																0.05	E
Deltamethrin	33	33	0.01																1.00	E
Diazinon	33	33	0.01																0.02	E
Dichlofluanid	33	33	0.01																	W
Dicofol	33	33	0.02																0.02	E
Dimethoate	33	33	0.01																0.30	E
Endosulfan	33	33	0.01																0.05	E
Folpet	33	33	0.10															xxxxxx		
Captan+ Folpet (Sum)	33	33	0.03																	W
Imazalil	33	33	0.03																0.02	E
Iprodione	33	33	0.02																0.50	E
Kresoxim-methyl	33	33	0.03																0.05	E
Lambda-cyhalothrin	33	33	0.01																0.02	E
Malathion	33	32	0.01			1											0.024		8.00	E
Maneb-group(##)	23	23	0.20																1.00	E
Mecarbam	33	33	0.02																0.05	E
Methamidophos	33	33	0.02																0.01	E
Metalaxyl	33	33	0.05																0.05	E
Methidathion	33	33	0.01																0.02	E
Methiocarb	33	33	0.02																	W
Methomyl	23	23	0.01																0.05	E
Omethoate	33	33	0.05																	W
Oxydemeton-methyl	23	23	0.01																0.02	E
Parathion	33	33	0.01																0.05	E
Permethrin	33	33	0.03																0.05	E
Phorate	23	23	0.01																0.05	E
Pirimiphos-methyl	33	31	0.01		1	1											0.026		5.00	E
Procymidone	33	33	0.01																0.02	E
Propyzamide	33	33	0.02																0.02	E
Thiabendazol	33	33	0.03																0.05	E
Tolyfluanid	33	33	0.01																	W
Triazophos	33	33	0.02																0.02	E
Vinclozolin	33	33	0.01														120		0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Finland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>17</u>	With residues above MRL (EC+national):	<u>2</u>
Without detectable residues:	<u>14</u>	With residues above EC-MRL:	<u>2</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	17	17	0.01																0.50	E
Aldicarb	11	11	0.01																0.05	E
Azinphos-methyl	17	17	0.01																0.50	E
Azoxystrobin	16	16	0.03																2.00	E
Benomyl group(#)	11	11	0.01																0.50	E
Bromopropylate	17	17	0.01																0.05	E
Captan	17	17	0.03															xxxxxx		
Chlorothalonil	17	15	0.01			1			1								0.23		2.00	E
Chlorpyrifos	17	17	0.01				1												0.50	E
Chlorpyrifos-methyl	17	17	0.01																0.50	E
Cypermethrin	17	17	0.02																0.50	E
Deltamethrin	17	17	0.01																0.20	E
Diazinon	17	17	0.01																0.50	E
Dichlofluanid	17	17	0.01																5.00	E
Dicofol	17	17	0.02																0.02	E
Dimethoate	17	17	0.01																0.02	E
Endosulfan	17	15	0.01					2									0.11	2	0.05	E
Folpet	16	16	0.10																xxxxxx	
Captan+ Folpet (Sum)	16	16	0.03																0.10	E
Imazalil	17	17	0.03																0.02	E
Iprodione	17	17	0.02																5.00	E
Kresoxim-methyl	16	16	0.03																0.50	E
Lambda-cyhalothrin	17	17	0.01																0.50	E
Malathion	17	16	0.01		1												0.016		3.00	E
Maneb-group(##)	10	10	0.20																2.00	E
Mecarbam	17	17	0.02																0.05	E
Methamidophos	17	17	0.02																0.20	E
Metalaxyl	17	17	0.05																0.05	E
Methidathion	17	17	0.01																0.02	E
Methiocarb	17	17	0.02																	W
Methomyl	11	11	0.01																0.50	E
Omethoate	16	16	0.05																0.20	E
Oxydemeton-methyl	11	11	0.01																0.02	E
Parathion	17	17	0.01																0.05	E
Permethrin	17	17	0.03																0.05	E
Phorate	11	11	0.01																0.05	E
Pirimiphos-methyl	17	17	0.01																0.05	E
Procymidone	17	17	0.01																2.00	E
Propyzamide	16	16	0.02																0.02	E
Thiabendazol	17	17	0.03																0.05	E
Tolyfluanid	17	17	0.01																	W
Triazophos	17	17	0.02																0.02	E
Vinclozolin	17	17	0.01														121		3.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Finland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	44	With residues above MRL (EC+national):	0
Without detectable residues:	44	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	44	44	0.01																0.02	E
Aldicarb	12	12	0.01																0.05	E
Azinphos-methyl	44	44	0.01																	W
Azoxystrobin	44	44	0.03																5.00	E
Benomyl group(#)	12	12	0.01																0.10	E
Bromopropylate	44	44	0.01																0.05	E
Captan	44	44	0.03															xxxxxx		
Chlorothalonil	44	44	0.01																0.01	E
Chlorpyrifos	44	44	0.01																0.05	E
Chlorpyrifos-methyl	44	44	0.01																3.00	E
Cypermethrin	44	44	0.02																0.05	E
Deltamethrin	44	44	0.01																1.00	E
Diazinon	44	44	0.01																0.02	E
Dichlofluanid	44	44	0.01																	W
Dicofol	44	44	0.02																0.02	E
Dimethoate	44	44	0.01																0.02	E
Endosulfan	44	44	0.01																0.05	E
Folpet	44	44	0.10															xxxxxx		
Captan+ Folpet (Sum)	44	44	0.03																	W
Imazalil	44	44	0.03																0.02	E
Iprodione	44	44	0.02																3.00	E
Kresoxim-methyl	44	44	0.03																0.05	E
Lambda-cyhalothrin	44	44	0.01																0.02	E
Malathion	44	44	0.01																8.00	E
Maneb-group(##)	12	12	0.20																0.05	E
Mecarbam	44	44	0.02																0.05	E
Methamidophos	44	44	0.02																0.01	E
Metalaxyl	44	44	0.05																0.05	E
Methidathion	44	44	0.01																0.02	E
Methiocarb	44	44	0.02																	W
Methomyl	12	12	0.01																0.05	E
Omethoate	44	44	0.05																	W
Oxydemeton-methyl	12	12	0.01																0.02	E
Parathion	44	44	0.01																0.05	E
Permethrin	44	44	0.03																0.05	E
Phorate	12	12	0.01																0.05	E
Pirimiphos-methyl	44	44	0.01																5.00	E
Procymidone	44	44	0.01																0.02	E
Propyzamide	44	44	0.02																0.02	E
Thiabendazol	44	44	0.03																0.05	E
Tolyfluanid	44	44	0.01																	W
Triazophos	44	44	0.02																0.02	E
Vinclozolin	44	44	0.01																0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>Finland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	50	With residues above MRL (EC+national):	5
Without detectable residues:	16	With residues above EC-MRL:	5
With detectable residues at or below MRL or without MRL:	29	With residues above national MRL:	0

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	50	50	0.01																0.02	E
Aldicarb	23	23	0.01																0.05	E
Azinphos-methyl	50	50	0.01																1.00	E
Azoxystrobin	44	43	0.03						1								0.24		2.00	E
Benomyl group(##)	23	22	0.01					1									0.16		2.00	E
Bromopropylate	50	45	0.01		2				1	2							0.71	3	0.05	E
Captan	50	48	0.03				2										0.1		xxxxxx	
Chlorothalonil	50	50	0.01																1.00	E
Chlorpyrifos	50	40	0.01		2	5		1		1	1						1.1	2	0.50	E
Chlorpyrifos-methyl	50	44	0.01			3	2	1									0.13		0.20	E
Cypermethrin	50	48	0.02			1			1								0.21		0.50	E
Deltamethrin	50	50	0.01																0.10	E
Diazinon	50	50	0.01																0.02	E
Dichlofluanid	50	50	0.01																10.00	E
Dicofol	50	50	0.02																2.00	E
Dimethoate	50	50	0.01																0.02	E
Endosulfan	50	48	0.01		1	1											0.035		0.50	E
Folpet	44	43	0.10								1						1.9		xxxxxx	
Captan+ Folpet (Sum)	44	41	0.03				2				1						2		3.00	E
Imazalil	50	50	0.03																0.02	E
Iprodione	50	46	0.02			1			1	2							0.98		10.00	E
Kresoxim-methyl	44	44	0.03																1.00	E
Lambda-cyhalothrin	50	48	0.01			2											0.049		0.20	E
Malathion	50	50	0.01																0.50	E
Maneb-group(##)	12	11	0.20						1								0.37		2.00	E
Mecarbam	50	50	0.02																0.05	E
Methamidophos	50	50	0.02																0.01	E
Metalaxyl	50	48	0.05				1	1									0.15		2.00	E
Methidathion	50	50	0.01																0.50	E
Methiocarb	50	48	0.02			1	1										0.051			W
Methomyl	23	23	0.01																0.05	E
Omethoate	44	44	0.05																0.10	E
Oxydemeton-methyl	23	23	0.01																0.02	E
Parathion	50	50	0.01																0.05	E
Permethrin	50	50	0.03																0.05	E
Phorate	23	23	0.01																0.05	E
Pirimiphos-methyl	50	50	0.01																0.05	E
Procymidone	50	33	0.01	1	1	5	2	1	4	3							0.91		5.00	E
Propyzamide	44	44	0.02																0.02	E
Thiabendazol	50	50	0.03																0.05	E
Tolyfluanid	50	50	0.01																	W
Triazophos	50	50	0.02																0.02	E
Vinclozolin	50	50	0.01														123		5.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(##) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country: <u>Finland</u>	Year of sampling: <u>2003</u>	Remark:	
Total number of samples analysed:	83	With residues above MRL (EC+national):	0
Without detectable residues:	72	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	11	With residues above national MRL:	0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	83	83	0.01																0.02	E	
Aldicarb	48	48	0.01																0.05	E	
Azinphos-methyl	83	83	0.01																0.50	E	
Azoxystrobin	48	48	0.03																1.00	E	
Benomyl group(#)	12	11	0.01			1										0.05			0.50	E	
Bromopropylate	83	83	0.01																0.05	E	
Captan	83	83	0.03																xxxxxx		
Chlorothalonil	83	78	0.01				3	1		1						0.58			1.00	E	
Chlorpyrifos	83	83	0.01																0.05	E	
Chlorpyrifos-methyl	83	83	0.01																0.05	E	
Cypermethrin	83	83	0.02																0.20	E	
Deltamethrin	83	83	0.01																0.10	E	
Diazinon	83	83	0.01																0.02	E	
Dichlofluanid	83	81	0.01	1		1										0.05			5.00	E	
Dicofol	83	83	0.02																0.20	E	
Dimethoate	83	83	0.01																0.02	E	
Endosulfan	83	75	0.01		4	4										0.035			0.05	E	
Folpet	48	48	0.10																xxxxxx		
Captan+ Folpet (Sum)	48	48	0.03																0.10	E	
Imazalil	83	83	0.03																0.20	E	
Iprodione	83	81	0.02				1	1								0.11			2.00	E	
Kresoxim-methyl	48	48	0.03																0.05	E	
Lambda-cyhalothrin	83	83	0.01																0.10	E	
Malathion	83	82	0.01			1										0.05			3.00	E	
Maneb-group(##)	14	12	0.20					1	1							0.3			0.50	E	
Mecarbam	83	83	0.02																0.05	E	
Methamidophos	83	83	0.02																1.00	E	
Metalaxyl	83	82	0.05			1										0.05			0.50	E	
Methidathion	83	83	0.01																0.02	E	
Methiocarb	83	83	0.02																	W	
Methomyl	12	12	0.01																0.05	E	
Omethoate	48	48	0.05																0.20	E	
Oxydemeton-methyl	12	12	0.01																0.02	E	
Parathion	83	83	0.01																0.05	E	
Permethrin	83	83	0.03																0.05	E	
Phorate	12	12	0.01																0.05	E	
Pirimiphos-methyl	83	83	0.01																0.10	E	
Procymidone	83	72	0.01		1	5	3	1	1							0.25			1.00	E	
Propyzamide	48	48	0.02																0.02	E	
Thiabendazol	83	83	0.03																0.05	E	
Tolyfluanid	83	83	0.01																	W	
Triazophos	83	83	0.02																0.02	E	
Vinclozolin	83	83	0.01													124			1.00	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>Finland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>27</u>	With residues above MRL (EC+national):	<u>1</u>
Without detectable residues:	<u>25</u>	With residues above EC-MRL:	<u>1</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	27	27	0.01																0.02	E
Aldicarb	16	16	0.01																0.05	E
Azinphos-methyl	27	27	0.01																0.50	E
Azoxystrobin	22	22	0.03																0.20	E
Benomyl group(#)	16	15	0.01	1													0.01		0.10	E
Bromopropylate	27	27	0.01																0.05	E
Captan	27	27	0.03																xxxxxx	
Chlorothalonil	27	27	0.01																0.30	E
Chlorpyrifos	27	27	0.01																0.05	E
Chlorpyrifos-methyl	27	27	0.01																0.05	E
Cypermethrin	27	27	0.02																0.05	E
Deltamethrin	27	27	0.01																0.05	E
Diazinon	27	27	0.01																0.02	E
Dichlofluanid	27	27	0.01																5.00	E
Dicofol	27	27	0.02																0.02	E
Dimethoate	27	26	0.01				1										0.052	1	0.02	E
Endosulfan	27	27	0.01																0.05	E
Folpet	22	22	0.10																xxxxxx	
Captan+ Folpet (Sum)	22	22	0.03																2.00	E
Imazalil	27	27	0.03																0.02	E
Iprodione	27	27	0.02																0.20	E
Kresoxim-methyl	22	22	0.03																0.05	E
Lambda-cyhalothrin	27	27	0.01																0.02	E
Malathion	27	27	0.01																3.00	E
Maneb-group(##)	16	16	0.20																0.10	E
Mecarbam	27	27	0.02																0.05	E
Methamidophos	27	27	0.02																0.01	E
Metalaxyl	27	27	0.05																0.05	E
Methidathion	27	27	0.01																0.02	E
Methiocarb	27	27	0.02																	W
Methomyl	16	16	0.01																0.05	E
Omethoate	22	22	0.05																0.20	E
Oxydemeton-methyl	16	16	0.01																0.02	E
Parathion	27	27	0.01																0.05	E
Permethrin	27	27	0.03																0.05	E
Phorate	16	16	0.01																0.05	E
Pirimiphos-methyl	27	27	0.01																0.05	E
Procymidone	27	27	0.01																0.30	E
Propyzamide	22	22	0.02																0.02	E
Thiabendazol	27	27	0.03																0.05	E
Tolyfluanid	27	27	0.01																	W
Triazophos	27	27	0.02																0.02	E
Vinclozolin	27	27	0.01														125		0.30	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Cauliflower	
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	<u>21</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>18</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>
or without MRL:	<u>3</u>		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	21	21	0.02															2	E	
Aldicarb	20	19	0.01			1											0.026	0.2	E	
Azinphos-methyl	21	21	0.05															0.5	E	
Azoxystrobin	21	21	0.1															2	E	
Benomyl group(#)	20	18	0.01		1		1										0.069	0.1	E	
Bromopropylate	21	21	0.1															0.05	E	
Captan	21	21	0.05															xxxxxxx		
Chlorothalonil	21	21	0.02															3	E	
Chlorpyriphos	21	21	0.05															0.05	E	
Chlorpyriphos-methyl	21	21	0.05															0.05	E	
Cypermethrin	21	21	0.2															0.5	E	
Deltamethrin	21	21	0.05															0.1	E	
Diazinon	21	21	0.02															0.02	E	
Dichlofluanid	21	21	0.05															5	E	
Dicofol	21	21	0.2															0.02	E	
Dimethoate	21	21	0.02															0.2	E	
Endosulfan	21	21	0.01															0.05	E	
Folpet	21	21	0.05															xxxxxxx		
Captan+ Folpet (Sum)	21	21	0.05															0.1	E	
Imazalil	21	21	0.01															0.02	E	
Iprodione	21	21	0.02															0.05	E	
Kresoxim-methyl	21	21	0.02															0.05	P	
Lambda-cyhalothrin	21	21	0.1															0.1	E	
Malathion	21	21	0.05															3	E	
Maneb-group(##)	0	0	0.025															1	E	
Mecarbam	21	21	0.05															0.05	E	
Methamidophos	21	21	0.02															0.5	E	
Metalaxyl	21	21	0.1															0.1	E	
Methidathion	21	21	0.02															0.02	E	
Methiocarb	21	21	0.01															0.1	N	
Methomyl	20	20	0.01															0.05	E	
Omethoate	21	21	0.02																W	
Oxydemeton-methyl	21	21	0.01															0.02	E	
Parathion	6	6	0.03															0.5	E	
Permethrin	21	21	0.05															0.05	E	
Phorate	20	20	0.01															0.05	E	
Pirimiphos-methyl	21	21	0.05															1	E	
Procymidone	21	21	0.02															0.02	E	
Propyzamide	21	21	0.02															0.02	E	
Thiabendazole	21	21	0.01															0.05	E	
Tolylfluanid	21	21	0.05															3	N	
Triazophos	21	21	0.02															0.02	E	
Vinclozolin (Sum)	21	21	0.05															0.05	E	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Peppers		
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>	Remark:
Total number of samples analysed:	64	With residues above MRL (EC+national):	4	
Without detectable residues:	44	With residues above EC-MRL:	4	
With detectable residues at or below MRL or without MRL:	16	With residues above national MRL:	0	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	64	64	0.02																0.02	E
Aldicarb	63	63	0.01																0.05	E
Azinphos-methyl	64	64	0.05																0.5	E
Azoxystrobin	64	64	0.1																2	E
Benomyl group(#)	64	59	0.01	1		1	2	1								0.11	1		0.1	E
Bromopropylate	64	64	0.1																0.05	E
Captan	64	64	0.05															xxxxxx		
Chlorothalonil	64	61	0.02			1		1	1							0.25			2	E
Chlorpyrifos	64	64	0.05																0.5	E
Chlorpyrifos-methyl	64	64	0.05																0.5	E
Cypermethrin	64	64	0.2																0.5	E
Deltamethrin	64	64	0.05																0.2	E
Diazinon	64	64	0.02																0.5	E
Dichlofuanid	64	62	0.05				2									0.091			5	E
Dicofol	64	63	0.2							1						0.68	1		0.02	E
Dimethoate	64	64	0.02																0.02	E
Endosulfan	64	57	0.01			1	1	3	1		1					1.08	1		1	E
Folpet	64	64	0.05															xxxxxx		
Captan+ Folpet (Sum)	64	64	0.05																0.1	E
Imazalil	64	64	0.01																0.02	E
Iprodione	64	61	0.02		1			1	1							0.26			5	E
Kresoxim-methyl	64	64	0.02																1	P
Lambda-cyhalothrin	64	64	0.1																0.1	E
Malathion	64	62	0.05					2								0.16			3	E
Maneb-group(##)	15	13	0.025					1	1							0.435			2	E
Mecarbam	64	64	0.05																0.05	E
Methamidophos	64	63	0.02					1								0.135	1		0.01	E
Metalaxyl	64	64	0.1																0.05	E
Methidathion	64	64	0.02																0.02	E
Methiocarb	64	62	0.01			1	1									0.06			0.1	N
Methomyl	64	59	0.01			3	1		1							0.3	2		0.05	E
Omethoate	64	64	0.02																	W
Oxydemeton-methyl	63	63	0.01																0.02	E
Parathion	26	26	0.03																0.5	E
Permethrin	64	64	0.05																0.05	E
Phorate	63	63	0.01																0.05	E
Pirimiphos-methyl	64	62	0.05					1	1							0.16			1	E
Procymidone	64	60	0.02					1	3							0.17			2	E
Propyzamide	64	64	0.02																0.02	E
Thiabendazole	64	64	0.01																0.05	E
Tolylfluanid	64	64	0.05																3	N
Triazophos	64	64	0.02																0.02	E
Vinclozolin	64	64	0.05																3	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e. column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Wheat		
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>	Remark:
Total number of samples analysed:	<u>139</u>	With residues above MRL (EC+national):	<u>1</u>	
Without detectable residues:	<u>136</u>	With residues above EC-MRL:	<u>1</u>	
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>	
or without MRL:	<u>2</u>			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	139	139	0.02																0.02	E
Aldicarb	0	0																	0.05	E
Azinphos-methyl	139	139	0.06																0.2	E
Azoxystrobin	0	0																		
Benomyl group(#)	0	0																		
Bromopropylate	0	0																		
Captan	0	0																	xxxxxxx	
Chlorothalonil	139	139	0.01																0.1	E
Chlorpyrifos	139	139	0.05																0.05	E
Chlorpyrifos-methyl	139	137	0.02				2										0.03		3	E
Cypermethrin	139	138	0.05					1									0.148	1	0.05	E
Deltamethrin	139	139	0.1																1	E
Diazinon	139	139	0.02																0.02	E
Dichlofluanid	0	0																		
Dicofol	0	0																		
Dimethoate	139	139	0.02																0.3	E
Endosulfan	139	139	0.02																0.05	E
Folpet	0	0																	xxxxxxx	
Captan+ Folpet (Sum)	0	0																		
Imazalil	0	0																		
Iprodione	139	139	0.02																0.5	E
Kresoxim-methyl	0	0																		
Lambda-cyhalothrin	139	139	0.02																0.02	E
Malathion	139	139	0.1																8	E
Maneb-group(##)	0	0																		
Mecarbam	0	0																		
Methamidophos	139	139	0.01																0.01	E
Metalaxyl	139	139	0.05																0.05	E
Methidathion	0	0																		
Methiocarb	139	139	0.3																0.1	N
Methomyl	0	0																		
Omethoate	0	0																	xxxxxxx	
Oxydemeton-methyl	0	0																		
Parathion	139	139	0.08																0.05	E
Permethrin	139	139	0.2																0.05	E
Phorate	0	0																		
Pirimiphos-methyl	139	138	0.05						1								0.23		5	E
Procymidone	139	139	0.02																0.02	E
Propyzamide	0	0																		
Thiabendazol	0	0																		
Tolylfluanid	0	0																		
Triazophos	0	0																		
Vinclozolin (Sum)	139	139	0.05																0.05	E

xxxxxx: MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Aubergines	
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	<u>20</u>	With residues above MRL (EC+national):	<u>1</u>
Without detectable residues:	<u>12</u>	With residues above EC-MRL:	<u>1</u>
With detectable residues at or below MRL or without MRL:	<u>7</u>	With residues above national MRL:	<u>0</u>

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	20	20	0.02															0.5	E	
Aldicarb	20	20	0.01															0.05	E	
Azinphos-methyl	20	20	0.05															0.5	E	
Azoxystrobin	20	20	0.1															2	E	
Benomyl group(#)	20	18	0.01		1	1									0.024			0.1	N	
Bromopropylate	20	20	0.1															0.05	E	
Captan	20	20	0.05														xxxxxx			
Chlorothalonil	20	19	0.02				1								0.067			2	E	
Chlorpyrifos	20	19	0.05			1									0.027			0.5	E	
Chlorpyrifos-methyl	20	20	0.05															0.5	E	
Cypermethrin	20	19	0.2					1							0.22			0.5	E	
Deltamethrin	20	20	0.05															0.2	E	
Diazinon	20	20	0.02															0.5	E	
Dichlofluanid	20	20	0.05															5	E	
Dicofol	20	20	0.2															0.02	E	
Dimethoate	20	20	0.02															0.02	E	
Endosulfan	20	20	0.01															0.05	E	
Folpet	20	20	0.05														xxxxxx			
Captan+ Folpet (Sum)	20	20	0.05															0.1	E	
Imazalil	20	20	0.01															0.02	E	
Iprodione	20	19	0.02			1									0.026			5	E	
Kresoxim-methyl	20	20	0.02															0.5	P	
Lambda-cyhalothrin	20	20	0.1															0.5	E	
Malathion	20	20	0.05															3	E	
Maneb-group(##)	20	18	0.025				2								0.062			2	E	
Mecarbam	20	20	0.05															0.05	E	
Methamidophos	20	18	0.02			1	1								0.067			0.2	E	
Metalaxyl	20	20	0.1															0.05	E	
Methidathion	20	20	0.02															0.02	E	
Methiocarb	20	20	0.01															0.1	N	
Methomyl	20	19	0.01				1								0.056		1	0.05	E	
Omethoate	20	20	0.02																W	
Oxydemeton-methyl	20	20	0.01															0.02	E	
Parathion	20	20	0.03															0.5	E	
Permethrin	20	20	0.05															0.05	E	
Phorate	20	20	0.01															0.05	E	
Pirimiphos-methyl	20	20	0.05															0.05	E	
Procymidone	20	17	0.02			1	1	1							0.142			2	E	
Propyzamide	20	20	0.02															0.02	E	
Thiabendazole	20	20	0.01															0.05	E	
Tolyfluanid	20	20	0.05															3	N	
Triazophos	20	20	0.02															0.02	E	
Vinclozolin (Sum)	20	20	0.05												1.20			3	E	

129

xxxxxx: MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Rice	
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>51</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>46</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>
or without MRL:	<u>5</u>		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	51	51	0.02																0.02	E
Aldicarb	0	0																	0.05	E
Azinphos-methyl	51	51	0.06																0.2	E
Azoxystrobin	0	0																		
Benomyl group(#)	0	0																		
Bromopropylate	0	0																		
Captan	0	0																xxxxxxx		
Chlorothalonil	51	51	0.01																0.01	E
Chlorpyrifos	51	51	0.05																0.05	E
Chlorpyrifos-methyl	51	50	0.02			1											0.026		3	E
Cypermethrin	51	51	0.05																0.05	E
Deltamethrin	51	48	0.1					1	2								0.3		1	E
Diazinon	51	51	0.02																0.02	E
Dichlofluanid	0	0																		
Dicofol	0	0																		
Dimethoate	51	51	0.02																0.02	E
Endosulfan	51	51	0.02																0.05	E
Folpet	0	0																xxxxxxx		
Captan+ Folpet (Sum)	0	0																		
Imazalil	0	0																		
Iprodione	51	51	0.02																3	E
Kresoxim-methyl	0	0																		
Lambda-cyhalothrin	51	51	0.02																0.02	E
Malathion	51	51	0.1																8	E
Maneb-group(##)	0	0																		
Mecarbam	0	0																		
Methamidophos	51	51	0.01																0.01	E
Metalaxyl	51	51	0.05																0.05	E
Methidathion	0	0																		
Methiocarb	51	51	0.3																0.1	N
Methomyl	0	0																		
Omethoate	0	0																		
Oxydemeton-methyl	0	0																		
Parathion	51	51	0.08																0.05	E
Permethrin	51	51	0.2																0.05	E
Phorate	0	0																		
Pirimiphos-methyl	51	50	0.05						1								0.26		5	E
Procymidone	51	51	0.02																0.02	E
Propyzamide	0	0																		
Thiabendazole	0	0																		
Tolyfluanid	0	0																		
Triazophos	0	0																		
Vinclozolin (Sum)	51	51	0.05																0.05	E

xxxxxx: MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Table grapes		
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>	Remark:
Total number of samples analysed:	106	With residues above MRL (EC+national):	7	
Without detectable residues:	50	With residues above EC-MRL:	7	
With detectable residues at or below MRL or without MRL:	49	With residues above national MRL:	0	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	106	105	0.02							1							0.66	1	0.02	E
Aldicarb	105	104	0.01		1												0.016		0.05	E
Azinphos-methyl	106	106	0.05																1	E
Azoxystrobin	106	101	0.1					3	2								0.45		2	E
Benomyl group(#)	105	100	0.01	1		1	1	1		1							0.93		2	E
Bromopropylate	106	106	0.1																0.05	E
Captan	106	100	0.05				4		1	1							0.57		xxxxxx	
Chlorothalonil	106	106	0.02																1	E
Chlorpyrifos	106	95	0.05				4	3	3	1							0.545	1	0.5	E
Chlorpyrifos-methyl	106	104	0.05				1	1									0.14		0.2	E
Cypermethrin	106	105	0.2						1								0.41		0.5	E
Deltamethrin	106	106	0.05																0.1	E
Diazinon	106	106	0.02																0.02	E
Dichlofluanid	106	106	0.05																10	E
Dicofol	106	104	0.2					2									0.15		2	E
Dimethoate	106	105	0.02			1											0.03	1	0.02	E
Endosulfan	106	106	0.01																0.5	E
Folpet	106	106	0.05																xxxxxx	
Captan+ Folpet (Sum)	106	100	0.05				4		1	1							0.57		3	E
Imazalil	106	106	0.01																0.02	E
Iprodione	106	93	0.02			2	3	1	7								0.34		10	E
Kresoxim-methyl	106	105	0.02				1										0.063		1	P
Lambda-cyhalothrin	106	105	0.1						1								0.46	1	0.2	E
Malathion	106	106	0.05																0.5	E
Maneb-group(##)	21	13	0.025				4	3	1								0.36		2	E
Mecarbam	106	106	0.05																0.05	E
Methamidophos	106	105	0.02			1											0.041	1	0.01	E
Metalaxyl	106	104	0.1					1	1								0.355		2	E
Methidathion	106	106	0.02																0.5	E
Methiocarb	106	101	0.01		2	1	2										0.091		0.1	N
Methomyl	105	100	0.01			1		1	2		1						1.16	4	0.05	E
Omethoate	106	105	0.02			1											0.03			W
Oxydemeton-methyl	105	105	0.01																0.02	E
Parathion	25	25	0.03																0.5	E
Permethrin	106	105	0.05						1								0.245	1	0.05	E
Phorate	105	105	0.01																0.05	E
Pirimiphos-methyl	106	106	0.05																0.05	E
Procymidone	106	90	0.02			1	1	5	6	2	1						1.42		5	E
Propyzamide	106	106	0.02																0.02	E
Thiabendazole	106	106	0.01																0.05	E
Tolylfluanid	106	106	0.05																No MRL	
Triazophos	106	106	0.02																0.02	E
Vinclozolin (Sum)	106	105	0.05					1									0.108		5	E

xxxxxx: MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Cucumbers		
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>	Remark:
Total number of samples analysed:	<u>85</u>	With residues above MRL (EC+national):	<u>0</u>	
Without detectable residues:	<u>60</u>	With residues above EC-MRL:	<u>0</u>	
With detectable residues at or below MRL or without MRL:	<u>25</u>	With residues above national MRL:	<u>0</u>	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	85	85	0.02																0.02	E
Aldicarb	82	82	0.01																0.05	E
Azinphos-methyl	85	85	0.05																0.5	E
Azoxystrobin	85	85	0.1																1	E
Benomyl group(#)	84	73	0.01		3	3		4	1							0.22			1	E
Bromopropylate	85	85	0.1																0.05	E
Captan	85	85	0.05															xxxxxx		
Chlorothalonil	85	80	0.02			1		3	1							0.26			1	E
Chlorpyrifos	85	85	0.05																0.05	E
Chlorpyrifos-methyl	85	85	0.05																0.05	E
Cypermethrin	85	85	0.2																0.2	E
Deltamethrin	85	85	0.05																0.1	E
Diazinon	85	85	0.02																0.02	E
Dichlofluanid	85	85	0.05																5	E
Dicofol	85	85	0.2																0.2	E
Dimethoate	85	85	0.02																0.02	E
Endosulfan	85	83	0.01		2											0.02			0.05	E
Folpet	85	84	0.05				1									0.09		xxxxxx		
Captan+ Folpet (Sum)	85	84	0.05				1									0.09			0.1	E
Imazalil	85	85	0.01																0.2	E
Iprodione	85	83	0.02			1			1							0.41			2	E
Kresoxim-methyl	85	85	0.02																0.05	P
Lambda-cyhalothrin	85	85	0.1																0.1	E
Malathion	85	85	0.05																3	E
Maneb-group(##)	15	6	0.025			3	3	2	1							0.37			0.5	E
Mecarbam	85	85	0.05																0.05	E
Methamidophos	85	82	0.02			1		2								0.19			1	E
Metalaxyl	85	84	0.1					1								0.165			0.5	E
Methidathion	85	85	0.02																0.02	E
Methiocarb	85	85	0.01																0.1	N
Methomyl	84	78	0.01	1		3	1		1							0.3			0.5	E
Omethoate	85	85	0.02																	W
Oxydemeton-methyl	82	82	0.01																0.02	E
Parathion	28	28	0.03																0.5	E
Permethrin	85	85	0.05																0.05	E
Phorate	82	82	0.01																0.05	E
Pirimiphos-methyl	85	85	0.05																0.1	E
Procymidone	85	78	0.02			2	3	2								0.18			1	E
Propyzamide	85	85	0.02																0.02	E
Thiabendazole	85	85	0.01																0.05	E
Tolylfluanid	85	85	0.05																3	N
Triazophos	85	85	0.02																0.02	E
Vinclozolin (Sum)	85	85	0.05																1	E

xxxxxx: MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group:		Food item: Peas (without pods)	
Reporting country:	<u>Sweden</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	<u>19</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>17</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>
or without MRL:	<u>2</u>		

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	19	19	0.02																0.02	E
Aldicarb	18	18	0.01																0.05	E
Azinphos-methyl	19	19	0.05																0.5	E
Azoxystrobin	19	19	0.1																0.2	E
Benomyl group(#)	18	17	0.01				1										0.041		0.1	E
Bromopropylate	19	19	0.1																0.05	E
Captan	19	19	0.05															xxxxxx		
Chlorothalonil	19	19	0.02																0.3	E
Chlorpyrifos	19	19	0.05																0.05	E
Chlorpyrifos-methyl	19	19	0.05																0.05	E
Cypermethrin	19	19	0.2																0.05	E
Deltamethrin	19	19	0.05																0.05	E
Diazinon	19	19	0.02																0.02	E
Dichlofluanid	19	19	0.05																5	E
Dicofol	19	19	0.2																0.02	E
Dimethoate	19	19	0.02																0.02	E
Acephate	19	19	0.01																0.05	E
Aldicarb	19	19	0.05															xxxxxx		
Azinphos-methyl	19	19	0.05																2	E
Azoxystrobin	19	19	0.01																0.02	E
Benomyl group(#)	19	19	0.02																0.2	E
Bromopropylate	19	19	0.02																0.05	P
Captan	19	19	0.1																0.2	E
Chlorothalonil	19	19	0.05																3	E
Chlorpyrifos	12	12	0.025																0.1	E
Chlorpyrifos-methyl	19	19	0.05																0.05	E
Cypermethrin	19	19	0.02																0.01	E
Deltamethrin	19	19	0.1																0.05	E
Diazinon	19	19	0.02																0.02	E
Dichlofluanid	18	18	0.01																0.1	N
Dicofol	18	18	0.01																0.05	E
Omethoate	19	19	0.02																	W
Oxydemeton-methyl	18	18	0.01																0.02	E
Parathion	19	19	0.03																0.5	E
Permethrin	19	19	0.05																0.05	E
Phorate	18	18	0.01																0.05	E
Pirimiphos-methyl	19	19	0.05																0.05	E
Procymidone	19	18	0.02				1										0.066		0.3	E
Propyzamide	19	19	0.02																0.02	E
Thiabendazole	19	19	0.01																0.05	E
Tolylfluanid	19	19	0.05																No MRL	
Triazophos	19	19	0.02																0.02	E
Vinclozolin (Sum)	19	18	0.05				1										0.081		0.3	E

xxxxxx: MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL. N=National MRL. W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS2

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>72</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>72</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL		With residues above national MRL:	<u>0</u>
or without MRL:	<u>0</u>	Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50				
Acephate	72	72														0.00	0	2.00	E
Aldicarb	72	72														0.00	0	0.20	E
Azinphos-methyl	72	72														0.00	0	0.50	E
Azoxystrobin	72	72														0.00	0	0.05	E
Benomyl group(#)	72	72														0	0	0.10	E
Bromopropylate	72	72														0	0	-	
Captan	72	72														0	0	xxxxxx	
Chlorothalonil	72	72														0	0	3.00	E
Chlorpyrifos	72	72														0	0	0.05	E
Chlorpyrifos-methyl	72	72														0	0	0.05	E
Cypermethrin	72	72														0	0	0.50	E
Deltamethrin	72	72														0	0	0.10	E
Diazinon	72	72														0	0	0.02	E
Dichlofuanid	72	72														0	0	5.00	E
Dicofol	72	72														0	0	0.02	E
Dimethoate	72	72														0	0	0.20	E
Endosulfan	72	72														0	0	0.05	E
Folpet	72	72														0	0	xxxxxx	
Captan+ Folpet (Sum)	72	72														0	0	0.10	E
Imazalil	72	72														0	0	0.02	E
Iprodione	72	72														0	0	0.05	E
Kresoxim-methyl	72	72														0	0	0.05	E
Lambda-cyhalothrin	72	72														0	0	0.10	E
Malathion	72	72														0	0	3.00	E
Maneb-group(##)																			
Mecarbam	72	72														0	0	0.05	E
Methamidophos	72	72														0	0	0.50	E
Metalaxyl	72	72														0	0	0.10	E
Methidathion	72	72														0	0	0.02	E
Methiocarb																			
Methomyl	72	72														0	0	0.05	E
Omethoate	72	72														0	0	-	W
Oxydemeton-methyl	72	72														0	0	0.02	E
Parathion	72	72														0	0	0.05	E
Permethrin	72	72														0	0	0.10	E
Phorate	72	72														0	0	0.05	E
Pirimiphos-methyl	72	72														0	0	1.00	E
Procymidone	72	72														0	0	0.02	E
Propyzamide	72	72														0	0	0.02	E
Thiabendazol	72	72														0	0	0.05	E
Tolyfluanid	72	72														0	0	-	W
Triazophos	72	72														0	0	0.02	E
Vinclozolin	72	72														0.34	0	0.05	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	UK	Year of sampling:	2003
Total number of samples analysed: 72		With residues above MRL (EC+national): 0	
Without detectable residues: 68		With residues above EC-MRL: 0	
With detectable residues at or below MRL or without MRL: 4		With residues above national MRL: 0	
Remark: Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	72	72	0.02														0.00	0	0.02	E
Aldicarb	72	72	0.05														0.00	0	0.05	E
Azinphos-methyl	72	72	0.05														0.00	0	0.50	E
Azoxystrobin	72	72	0.05														0.00	0	2.00	E
Benomyl group(#)	72	72	0.05														0	0	-	W
Bromopropylate	72	72	0.05														0	0	-	W
Captan	72	72	0.05														0	0	xxxxxx	
Chlorothalonil	72	72	0.05														0	0	2.00	E
Chlorpyrifos	72	72	0.02														0	0	0.50	E
Chlorpyrifos-methyl	72	72	0.05														0	0	0.50	E
Cypermethrin	72	72	0.05														0	0	0.50	E
Deltamethrin	72	72	0.05														0	0	0.20	E
Diazinon	72	72	0.02														0	0	0.50	E
Dichlofuanid																				
Dicofol	72	72	0.05														0	0	0.02	E
Dimethoate	72	72	0.02														0	0	1.00	C
Endosulfan	72	71	0.05					1									0.2	0	1.00	E
Folpet	72	72	0.05														0	0	xxxxxx	
Captan+ Folpet (Sum)	72	72	0.05														0	0	3.00	E
Imazalil	72	72	0.05														0	0	0.02	E
Iprodione	72	70	0.05				1	1									0.2	0	5.00	E
Kresoxim-methyl	72	72	0.05														0	0	1.00	E
Lambda-cyhalothrin	72	72	0.05														0	0	0.10	E
Malathion	72	71	0.05			1											0.05	0	3.00	E
Maneb-group(##)	72	72	0.05														0	0	2.00	E
Mecarbam	72	72	0.05														0	0	0.05	E
Methamidophos	72	72	0.01														0	0	0.01	E
Metaxyl	72	72	0.05														0	0	0.05	E
Methidathion	72	72	0.02														0	0	0.02	E
Methiocarb																				
Methomyl	72	72	0.05														0	0	0.05	E
Omethoate	72	72	0.02														0	0	-	W
Oxydemeton-methyl																				
Parathion	72	72	0.02														0	0	0.05	E
Permethrin	72	72	0.05														0	0	0.05	E
Phorate	72	72	0.05														0	0	0.05	E
Pirimiphos-methyl	72	72	0.05														0	0	1.00	E
Procymidone	72	72	0.02														0	0	2.00	E
Propyzamide	72	72	0.02														0	0	0.02	E
Thiabendazol	72	72	0.05														0	0	0.05	E
Tolyfluand																				
Triazophos	72	72	0.02														0	0	0.02	E
Vinclozolin	72	72	0.05														195	0	3.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	68	With residues above MRL (EC+national):	0
Without detectable residues:	14	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	54	With residues above national MRL:	0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl																				
Azoxystrobin	68	68	0.05														0.00	0	0.30	E
Benomyl group(#)	68	68	0.05														0	0	0.10	E
Bromopropylate																				
Captan																			xxxxxx	
Chlorothalonil																				
Chlorpyrifos	68	68	0.05														0	0	0.05	E
Chlorpyrifos-methyl	68	68	0.05														0	0	3.00	E
Cypermethrin	68	68	0.05														0	0	0.05	E
Deltamethrin	68	68	0.05														0	0	1.00	E
Diazinon	68	68	0.05														0	0	0.02	E
Dichlofluanid																				
Dicofol																				
Dimethoate																				
Endosulfan	68	68	0.05														0	0	0.05	E
Folpet																			xxxxxx	
Captan+ Folpet (Sum)																				
Imazalil																				
Iprodione	68	68	0.05														0	0	0.50	E
Kresoxim-methyl	68	68	0.05														0	0	0.05	E
Lambda-cyhalothrin																				
Malathion	68	68	0.05														0	0	8.00	N
Maneb-group(##)																				
Mecarbam																				
Methamidophos																				
Metalaxyl																				
Methidathion																				
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	68	68	0.05														0	0	0.05	E
Phorate																				
Pirimiphos-methyl	68	63	0.05			1	2	1		1							1.4	0	5.00	E
Procymidone																				
Propyzamide																				
Thiabendazol																				
Tolyfluanid																				
Triazophos																				
Vinclozolin																				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	72	With residues above MRL (EC+national):	0
Without detectable residues:	55	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	17	With residues above national MRL:	0

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	72	72	0.02														0.00	0	0.50	E
Aldicarb	72	72	0.05														0.00	0	0.05	E
Azinphos-methyl	72	72	0.05														0.00	0	0.50	E
Azoxystrobin	72	72	0.05														0.00	0	2.00	E
Benomyl group(#)	72	72	0.05														0	0	0.50	E
Bromopropylate	72	72	0.05														0	0	-	
Captan	72	72	0.05														0	0	xxxxxx	
Chlorothalonil	72	71	0.05			1											0.05	0	2.00	E
Chlorpyrifos	72	72	0.02														0	0	0.50	E
Chlorpyrifos-methyl	72	72	0.05														0	0	0.05	E
Cypermethrin	72	72	0.05														0	0	0.50	E
Deltamethrin	72	72	0.05														0	0	0.20	E
Diazinon	72	72	0.02														0	0	0.50	E
Dichlofluanid	72	72	0.05														0	0	5.00	E
Dicofol	72	72	0.02														0	0	0.02	E
Dimethoate	72	72	0.02														0	0	0.02	E
Endosulfan	72	72	0.05														0	0	0.05	E
Folpet	72	72	0.05														0	0	xxxxxx	
Captan+ Folpet (Sum)	72	72	0.05														0	0	-	W
Imazalil	72	72	0.02														0	0	0.02	E
Iprodione	72	70	0.05				2										0.1	0	5.00	E
Kresoxim-methyl	72	72	0.05														0	0	0.50	E
Lambda-cyhalothrin	72	72	0.02														0	0	0.50	E
Malathion	72	72	0.05														0	0	3.00	E
Maneb-group(##)	72	53	0.10				8	9	1	1							0.6	0	2.00	E
Mecarbam	72	72	0.05														0	0	0.05	E
Methamidophos	72	72	0.01														0	0	0.20	E
Metalaxyl	72	72	0.05														0	0	0.05	E
Methidathion	72	72	0.02														0	0	0.02	E
Methiocarb																				
Methomyl	72	71	0.05			1											0.05	0	0.50	E
Omethoate	72	72	0.02														0	0	-	W
Oxydemeton-methyl	72	72	0.02														0	0	0.02	E
Parathion	72	72	0.02														0	0	0.05	E
Permethrin	72	72	0.05														0	0	0.50	E
Phorate	72	72	0.05														0	0	0.05	E
Pirimiphos-methyl	72	72	0.05														0	0	0.05	E
Procymidone	72	68	0.02			1	3										0.1	0	2.00	E
Propyzamide	72	72	0.02														0	0	0.02	E
Thiabendazol	72	72	0.05														0	0	0.05	E
Tolyfluanid	72	72	0.05														0	0	-	W
Triazophos	72	72	0.02														0	0	0.02	E
Vinclozolin	72	72	0.05														0.37	0	3.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>72</u>	With residues above MRL (EC+national):	<u> </u>
Without detectable residues:	<u>33</u>	With residues above EC-MRL:	<u> </u>
With detectable residues at or below MRL or without MRL:	<u>39</u>	With residues above national MRL:	<u>0</u>

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl																				
Azoxystrobin																				
Benomyl group(#)	72	72	0.05														0	0	0.10	E
Bromopropylate																				
Captan																			xxxxxx	
Chlorothalonil																				
Chlorpyrifos																				
Chlorpyrifos-methyl	72	72	0.05														0	0	3.00	E
Cypermethrin	72	72	0.05														0	0	0.05	E
Deltamethrin	72	68	0.05				2	1	1								0.3	0	1.00	E
Diazinon																				
Dichlofluanid																				
Dicofol																				
Dimethoate																				
Endosulfan																				
Folpet																			xxxxxx	
Captan+ Folpet (Sum)																				
Imazalil																				
Iprodione	72	71	0.05						1								0.3	0	3.00	E
Kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion	72	71	0.05					1									0.2	0	8.00	E
Maneb-group(##)																				
Mecarbam																				
Methamidophos																				
Metalaxyl																				
Methidathion																				
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	72	72	0.05														0	0	2.00	E
Phorate																				
Pirimiphos-methyl	72	71	0.05						1								0.5	0	5.00	E
Procymidone																				
Propyzamide																				
Thiabendazol																				
Tolyfluanid																				
Triazophos																				
Vinclozolin																				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>72</u>	With residues above MRL (EC+national):	<u>5</u>
Without detectable residues:	<u>27</u>	With residues above EC-MRL:	<u>5</u>
With detectable residues at or below MRL or without MRL:	<u>40</u>	With residues above national MRL:	<u>0</u>

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	72	71	0.02			1											0.04	1	0.02	E
Aldicarb	72	72	0.05														0.00	0	0.05	E
Azinphos-methyl	72	72	0.05														0.00	0	2.00	E
Azoxystrobin	72	72	0.05														0.00	0	2.00	E
Benomyl group(#)	72	64	0.05				3	1	3	1							0.9	0	2.00	E
Bromopropylate	72	70	0.05					1		1							0.6	0	2.00	E
Captan	72	64	0.05				1	1	4	1	1						1.2	0	xxxxxx	
Chlorothalonil	72	72	0.01														0	0	1.00	E
Chlorpyrifos	72	60	0.02			5	6	1									0.2	0	0.50	E
Chlorpyrifos-methyl	72	72	0.05														0	0	0.20	E
Cypermethrin	72	72	0.05														0	0	0.50	E
Deltamethrin	72	72	0.05														0	0	0.10	E
Diazinon	72	72	0.02														0	0	0.02	E
Dichlofluanid	72	72	0.05														0	0	15.00	E
Dicofol	72	70	0.02					2									0.2	0	2.00	E
Dimethoate	72	72	0.02														0	0	0.02	E
Endosulfan	72	72	0.05														0	0	0.50	E
Folpet	72	72	0.05														0	0	xxxxxx	
Captan+ Folpet (Sum)	72	64	0.05				1	1	4	1	1						1.2	0	3.00	E
Imazalil	72	72	0.05														0	0	0.02	E
Iprodione	72	49	0.02		1	4	7	2	8	1							0.7	0	10.00	E
kresoxim-methyl	72	72	0.05														0	0	1.00	E
Lambda-cyhalothrin	72	71	0.02				1										0.07	0	0.20	E
Malathion	72	72	0.05														0	0	0.50	E
Maneb-group(##)	72	70	0.10					1			1						1.2	0	5.00	C
Mecarbam	72	72	0.05														0	0	0.05	E
Methamidophos	72	72	0.01														0	0	0.01	E
Metalaxyl	72	70	0.05				2										0.09	0	2.00	E
Methidathion	72	72	0.02														0	0	0.50	E
Methiocarb																				
Methomyl	72	68	0.05				3	1									0.2	4	0.05	E
Omethoate	72	72	0.02														0	0	-	W
Oxydemeton-methyl	72	72	0.02														0	0	0.02	E
Parathion	72	72	0.02														0	0	0.05	E
Permethrin	72	72	0.05														0	0	1.00	E
Phorate	72	72	0.05														0	0	0.05	E
Pirimiphos-methyl	72	72	0.05														0	0	0.05	E
Procymidone	72	62	0.02			4	3	2	1								0.4	0	5.00	E
Propyzamide	72	72	0.02														0	0	0.02	E
Thiabendazol	72	72	0.05														0	0	0.05	E
Tolyfluanid	72	72	0.05														0	0	-	W
Triazophos	72	72	0.02														0	0	0.02	E
Vinclozolin	72	72	0.05														1.39	0	5.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	72	With residues above MRL (EC+national):	0
Without detectable residues:	55	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	17	With residues above national MRL:	0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	72	72	0.02														0.00	0	0.02	E
Aldicarb	72	72	0.05														0.00	0	0.05	E
Azinphos-methyl	72	72	0.05														0.00	0	0.50	E
Azoxystrobin	72	72	0.05														0.00	0	1.00	E
Benomyl group(#)	72	70	0.05				1		1								0.3	0	1.00	E
Bromopropylate	72	72	0.05														0	0	0.50	C
Captan	72	72	0.05														0	0	xxxxxx	
Chlorothalonil	72	72	0.05														0	0	1.00	E
Chlorpyrifos	72	72	0.02														0	0	0.05	E
Chlorpyrifos-methyl	72	72	0.05														0	0	0.05	E
Cypermethrin	72	72	0.05														0	0	0.20	E
Deltamethrin	72	72	0.05														0	0	0.10	E
Diazinon	72	72	0.02														0	0	0.02	E
Dichlofluanid	72	72	0.05														0	0	5.00	E
Dicofol	72	72	0.02														0	0	0.20	E
Dimethoate	72	72	0.02														0	0	0.02	E
Endosulfan	72	72	0.05														0	0	0.05	E
Folpet	72	72	0.05														0	0	xxxxxx	
Captan+ Folpet (Sum)	72	72	0.05														0	0	2.00	C
Imazalil	72	71	0.02		1												0.02	0	0.20	E
Iprodione	72	70	0.05				2										0.1	0	2.00	E
Kresoxim-methyl	72	72	0.05														0	0	0.05	E
Lambda-cyhalothrin	72	72	0.02														0	0	0.10	E
Malathion	72	72	0.05														0	0	3.00	E
Maneb-group(##)	72	60	0.10				6	5	1								0.3	0	0.50	E
Mecarbam	72	72	0.05														0	0	0.05	E
Methamidophos	72	72	0.01														0	0	1.00	E
Metalaxyl	72	71	0.05				1										0.07	0	0.50	E
Methidathion	72	72	0.02														0	0	0.02	E
Methiocarb																				
Methomyl	72	72	0.05														0	0	0.05	E
Omethoate	72	72	0.02														0	0	-	W
Oxydemeton-methyl	72	72	0.02														0	0	-	W
Parathion	72	72	0.02														0	0	0.05	E
Permethrin	72	72	0.05														0	0	0.10	E
Phorate	72	72	0.05														0	0	0.05	E
Pirimiphos-methyl	72	72	0.05														0	0	0.10	E
Procymidone	72	72	0.02														0	0	1.00	E
Propyzamide	72	72	0.02														0	0	0.02	E
Thiabendazol	72	72	0.05														0	0	0.05	E
Tolyfluanid	72	72	0.05														0	0	-	W
Triazophos	72	72	0.02														0	0	0.02	E
Vinclozolin	72	72	0.05														140	0	1.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>UK</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>72</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>71</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	72	72	0.02														0.00	0	0.02	E
Aldicarb																	0.00	0	-	W
Azinphos-methyl	72	72	0.05														0.00	0	0.20	E
Azoxystrobin	72	72	0.05														0	0	0.10	E
Benomyl group(#)	72	72	0.05														0	0	-	W
Bromopropylate	72	72	0.05														0	0	-	W
Captan	72	72	0.05														0	0	xxxxxx	
Chlorothalonil																				
Chlorpyrifos	72	72	0.02														0	0	0.05	E
Chlorpyrifos-methyl	72	72	0.05														0	0	0.05	E
Cypermethrin	72	72	0.05														0	0	0.05	E
Deltamethrin	72	72	0.05														0	0	0.05	E
Diazinon	72	72	0.02														0	0	0.02	E
Dichlofuanid																				
Dicofol	72	72	0.05														0	0	0.02	E
Dimethoate	72	72	0.02														0	0	0.02	E
Endosulfan	72	72	0.05														0	0	0.05	E
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	72	72	0.05														0	0	-	W
Imazalil	72	72	0.05														0	0	0.02	E
Iprodione	72	72	0.05														0	0	0.20	E
Kresoxim-methyl	72	72	0.05														0	0	0.05	E
Lambda-cyhalothrin	72	72	0.05														0	0	0.20	E
Malathion	72	72	0.05														0	0	-	W
Maneb-group(##)																				
Mecarbam	72	72	0.05														0	0	0.05	E
Methamidophos	72	72	0.01														0	0	0.01	E
Metalaxyl	72	72	0.05														0	0	0.05	E
Methidathion	72	72	0.02														0	0	0.02	E
Methiocarb																				
Methomyl	72	72	0.05														0	0	0.05	E
Omethoate	72	72	0.02														0	0	-	W
Oxydemeton-methyl	72	72	0.02														0	0	0.02	E
Parathion	72	72	0.02														0	0	0.05	E
Permethrin	72	72	0.05														0	0	0.05	E
Phorate	72	72	0.05														0	0	0.05	E
Pirimiphos-methyl	72	72	0.05														0	0	0.05	E
Procymidone	72	72	0.02														0	0	0.30	E
Propyzamide	72	72	0.02														0	0	0.02	E
Thiabendazol	72	72	0.05														0	0	0.05	E
Tolyfluanid																				
Triazophos	72	72	0.02														0	0	0.02	E
Vinclozolin	72	72	0.05														0.41	0	0.30	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	<u>32</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>31</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u>0</u>

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	32	32	0.05																	
Aldicarb	20	20	0.02																	
Azinphos-methyl	32	32	0.05																	
Azoxystrobin	32	32	0.05																	
Benomyl group(#)	15	15	0.05																	
Bromopropylate	32	32	0.05																	
Captan	32	32	0.05															xxxxxx		
Chlorothalonil	32	32	0.02																	
Chlorpyrifos	32	32	0.05																	
Chlorpyrifos-methyl	32	32	0.05																	
Cypermethrin	32	32	0.05																	
Deltamethrin	32	32	0.05																	
Diazinon	32	32	0.02																	
Dichlofluanid	32	32	0.05																	
Dicofol	32	32	0.10																	
Dimethoate	32	32	0.02																	
Endosulfan	32	32	0.02																	
Folpet	32	32	0.05															xxxxxx		
Captan+ Folpet (Sum)	32	32	0.05																	
Imazalil	32	32	0.02																	
Iprodione	32	32	0.02																	
Kresoxim-methyl	32	32	0.05																	
Lambda-cyhalothrin	32	32	0.02																	
Malathion	32	32	0.05																	
Maneb-group(##)	17	16	0.05					1								0.2	0	1.00	E	
Mecarbam	32	32	0.05																	
Methamidophos	32	32	0.05																	
Metalaxyl	32	32	0.05																	
Methidathion	32	32	0.05																	
Methiocarb	20	20	0.02																	
Methomyl	20	20	0.02																	
Omethoate	32	32	0.05																	
Oxydemeton-methyl	0	0																		
Parathion	32	32	0.02																	
Permethrin	32	32	0.05																	
Phorate	32	32	0.02																	
Pirimiphos-methyl	32	32	0.05																	
Procymidone	32	32	0.02																	
Propyzamide	32	32	0.05																	
Thiabendazol	32	32	0.02																	
Tolyfluanid	32	32	0.02																	
Triazophos	32	32	0.02																	
Vinclozolin	32	32	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed: 58		With residues above MRL (EC+national): 0	
Without detectable residues: 46		With residues above EC-MRL: 0	
With detectable residues at or below MRL or without MRL: 12		With residues above national MRL: 0	
Remark: Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	58	58	0.05																	
Aldicarb	15	15	0.02																	
Azinphos-methyl	58	58	0.05																	
Azoxystrobin	58	56	0.05				2										0.09		2.00	E
Benomyl group(#)	15	15	0.05																	
Bromopropylate	58	58	0.05																	
Captan	58	58	0.05																xxxxxx	
Chlorothalonil	58	56	0.02			1		1									0.14		2.00	E
Chlorpyrifos	58	58	0.05																	
Chlorpyrifos-methyl	58	58	0.05																	
Cypermethrin	58	58	0.05																	
Deltamethrin	58	58	0.05																	
Diazinon	58	58	0.02																	
Dichlofuanid	58	58	0.05																	
Dicofol	58	58	0.10																	
Dimethoate	58	58	0.02																	
Endosulfan	58	55	0.02				2	1									0.17		1.00	E
Folpet	58	58	0.05																xxxxxx	
Captan+ Folpet (Sum)	58	58	0.05																	
Imazalil	58	58	0.02																	
Iprodione	58	57	0.02			1											0.04		5.00	E
Kresoxim-methyl	58	58	0.05																	
Lambda-cyhalothrin	58	58	0.02																	
Malathion	58	57	0.05					1									0.14		3.00	E
Maneb-group(##)	18	16	0.05				1		1								0.26		2.00	E
Mecarbam	58	58	0.05																	
Methamidophos	58	58	0.05																	
Metalaxyl	58	58	0.05																	
Methidathion	58	58	0.05																	
Methiocarb	15	15	0.02																	
Methomyl	15	15	0.02																	
Omethoate	58	58	0.05																	
Oxydemeton-methyl	0	0																		
Parathion	58	58	0.02																	
Permethrin	58	58	0.05																	
Phorate	58	58	0.02																	
Pirimiphos-methyl	58	55	0.05					2	1								0.25		1.00	E
Procymidone	58	55	0.02		1		1	1									0.19		2.00	E
Propyzamide	58	58	0.05																	
Thiabendazol	58	58	0.02																	
Tolyfluanid	58	58	0.02																	
Triazophos	58	58	0.02																	
Vinclozolin	58	58	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	47	With residues above MRL (EC+national):	0
Without detectable residues:	45	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	23	23	0.05																	
Aldicarb	13	13	0.02																	
Azinphos-methyl	23	23	0.05																	
Azoxystrobin	47	47	0.05																	
Benomyl group(#)	25	25	0.05																	
Bromopropylate	23	23	0.05																	
Captan	23	23	0.05															xxxxxx		
Chlorothalonil	47	47	0.01																	
Chlorpyrifos	47	47	0.02																	
Chlorpyrifos-methyl	47	47	0.05																	
Cypermethrin	47	47	0.05																	
Deltamethrin	47	47	0.05																	
Diazinon	47	47	0.02																	
Dichlofluanid	23	23	0.05																	
Dicofol	23	23	0.10																	
Dimethoate	47	47	0.02																	
Endosulfan	47	47	0.02																	
Folpet	23	23	0.05															xxxxxx		
Captan+ Folpet (Sum)	23	23	0.05																	
Imazalil	47	47	0.02																	
Iprodione	47	47	0.02																	
Kresoxim-methyl	23	23	0.05																	
Lambda-cyhalothrin	47	47	0.02																	
Malathion	47	45	0.02			1	1										0.06		8.00	E
Maneb-group(##)	12	12	0.05																	
Mecarbam	23	23	0.02																	
Methamidophos	23	23	0.05																	
Metalaxyl	47	47	0.02																	
Methidathion	23	23	0.05																	
Methiocarb	13	13	0.02																	
Methomyl	13	13	0.10																	
Omethoate	47	47	0.05																	
Oxydemeton-methyl	0	0																		
Parathion	23	23	0.02																	
Permethrin	47	47	0.02																	
Phorate	23	23	0.02																	
Pirimiphos-methyl	47	47	0.02																	
Procymidone	23	23	0.02																	
Propyzamide	23	23	0.05																	
Thiabendazol	47	47	0.02																	
Tolyfluanid	23	23	0.02																	
Triazophos	23	23	0.02																	
Vinclozolin	47	47	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	30	With residues above MRL (EC+national):	0
Without detectable residues:	25	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	5	With residues above national MRL:	0

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	30	30	0.05																	
Aldicarb	12	12	0.02																	
Azinphos-methyl	30	30	0.05																	
Azoxystrobin	30	30	0.05																	
Benomyl group(#)	16	16	0.05																	
Bromopropylate	30	30	0.05																	
Captan	30	30	0.05															xxxxxx		
Chlorothalonil	30	30	0.02																	
Chlorpyrifos	30	29	0.05						1								0.25		0.50	E
Chlorpyrifos-methyl	30	30	0.05																	
Cypermethrin	30	30	0.05																	
Deltamethrin	30	30	0.05																	
Diazinon	30	30	0.02																	
Dichlofluanid	30	30	0.05																	
Dicofol	30	30	0.10																	
Dimethoate	30	30	0.02																	
Endosulfan	30	30	0.02																	
Folpet	30	30	0.05															xxxxxx		
Captan+ Folpet (Sum)	30	30	0.05																	
Imazalil	30	30	0.02																	
Iprodione	30	29	0.02					1									0.11		5.00	E
Kresoxim-methyl	30	30	0.05																	
Lambda-cyhalothrin	30	30	0.02																	
Malathion	30	30	0.05																	
Maneb-group(##)	14	13	0.05						1								0.32		2.00	E
Mecarbam	30	30	0.05																	
Methamidophos	30	29	0.05				1										0.1		0.20	E
Metalaxyl	30	30	0.05																	
Methidathion	30	30	0.05																	
Methiocarb	12	12	0.02																	
Methomyl	12	12	0.02																	
Omethoate	30	30	0.05																	
Oxydemeton-methyl	0	0																		
Parathion	30	30	0.02																	
Permethrin	30	30	0.05																	
Phorate	30	30	0.02																	
Pirimiphos-methyl	30	30	0.05																	
Procymidone	30	30	0.02																	
Propyzamide	30	30	0.05																	
Thiabendazol	30	30	0.02																	
Tolyfluanid	30	30	0.02																	
Triazophos	30	30	0.02																	
Vinclozolin	30	30	0.02														145			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	20	With residues above MRL (EC+national):	0
Without detectable residues:	18	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	2	With residues above national MRL:	0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	20	20	0.05																	
Aldicarb	12	12	0.02																	
Azinphos-methyl	20	20	0.05																	
Azoxystrobin	20	20	0.05																	
Benomyl group(#)	15	15	0.05																	
Bromopropylate	20	20	0.05																	
Captan	20	20	0.05															xxxxxx		
Chlorothalonil	20	20	0.01																	
Chlorpyrifos	20	19	0.02			1											0.03		0.05	E
Chlorpyrifos-methyl	20	20	0.05																	
Cypermethrin	20	20	0.05																	
Deltamethrin	20	20	0.05																	
Diazinon	20	20	0.02																	
Dichlofluanid	20	20	0.05																	
Dicofol	20	20	0.10																	
Dimethoate	20	20	0.02																	
Endosulfan	20	20	0.02																	
Folpet	20	20	0.05															xxxxxx		
Captan+ Folpet (Sum)	20	20	0.05																	
Imazalil	20	20	0.02																	
Iprodione	20	20	0.02																	
Kresoxim-methyl	20	20	0.05																	
Lambda-cyhalothrin	20	20	0.02																	
Malathion	20	19	0.05					1									0.29		8.00	E
Maneb-group(##)	15	15	0.05																	
Mecarbam	20	20	0.05																	
Methamidophos	20	20	0.05																	
Metalaxyl	20	20	0.05																	
Methidathion	20	20	0.05																	
Methiocarb	12	12	0.02																	
Methomyl	12	12	0.02																	
Omethoate	20	20	0.05																	
Oxydemeton-methyl	0	0																		
Parathion	20	20	0.02																	
Permethrin	20	20	0.05																	
Phorate	20	20	0.02																	
Pirimiphos-methyl	20	20	0.05																	
Procyimidone	20	20	0.02																	
Propyzamide	20	20	0.05																	
Thiabendazol	20	20	0.02																	
Tolyfluanid	20	20	0.02																	
Triazophos	20	20	0.02																	
Vinclozolin	20	20	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	78	With residues above MRL (EC+national):	1
Without detectable residues:	19	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	58	With residues above national MRL:	0

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	78	78	0.05																	
Aldicarb	15	15	0.02																	
Azinphos-methyl	78	78	0.05																	
Azoxystrobin	78	66	0.02		1	1	2	4	3	1							0.61		2.00	E
Benomyl group(##)	15	15	0.05																	
Bromopropylate	78	77	0.05						1								0.27	1	0.05	E
Captan	78	77	0.05							1							0.57		xxxxxx	
Chlorothalonil	78	78	0.02																	
Chlorpyrifos	78	73	0.05				2	1	2								0.28		0.50	E
Chlorpyrifos-methyl	78	76	0.05			1	1										0.08		0.20	E
Cypermethrin	78	75	0.05				1	2									0.16		0.50	E
Deltamethrin	78	78	0.05																	
Diazinon	78	78	0.02																	
Dichlofluanid	78	78	0.05																	
Dicofol	78	78	0.10																	
Dimethoate	78	77	0.02		1												0.02		0.02	E
Endosulfan	78	78	0.02																	
Folpet	78	78	0.05																xxxxxx	
Captan+ Folpet (Sum)	78	77	0.05							1							0.57		3.00	E
Imazalil	78	78	0.02																	
Iprodione	78	58	0.02		1		2	2	7	6	1		1				8.2		10.00	E
kresoxim-methyl	78	78	0.05																	
Lambda-cyhalothrin	78	77	0.02					1									0.16		0.20	E
Malathion	78	78	0.05																	
Maneb-group(##)	22	18	0.05			1	1		2								0.23		2.00	E
Mecarbam	78	78	0.05																	
Methamidophos	78	78	0.05																	
Metalaxyl	78	76	0.05						2								0.29		2.00	E
Methidathion	78	78	0.05																	
Methiocarb	15	15	0.02																	
Methomyl	15	15	0.02																	
Omethoate	78	78	0.05																	
Oxydemeton-methyl	0	0																		
Parathion	78	78	0.02																	
Permethrin	78	78	0.05																	
Phorate	78	78	0.02																	
Pirimiphos-methyl	78	78	0.05																	
Procymidone	78	64	0.02		1	1		3	7	1	1						1.3		5.00	E
Propyzamide	78	78	0.05																	
Thiabendazol	78	78	0.02																	
Tolyfluanid	78	78	0.02																	
Triazophos	78	78	0.02																	
Vinclozolin	78	77	0.02					1									104.7		5.00	E

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	61	With residues above MRL (EC+national):	0
Without detectable residues:	48	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	13	With residues above national MRL:	0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	61	61	0.05																	
Aldicarb	12	12	0.02																	
Azinphos-methyl	61	61	0.05																	
Azoxystrobin	61	59	0.05				2										0.10		1.00	E
Benomyl group(#)	15	15	0.05																	
Bromopropylate	61	61	0.05																	
Captan	61	61	0.05																xxxxxx	
Chlorothalonil	61	60	0.02					1									0.12		1.00	E
Chlorpyrifos	61	61	0.05																	
Chlorpyrifos-methyl	61	61	0.05																	
Cypermethrin	61	61	0.05																	
Deltamethrin	61	61	0.05																	
Diazinon	61	61	0.02																	
Dichlofluanid	61	61	0.05																	
Dicofol	61	61	0.10																	
Dimethoate	61	61	0.02																	
Endosulfan	61	59	0.02			2											0.05		0.05	E
Folpet	61	61	0.05																xxxxxx	
Captan+ Folpet (Sum)	61	61	0.05																	
Imazalil	61	60	0.02			1											0.03		0.20	E
Iprodione	61	59	0.02				1	1									0.13		2.00	E
Kresoxim-methyl	61	61	0.05																	
Lambda-cyhalothrin	61	61	0.02																	
Malathion	61	61	0.05																	
Maneb-group(##)	13	13	0.05																	
Mecarbam	61	61	0.05																	
Methamidophos	61	61	0.05																	
Metalaxyl	61	61	0.05																	
Methidathion	61	61	0.05																	
Methiocarb	12	12	0.02																	
Methomyl	12	12	0.02																	
Omethoate	61	61	0.05																	
Oxydemeton-methyl	0	0																		
Parathion	61	61	0.02																	
Permethrin	61	61	0.05																	
Phorate	61	61	0.02																	
Pirimiphos-methyl	61	61	0.05																	
Procymidone	61	61	0.02																	
Propyzamide	61	61	0.05																	
Thiabendazol	61	61	0.02																	
Tolyfluanid	61	61	0.02																	
Triazophos	61	61	0.02																	
Vinclozolin	61	61	0.02																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	<u>Norway</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	17	With residues above MRL (EC+national):	0
Without detectable residues:	17	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)												Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50			
Acephate	17	17	0.05																
Aldicarb	12	12	0.02																
Azinphos-methyl	17	17	0.05																
Azoxystrobin	17	17	0.05																
Benomyl group(#)	14	14	0.05																
Bromopropylate	17	17	0.05																
Captan	17	17	0.05															xxxxxx	
Chlorothalonil	17	17	0.02																
Chlorpyrifos	17	17	0.05																
Chlorpyrifos-methyl	17	17	0.05																
Cypermethrin	17	17	0.05																
Deltamethrin	17	17	0.05																
Diazinon	17	17	0.02																
Dichlofluanid	17	17	0.05																
Dicofol	17	17	0.10																
Dimethoate	17	17	0.02																
Endosulfan	17	17	0.02																
Folpet	17	17	0.05															xxxxxx	
Captan+ Folpet (Sum)	17	17	0.05																
Imazalil	17	17	0.02																
Iprodione	17	17	0.02																
Kresoxim-methyl	17	17	0.05																
Lambda-cyhalothrin	17	17	0.02																
Malathion	17	17	0.05																
Maneb-group(##)	13	13	0.05																
Mecarbam	17	17	0.05																
Methamidophos	17	17	0.05																
Metalaxyl	17	17	0.05																
Methidathion	17	17	0.05																
Methiocarb	12	12	0.02																
Methomyl	12	12	0.02																
Omethoate	17	17	0.05																
Oxydemeton-methyl	0	0																	
Parathion	17	17	0.02																
Permethrin	17	17	0.05																
Phorate	17	17	0.02																
Pirimiphos-methyl	17	17	0.05																
Procymidone	17	17	0.02																
Propyzamide	17	17	0.05																
Thiabendazol	17	17	0.02																
Tolyfluanid	17	17	0.02																
Triazophos	17	17	0.02																
Vinclozolin	17	17	0.02																

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	<u>Iceland</u>	Year of sampling:	<u>2003</u>
Remark:			
Total number of samples analysed:	<u>7</u>	With residues above MRL (EC+national):	<u>0</u>
Without detectable residues:	<u>7</u>	With residues above EC-MRL:	<u>0</u>
With detectable residues at or below MRL or without MRL:	<u>0</u>	With residues above national MRL:	<u>0</u>

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl	1	1	0.05																	
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate	1	1	0.03																	
Captan	1	1	0.20															xxxxxx		
Chlorothalonil	1	1	0.03																	
Chlorpyrifos	1	1	0.03																	
Chlorpyrifos-methyl	1	1	0.03																	
Cypermethrin																				
Deltamethrin																				
Diazinon	1	1	0.03																	
Dichlofluanid																				
Dicofol	1	1	0.03																	
Dimethoate	1	1	0.03																	
Endosulfan																				
Folpet	1	1	0.03															xxxxxx		
Captan+ Folpet (Sum)	1	1	?																	
Imazalil	1	1	0.05																	
Iprodione	1	1	0.05																	
Kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion	1	1	0.03																	
Maneb-group(##)																				
Mecarbam																				
Methamidophos	1	1	0.08																	
Metalaxyl	1	1	0.03																	
Methidathion	1	1	0.08																	
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	1	1	0.03																	
Phorate																				
Pirimiphos-methyl																				
Procymidone	1	1	0.03																	
Propyzamide																				
Thiabendazol	1	1	0.05																	
Tolyfluanid	1	1	0.05																	
Triazophos																				
Vinclozolin	1	1	0.03																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Iceland</u>	Year of sampling:	<u>2003</u>
Total number of samples analysed: 10		With residues above MRL (EC+national):	
Without detectable residues: 9		With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL: 1		With residues above national MRL:	
Remark: Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns			

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl	11	11	0.05																	
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate	11	11	0.03																	
Captan	11	11	0.20															xxxxxx		
Chlorothalonil	11	11	0.03																	
Chlorpyrifos	11	11	0.03																	
Chlorpyrifos-methyl	11	11	0.03																	
Cypermethrin																				
Deltamethrin																				
Diazinon	11	11	0.03																	
Dichlofuanid																				
Dicofol	11	11	0.03																	
Dimethoate	11	10	0.03					1									0.3	0	1.00	N
Endosulfan																				
Folpet	11	11	0.03																xxxxxx	
Captan+ Folpet (Sum)	11	11																		
Imazalil	11	11	0.05																	
Iprodione	11	11	0.05																	
Kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion	11	11	0.03																	
Maneb-group(##)																				
Mecarbam																				
Methamidophos	11	11	0.08																	
Metalaxyl	11	11	0.03																	
Methidathion	11	11	0.08																	
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	11	11	0.03																	
Phorate																				
Pirimiphos-methyl																				
Procymidone	11	11	0.03																	
Propyzamide																				
Thiabendazol	11	11	0.05																	
Tolyfluanid	11	11	0.05																	
Triazophos																				
Vinclozolin	11	11	0.03																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	<u>Iceland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	2	With residues above MRL (EC+national):	
Without detectable residues:	2	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	2	2	0.02																	
Aldicarb																				
Azinphos-methyl	2	2	0.06																	
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate																				
Captan																		xxxxxx		
Chlorothalonil	2	2	0.01																	
Chlorpyrifos	2	2	0.04																	
Chlorpyrifos-methyl	2	2	0.02																	
Cypermethrin	2	2	0.05																	
Deltamethrin	2	2	0.10																	
Diazinon	2	2	0.02																	
Dichlofluanid																				
Dicofol																				
Dimethoate	2	2	0.02																	
Endosulfan	2	2	0.04																	
Folpet																		xxxxxx		
Captan+ Folpet (Sum)	2	2	0.05																	
Imazalil	2	2	0.30																	
Iprodione	2	2	0.02																	
Kresoxim-methyl																				
Lambda-cyhalothrin	2	2	0.02																	
Malathion	2	2	0.09																	
Maneb-group(##)																				
Mecarbam																				
Methamidophos	2	2	0.01																	
Metalaxyl	2	2	0.05																	
Methidathion																				
Methiocarb	2	2	0.30																	
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion	2	2	0.08																	
Permethrin	2	2	0.20																	
Phorate																				
Pirimiphos-methyl	2	2	0.05																	
Procymidone	2	2	0.02																	
Propyzamide																				
Thiabendazol	2	2	0.20																	
Tolyfluanid																				
Triazophos																				
Vinclozolin	2	2	0.05																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	<u>Iceland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	2	With residues above MRL (EC+national):	
Without detectable residues:	2	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl	2	2	0.05																	
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate	2	2	0.03																	
Captan	2	2	0.20															xxxxxx		
Chlorothalonil	2	2	0.03																	
Chlorpyrifos	2	2	0.03																	
Chlorpyrifos-methyl	2	2	0.03																	
Cypermethrin																				
Deltamethrin																				
Diazinon	2	2	0.03																	
Dichlofluanid																				
Dicofol	2	2	0.03																	
Dimethoate	2	2	0.03																	
Endosulfan																				
Folpet	2	2	0.03															xxxxxx		
Captan+ Folpet (Sum)	2	2																		
Imazalil	2	2	0.05																	
Iprodione	2	2	0.05																	
Kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion	2	2	0.03																	
Maneb-group(##)																				
Mecarbam																				
Methamidophos	2	2	0.08																	
Metalaxyl	2	2	0.03																	
Methidathion	2	2	0.08																	
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	2	2	0.03																	
Phorate																				
Pirimiphos-methyl																				
Procymidone	2	2	0.03																	
Propyzamide																				
Thiabendazol	2	2	0.05																	
Tolyfluanid	2	2	0.05																	
Triazophos																				
Vinclozolin	2	2	0.03																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	<u>Iceland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	2	With residues above MRL (EC+national):	
Without detectable residues:	2	With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	2	2	0.02																		
Aldicarb																					
Azinphos-methyl	2	2	0.06																		
Azoxystrobin																					
Benomyl group(#)																					
Bromopropylate																					
Captan																		xxxxxx			
Chlorothalonil	2	2	0.01																		
Chlorpyrifos	2	2	0.04																		
Chlorpyrifos-methyl	2	2	0.02																		
Cypermethrin	2	2	0.05																		
Deltamethrin	2	2	0.10																		
Diazinon	2	2	0.02																		
Dichlofuanid																					
Dicofol																					
Dimethoate	2	2	0.02																		
Endosulfan	2	2	0.04																		
Folpet																		xxxxxx			
Captan+ Folpet (Sum)	2	2	0.05																		
Imazalil	2	2	0.30																		
Iprodione	2	2	0.02																		
Kresoxim-methyl																					
Lambda-cyhalothrin	2	2	0.02																		
Malathion	2	2	0.09																		
Maneb-group(##)																					
Mecarbam																					
Methamidophos	2	2	0.01																		
Metalaxyl	2	2	0.05																		
Methidathion																					
Methiocarb	2	2	0.30																		
Methomyl																					
Omethoate																					
Oxydemeton-methyl																					
Parathion	2	2	0.08																		
Permethrin	2	2	0.20																		
Phorate																					
Pirimiphos-methyl	2	2	0.05																		
Procymidone	2	2	0.02																		
Propyzamide																					
Thiabendazol	2	2	0.20																		
Tolyfluanid																					
Triazophos																					
Vinclozolin	2	2	0.05																		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	<u>Iceland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	12	With residues above MRL (EC+national):	0
Without detectable residues:	9	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl	12	12	0.05																	
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate	12	12	0.03																	
Captan	12	12	0.20															xxxxxx		
Chlorothalonil	12	12	0.03																	
Chlorpyrifos	12	11	0.03			1											0.05	0	0.50	N
Chlorpyrifos-methyl	12	12	0.03																	
Cypermethrin																				
Deltamethrin																				
Diazinon	12	12	0.03																	
Dichlofluanid																				
Dicofol	12	12	0.03																	
Dimethoate	12	12	0.03																	
Endosulfan																				
Folpet	12	12	0.03															xxxxxx		
Captan+ Folpet (Sum)	12	12																		
Imazalil	12	12	0.05																	
Iprodione	12	11	0.05								1						2.7	0	10.00	N
kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion	12	12	0.03																	
Maneb-group(##)																				
Mecarbam																				
Methamidophos	12	12	0.08																	
Metalaxyl	12	12	0.03																	
Methidathion	12	12	0.08																	
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	12	12	0.03																	
Phorate																				
Pirimiphos-methyl																				
Procymidone	12	10	0.03							2							1.08	0	5.00	N
Propyzamide																				
Thiabendazol	12	12	0.05																	
Tolyfluanid	12	12	0.05																	
Triazophos																				
Vinclozolin	12	12	0.03														155			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	<u>Iceland</u>	Year of sampling:	<u>2003</u>
		Remark:	
Total number of samples analysed:	<u>11</u>	With residues above MRL (EC+national):	<u> </u>
Without detectable residues:	<u>10</u>	With residues above EC-MRL:	<u> </u>
With detectable residues at or below MRL or without MRL:	<u>1</u>	With residues above national MRL:	<u> </u>

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl	11	11	0.05																	
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate	11	11	0.03																	
Captan	11	11	0.20															xxxxxx		
Chlorothalonil	11	11	0.03																	
Chlorpyrifos	11	11	0.03																	
Chlorpyrifos-methyl	11	11	0.03																	
Cypermethrin																				
Deltamethrin																				
Diazinon	11	11	0.03																	
Dichlofluanid																				
Dicofol	11	11	0.03																	
Dimethoate	11	11	0.03																	
Endosulfan																				
Folpet	11	11	0.03															xxxxxx		
Captan+ Folpet (Sum)	11	11																		
Imazalil	11	11	0.05																	
Iprodione	11	11	0.05																	
Kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion	11	11	0.03																	
Maneb-group(##)																				
Mecarbam																				
Methamidophos	11	11	0.08																	
Metalaxyl	11	11	0.03																	
Methidathion	11	11	0.08																	
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin	11	11	0.03																	
Phorate																				
Pirimiphos-methyl																				
Procymidone	11	10	0.03				1										0.08	0	1.00	N
Propyzamide																				
Thiabendazol	11	11	0.05																	
Tolyfluanid	11	11	0.05																	
Triazophos																				
Vinclozolin	11	11	0.03																	

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	Iceland	Year of sampling:	2003
Total number of samples analysed:		With residues above MRL (EC+national):	
Without detectable residues:		With residues above EC-MRL:	
With detectable residues at or below MRL or without MRL:		With residues above national MRL:	
		Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns	

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate																				
Aldicarb																				
Azinphos-methyl																				
Azoxystrobin																				
Benomyl group(#)																				
Bromopropylate																				
Captan																		xxxxxx		
Chlorothalonil																				
Chlorpyrifos																				
Chlorpyrifos-methyl																				
Cypermethrin																				
Deltamethrin																				
Diazinon																				
Dichlofluanid																				
Dicofol																				
Dimethoate																				
Endosulfan																				
Folpet																		xxxxxx		
Captan+ Folpet (Sum)																				
Imazalil																				
Iprodione																				
Kresoxim-methyl																				
Lambda-cyhalothrin																				
Malathion																				
Maneb-group(##)																				
Mecarbam																				
Methamidophos																				
Metalaxyl																				
Methidathion																				
Methiocarb																				
Methomyl																				
Omethoate																				
Oxydemeton-methyl																				
Parathion																				
Permethrin																				
Phorate																				
Pirimiphos-methyl																				
Procymidone																				
Propyzamide																				
Thiabendazol																				
Tolyfluanid																				
Triazophos																				
Vinclozolin																				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)
(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg
(**) in alphabetical order of the English name
(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).
(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Brassica vegetables		Food item: Cauliflower (fresh or frozen)	
Reporting country:	Liechtenstein	Year of sampling:	2003
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding cauliflower and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	4	4	<0.05															0		
Aldicarb	4	4	<0.05															0		
Azinphos-methyl	4	4	<0.05															0		
Azoxystrobin	4	4	<0.02															0		
Benomyl group(#)	4	4	<0.05															0		
Bromopropylate	4	4	<0.005															0		
Captan																			xxxxxx	
Chlorothalonil	4	4	<0.005															0		
Chlorpyrifos	4	4	<0.01															0		
Chlorpyrifos-methyl	4	4	<0.01															0		
Cypermethrin	4	4	<0.005															0		
Deltamethrin	4	4	<0.005															0		
Diazinon	4	4	<0.01															0		
Dichlofluanid	4	4	<0.005															0		
Dicofol	4	4	<0.005															0		
Dimethoate	4	4	<0.01															0		
Endosulfan	4	4	<0.005															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	4	4	<0.005															0		
Imazalil	4	4	<0.02															0		
Iprodione	4	4	<0.005															0		
Kresoxim-methyl	4	4	<0.01															0		
Lambda-cyhalothrin	4	4	<0.005															0		
Malathion	4	4	<0.01															0		
Maneb-group(##)	4	3	<0.05					1									0.13	0		
Mecarbam	4	4	<0.01															0		
Methamidophos	4	4	<0.01															0		
Metalaxyl	4	4	<0.01															0		
Methidathion	4	4	<0.01															0		
Methiocarb	4	4	<0.05															0		
Methomyl	4	4	<0.05															0		
Omethoate	4	4	<0.02															0		
Oxydemeton-methyl	4	4	<0.04															0		
Parathion	4	4	<0.01															0		
Permethrin	4	4	<0.005															0		
Phorate	4	4	<0.01															0		
Pirimiphos-methyl	4	4	<0.01															0		
Procymidone	4	4	<0.005															0		
Propyzamide	4	4	<0.01															0		
Thiabendazol	4	4	<0.05															0		
Tolyfluanid	4	4	<0.005															0		
Triazophos	4	4	<0.05															0		
Vinclozolin	4	4	<0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Peppers	
Reporting country:	<u>Liechtenstein</u>	Year of sampling:	<u>2003</u>
		Remark:	Only add information regarding peppers and the 42 pesticides and do not change or delete rows or columns
Total number of samples analysed:	0	With residues above MRL (EC+national):	0
Without detectable residues:	0	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	0	0															0				
Aldicarb	0	0															0				
Azinphos-methyl	0	0															0				
Azoxystrobin	0	0															0				
Benomyl group(#)	0	0															0				
Bromopropylate	0	0															0				
Captan																		xxxxxx			
Chlorothalonil	0	0															0				
Chlorpyrifos	0	0															0				
Chlorpyrifos-methyl	0	0															0				
Cypermethrin	0	0															0				
Deltamethrin	0	0															0				
Diazinon	0	0															0				
Dichlofluanid	0	0															0				
Dicofol	0	0															0				
Dimethoate	0	0															0				
Endosulfan	0	0															0				
Folpet																		xxxxxx			
Captan+ Folpet (Sum)	0	0															0				
Imazalil	0	0															0				
Iprodione	0	0															0				
Kresoxim-methyl	0	0															0				
Lambda-cyhalothrin	0	0															0				
Malathion	0	0															0				
Maneb-group(##)	0	0															0				
Mecarbam	0	0															0				
Methamidophos	0	0															0				
Metalaxyl	0	0															0				
Methidathion	0	0															0				
Methiocarb	0	0															0				
Methomyl	0	0															0				
Omethoate	0	0															0				
Oxydemeton-methyl	0	0															0				
Parathion	0	0															0				
Permethrin	0	0															0				
Phorate	0	0															0				
Pirimiphos-methyl	0	0															0				
Procymidone	0	0															0				
Propyzamide	0	0															0				
Thiabendazol	0	0															0				
Tolyfluanid	0	0															0				
Triazophos	0	0															0				
Vinclozolin	0	0														159	0				

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Wheat	
Reporting country:	Liechtenstein	Year of sampling:	2003
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding wheat grains and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	4	4	<0.05															0		
Aldicarb	4	4	<0.05															0		
Azinphos-methyl	4	4	<0.05															0		
Azoxystrobin	4	4	<0.05															0		
Benomyl group(#)	4	4	<0.05															0		
Bromopropylate	4	4	<0.005															0		
Captan																			xxxxxx	
Chlorothalonil	4	4	<0.005															0		
Chlorpyrifos	4	4	<0.01															0		
Chlorpyrifos-methyl	4	4	<0.01															0		
Cypermethrin	4	4	<0.005															0		
Deltamethrin	4	4	<0.005															0		
Diazinon	4	4	<0.01															0		
Dichlofluanid	4	4	<0.005															0		
Dicofol	4	4	<0.005															0		
Dimethoate	4	4	<0.01															0		
Endosulfan	4	4	<0.005															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	4	4	<0.005															0		
Imazalil	4	4	<0.02															0		
Iprodione	4	4	<0.005															0		
Kresoxim-methyl	4	4	<0.01															0		
Lambda-cyhalothrin	4	4	<0.005															0		
Malathion	4	4	<0.01															0		
Maneb-group(##)	4	4	<0.05															0		
Mecarbam	4	4	<0.01															0		
Methamidophos	4	4	<0.01															0		
Metalaxyl	4	4	<0.02															0		
Methidathion	4	4	<0.01															0		
Methiocarb	4	4	<0.05															0		
Methomyl	4	4	<0.05															0		
Omethoate	4	4	<0.02															0		
Oxydemeton-methyl	4	4	<0.04															0		
Parathion	4	4	<0.01															0		
Permethrin	4	4	<0.005															0		
Phorate	4	4	<0.01															0		
Pirimiphos-methyl	4	4	<0.01															0		
Procymidone	4	4	<0.005															0		
Propyzamide	4	4	<0.02															0		
Thiabendazol	4	4	<0.05															0		
Tolyfluanid	4	4	<0.005															0		
Triazophos	4	4	<0.05															0		
Vinclozolin	4	4	<0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Aubergines	
Reporting country:	Liechtenstein	Year of sampling:	2003
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding aubergines and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	4	4	<0.05															0		
Aldicarb	4	4	<0.05															0		
Azinphos-methyl	4	4	<0.05															0		
Azoxystrobin	4	4	<0.02															0		
Benomyl group(#)	4	4	<0.05															0		
Bromopropylate	4	4	<0.005															0		
Captan																			xxxxxx	
Chlorothalonil	4	4	<0.005															0		
Chlorpyrifos	4	4	<0.01															0		
Chlorpyrifos-methyl	4	4	<0.01															0		
Cypermethrin	4	4	<0.005															0		
Deltamethrin	4	4	<0.005															0		
Diazinon	4	4	<0.01															0		
Dichlofluanid	4	4	<0.005															0		
Dicofol	4	4	<0.005															0		
Dimethoate	4	4	<0.01															0		
Endosulfan	4	4	<0.005															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	4	4	<0.005															0		
Imazalil	4	4	<0.02															0		
Iprodione	4	4	<0.005															0		
Kresoxim-methyl	4	4	<0.01															0		
Lambda-cyhalothrin	4	4	<0.005															0		
Malathion	4	4	<0.01															0		
Maneb-group(##)	4	3	<0.05				1										0.06	0		
Mecarbam	4	4	<0.01															0		
Methamidophos	4	4	<0.01															0		
Metalaxyl	4	4	<0.01															0		
Methidathion	4	4	<0.01															0		
Methiocarb	4	4	<0.05															0		
Methomyl	4	4	<0.05															0		
Omethoate	4	4	<0.02															0		
Oxydemeton-methyl	4	4	<0.04															0		
Parathion	4	4	<0.01															0		
Permethrin	4	4	<0.005															0		
Phorate	4	4	<0.01															0		
Pirimiphos-methyl	4	4	<0.01															0		
Procymidone	4	4	<0.005															0		
Propyzamide	4	4	<0.01															0		
Thiabendazol	4	4	<0.05															0		
Tolyfluanid	4	4	<0.005															0		
Triazophos	4	4	<0.05															0		
Vinclozolin	4	4	<0.005															0		

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Cereals		Food item: Rice (husked or polished)	
Reporting country:	Liechtenstein	Year of sampling:	2003
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	4	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	0	With residues above national MRL:	0

Only add information regarding rice and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	4	4	<0.05														0			
Aldicarb	4	4	<0.05														0			
Azinphos-methyl	4	4	<0.05														0			
Azoxystrobin	4	4	<0.02														0			
Benomyl group(#)	4	4	<0.05														0			
Bromopropylate	4	4	<0.005														0			
Captan																		xxxxxx		
Chlorothalonil	4	4	<0.005														0			
Chlorpyrifos	4	4	<0.01														0			
Chlorpyrifos-methyl	4	4	<0.01														0			
Cypermethrin	4	4	<0.005														0			
Deltamethrin	4	4	<0.005														0			
Diazinon	4	4	<0.01														0			
Dichlofluanid	4	4	<0.005														0			
Dicofol	4	4	<0.005														0			
Dimethoate	4	4	<0.01														0			
Endosulfan	4	4	<0.005														0			
Folpet																		xxxxxx		
Captan+ Folpet (Sum)	4	4	<0.005														0			
Imazalil	4	4	<0.02														0			
Iprodione	4	4	<0.005														0			
Kresoxim-methyl	4	4	<0.01														0			
Lambda-cyhalothrin	4	4	<0.005														0			
Malathion	4	4	<0.01														0			
Maneb-group(##)	4	4	<0.05														0			
Mecarbam	4	4	<0.01														0			
Methamidophos	4	4	<0.01														0			
Metalaxyl	4	4	<0.01														0			
Methidathion	4	4	<0.01														0			
Methiocarb	4	4	<0.05														0			
Methomyl	4	4	<0.05														0			
Omethoate	4	4	<0.02														0			
Oxydemeton-methyl	4	4	<0.04														0			
Parathion	4	4	<0.01														0			
Permethrin	4	4	<0.005														0			
Phorate	4	4	<0.01														0			
Pirimiphos-methyl	4	4	<0.01														0			
Procymidone	4	4	<0.005														0			
Propyzamide	4	4	<0.01														0			
Thiabendazol	4	4	<0.05														0			
Tolyfluanid	4	4	<0.005														0			
Triazophos	4	4	<0.05														0			
Vinclozolin	4	4	<0.005														0			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Berries and small fruit		Food item: Table Grapes	
Reporting country:	Liechtenstein	Year of sampling:	2003
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	1
Without detectable residues:	0	With residues above EC-MRL:	1
With detectable residues at or below MRL or without MRL:	3	With residues above national MRL:	0

Only add information regarding table grapes and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)														Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50					
Acephate	4	4	<0.05															0			
Aldicarb	4	4	<0.05															0			
Azinphos-methyl	4	4	<0.05															0			
Azoxystrobin	4	4	<0.02															0			
Benomyl group(#)	4	2	<0.05					1	1							0.71		0			
Bromopropylate	4	4	<0.005															0			
Captan																			xxxxxx		
Chlorothalonil	4	4	<0.005															0			
Chlorpyrifos	4	3	<0.01		1											0.02		0			
Chlorpyrifos-methyl	4	4	<0.01															0			
Cypermethrin	4	4	<0.005															0			
Deltamethrin	4	4	<0.005															0			
Diazinon	4	4	<0.01															0			
Dichlofluanid	4	4	<0.005															0			
Dicofol	4	4	<0.005															0			
Dimethoate	4	4	<0.01															0			
Endosulfan	4	4	<0.005															0			
Folpet																			xxxxxx		
Captan+ Folpet (Sum)	4	4	<0.005															0			
Imazalil	4	4	<0.02															0			
Iprodione	4	4	<0.005															0			
kresoxim-methyl	4	4	<0.01															0			
Lambda-cyhalothrin	4	4	<0.005															0			
Malathion	4	4	<0.01															0			
Maneb-group(##)	4	4	<0.05															0			
Mecarbam	4	4	<0.01															0			
Methamidophos	4	3	<0.01		1											0.02		1	0.01		
Metalaxyl	4	4	<0.01															0			
Methidathion	4	4	<0.01															0			
Methiocarb	4	4	<0.05															0			
Methomyl	4	4	<0.05															0			
Omethoate	4	4	<0.02															0			
Oxydemeton-methyl	4	4	<0.04															0			
Parathion	4	4	<0.01															0			
Permethrin	4	4	<0.005															0			
Phorate	4	4	<0.01															0			
Pirimiphos-methyl	4	4	<0.01															0			
Procymidone	4	4	<0.005															0			
Propyzamide	4	4	<0.01															0			
Thiabendazol	4	4	<0.05															0			
Tolyfluanid	4	4	<0.005															0			
Triazophos	4	4	<0.05															0			
Vinclozolin	4	4	<0.005															0			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Fruiting vegetables		Food item: Cucumber	
Reporting country:	Liechtenstein	Year of sampling:	2003
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding cucumber and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	4	4	<0.05														0			
Aldicarb	4	4	<0.05														0			
Azinphos-methyl	4	4	<0.05														0			
Azoxystrobin	4	4	<0.02														0			
Benomyl group(#)	4	4	<0.05														0			
Bromopropylate	4	4	<0.005														0			
Captan																		xxxxxx		
Chlorothalonil	4	4	<0.005														0			
Chlorpyrifos	4	4	<0.01														0			
Chlorpyrifos-methyl	4	4	<0.01														0			
Cypermethrin	4	4	<0.005														0			
Deltamethrin	4	4	<0.005														0			
Diazinon	4	4	<0.01														0			
Dichlofluanid	4	4	<0.005														0			
Dicofol	4	4	<0.005														0			
Dimethoate	4	4	<0.01														0			
Endosulfan	4	4	<0.005														0			
Folpet																		xxxxxx		
Captan+ Folpet (Sum)	4	4	<0.005														0			
Imazalil	4	4	<0.02														0			
Iprodione	4	4	<0.005														0			
Kresoxim-methyl	4	4	<0.01														0			
Lambda-cyhalothrin	4	4	<0.005														0			
Malathion	4	4	<0.01														0			
Maneb-group(##)	4	3	<0.05			1										0.05	0			
Mecarbam	4	4	<0.01														0			
Methamidophos	4	4	<0.01														0			
Metalaxyl	4	4	<0.01														0			
Methidathion	4	4	<0.01														0			
Methiocarb	4	4	<0.05														0			
Methomyl	4	4	<0.05														0			
Omethoate	4	4	<0.02														0			
Oxydemeton-methyl	4	4	<0.04														0			
Parathion	4	4	<0.01														0			
Permethrin	4	4	<0.005														0			
Phorate	4	4	<0.01														0			
Pirimiphos-methyl	4	4	<0.01														0			
Procymidone	4	4	<0.005														0			
Propyzamide	4	4	<0.01														0			
Thiabendazol	4	4	<0.05														0			
Tolyfluanid	4	4	<0.005														0			
Triazophos	4	4	<0.05														0			
Vinclozolin	4	4	<0.005														0			

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂

Table B: Notifications of the co-ordinated programme (specific exercise) to the European Commission

Product group: Legume vegetables (fresh)		Food item: Peas (fresh/frozen, without pod)	
Reporting country:	Liechtenstein	Year of sampling:	2003
		Remark:	
Total number of samples analysed:	4	With residues above MRL (EC+national):	0
Without detectable residues:	3	With residues above EC-MRL:	0
With detectable residues at or below MRL or without MRL:	1	With residues above national MRL:	0

Only add information regarding peas and the 42 pesticides and do not change or delete rows or columns

Pesticide (**)	Total number of samples	Number of samples without residues	Reporting level (mg/kg)	Samples with quantifiable residues in classes up to and including (in mg/kg) (*)													Maximum residue level found (mg/kg)	Number of samples with residues exceeding the MRL	MRL (mg/kg)	Source of MRL (***)
				0.01	0.02	0.05	0.1	0.2	0.5	1	2	5	10	20	50	>50				
Acephate	4	4	<0.05															0		
Aldicarb	4	4	<0.05															0		
Azinphos-methyl	4	4	<0.05															0		
Azoxystrobin	4	4	<0.02															0		
Benomyl group(#)	4	4	<0.05															0		
Bromopropylate	4	4	<0.005															0		
Captan																			xxxxxx	
Chlorothalonil	4	4	<0.005															0		
Chlorpyrifos	4	4	<0.01															0		
Chlorpyrifos-methyl	4	4	<0.01															0		
Cypermethrin	4	4	<0.005															0		
Deltamethrin	4	4	<0.005															0		
Diazinon	4	4	<0.01															0		
Dichlofluanid	4	4	<0.005															0		
Dicofol	4	4	<0.005															0		
Dimethoate	4	4	<0.01															0		
Endosulfan	4	4	<0.005															0		
Folpet																			xxxxxx	
Captan+ Folpet (Sum)	4	3	<0.005	1													0.006	0		
Imazalil	4	4	<0.02															0		
Iprodione	4	4	<0.005															0		
Kresoxim-methyl	4	4	<0.01															0		
Lambda-cyhalothrin	4	4	<0.005															0		
Malathion	4	4	<0.01															0		
Maneb-group(##)	4	3	<0.05				1										0.09	0		
Mecarbam	4	4	<0.01															0		
Methamidophos	4	4	<0.01															0		
Metalaxyl	4	4	<0.01															0		
Methidathion	4	4	<0.01															0		
Methiocarb	4	4	<0.05															0		
Methomyl	4	4	<0.05															0		
Omethoate	4	4	<0.02															0		
Oxydemeton-methyl	4	4	<0.04															0		
Parathion	4	4	<0.01															0		
Permethrin	4	4	<0.005															0		
Phorate	4	4	<0.01															0		
Pirimiphos-methyl	4	4	<0.01															0		
Procymidone	4	4	<0.005															0		
Propyzamide	4	4	<0.01															0		
Thiabendazol	4	4	<0.05															0		
Tolyfluanid	4	4	<0.005															0		
Triazophos	4	4	<0.05															0		
Vinclozolin	4	4	<0.005															0		

165

xxxxxx: do not report MRL here, report MRL in the row (Sum Captan+Folpet)

(*) i.e column 0.02 includes the range from 0.011... mg/kg upto 0.020... mg/kg

(**) in alphabetical order of the English name

(***) E=EC-MRL, N=National MRL, W=without MRL

(#) Benomyl, carbendazim, thiophanate-methyl (sum of residues expressed as carbendazim).

(##) Sum of dithiocarbamates, expressed as CS₂